

## **SOME REFERENCES** of published papers

in geology, engineering geology, rock mechanics and rock engineering

1. Abbiss C.P. (1979): A comparison of the stiffness of chalk at Mundford from a seismic survey and large-scale tank test. *Géotechnique*, 29, pp. 461-468.
2. Aglawe J. P. (1998): Unstable and Violent Failure Around Underground Openings in Highly Stressed Ground. Ph.D. thesis, Department of Mining Engineering, Queen's University, Kingston, Canada. In Progress.
3. Almén K-E., Andersson J-E., Carlsson L., Hansson K. and Larsson N-A. (1986): Hydraulic testing in crystalline rock. A comparative study of single-hole test methods. SKB Technical report 86-27. Svensk Kärnbränslehantering AB.
4. Amadei B. (1988): Strength of a regularly jointed rock mass under biaxial and axisymmetric loading conditions. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, Vol. 25, No. 1, pp. 3 - 13.
5. Amadei B. and Stephansson O. (1997): *Rock Stress and Its Measurement*. Chapman & Hall, London, 1st edn.
6. Amos A.J., Granero Hernandez A. and R.J. Rocca. (1981): Problemas de meteorizacion del genéis en la Presa Principal del complejo hidroeléctrico Río Grande I. *Proc. VIII Congr. Geol. Arg. Actas 2*, pp. 123-135.
7. Amberg W. and Christini F. (1986): The new Austrian tunnelling method in railway tunnel construction. *Rasegna dei lavori pubblici*, No 5, pp. 241/1 - 252/1.
8. American Geological Institute (1962): *Dictionary of geological terms*. Dolphin Reference Books, 545 p.
9. Andersson C. and Söderhäll J. (2001): Rock mechanical conditions at the Äspö HRL. A study of the correlation between geology, tunnel maintenance and tunnel shape. *Tech. Rep. SKB R 01-53*, Swedish Nuclear Fuel and Waste Management Company, Stockholm.
10. Andersson C. (2007): Rock mass response to coupled mechanical thermal loading Äspö pillar stability experiment, Sweden. Doctoral thesis. Royal Institute of Technology (KTH), Stockholm.
11. Andersson H. (1998): Chemical rock grouting. An experimental study on polyurethane foams. Ph. D. thesis, Department of geotechnical engineering, Chalmers university of technology, Sweden.
12. Andersson H. and Janson T. (1998): Grouting knowledge in Sweden — A survey. *Proc Underground Construction in Modern Infrastructure*, Stockholm. Pp 375-380, ISBN 90 5410-964-5.
13. Andersson J. and Ljunggren C. (1997): A geostatistical approach to evaluate differences in results between hydraulic fracturing and overcoring. In *Proc. Int. Symp. on Rock Stress*, Kumamoto (Ed. K. Sugawara and Y. Obara), pp. 223–227. A.A. Balkema, Rotterdam.

14. Andersson J., Ström A., Svemar C., Almén K.-E. and Ericsson L. E. (2000): What requirements does the kbs-3 repository make on the host rock? Geoscientific suitability indicators and criteria for siting and site evaluation. Technical Report TR-00-12, Swedish Nuclear Fuel and Waste Management Company, Stockholm, Sweden.
15. Andersson J., Christiansson R. and Hudson J.A. (2002): Site Investigations Strategy for Rock Mechanics Site Descriptive Model. Report TR-02-01. Svensk Kärnbränslehantering AB (SKB), Stockholm, Sweden
16. Anon (1970): Using a remotely controlled borehole camera. *Ground Engineering*, 3 (5), pp. 20-21.
17. Anon (1977): The logging of rock cores for engineering purposes: Engineering Group Working Party Report. *Q.J. Eng. Geol.*, 10 (1), pp. 45-51.
18. Anon. (1977). Geological Society Engineering Group Working Party Report. Description of rock masses for engineering purposes. *Q. J. Engng Geol.* 10, pp. 355-388.
19. Arjang B. (1989): Pre-mining stresses at some hard-rock mines in the Canadian Shield. In Proc. 30th U.S. Symp. Rock Mech., Morgentown, pp. 545–551. A.A. Balkema, Rotterdam.
20. Arjang B. and Herget G. (1997): In situ ground stresses in the Canadian hardrock mines: an update. *Int. J. Rock Mech. Min. Sci.*, **34**(3-4):652. Paper No. 015.
21. Association of Ground Investigation Specialists (AGIS) (1979): Specification for ground investigations. *Ground Engineering*, 12 (5), pp. 56-57.
22. Aubertin M. and Simon R. (1997): A damage initiation criterion for low porosity rocks. *Int. J. Rock Mech. Min. Sci.*, 34 (3-4), Paper 017.
23. Aufmuth R.E. (1974): Site engineering indexing of rock: Field testing and instrumentation of rock. American Society for Testing and Materials, Special Technical Publication, No. 554, pp. 81-99.
24. Aydan Ö., Akagi T. and Kawamoto T. (1993): The squeezing potential of rocks around tunnels; theory and prediction. *Rock Mech. Rock Engn.*, No. 26, pp. 137 - 163.
25. Axelsson M. (2005): Mechanical tests on a new non-cementitious grout, silica sol: A laboratory study of the material characteristics. *Tunnelling and Underground Space Technology*. Available online DOI: 10.1016/j.tust.2005.08.011.
26. Axelsson M. and Gustafson G. (2005): A robust method to determine the shear strength of cement-based injection grouting in the field.
27. Axelsson M. (2006): Strength criteria on grouting agents for hard rock, Laboratory studies performed on gelling liquid and cementitious grout. Licentiate thesis, Chalmers University of Technology, Division of GeoEngineering. Goteborg.
28. Azzoni A., La Barbera G. and Zaninetti A. (1995): Analysis and prediction of rockfalls using a mathematical model. *International Journal of Rock Mechanics and Mining Science and Geomechanics Abstracts*. Vol. 32., No. 7. pp. 709-724.
29. Badger T.C. and Lowell S. (1992): Rockfall Control Washington State. In *Rockfall Prediction and Control and Landslide Case Histories*, Transportation Research Record, National Research Council, Washington, No 1342, pp. 14-19.

30. Baecher G.B., Lanney N.A. and Einstein H.H. (1977): Rock joint properties and sampling. Proc. 19th U.S. Symp. on Rock Mechanics, Keystone.
31. Baecher G.S. and Lanney N.A. (1978): Trace length biases in joint surveys. 19th US Symp. on Rock Mechanics, Stateline, Nevada, pp. 56-65.
32. Bajzelj U., Likar J., Zigman F., Subelj A. and Spek S. (1992): Geotechnical analyses of the mining method using long cable bolts. In Rock support in mining and underground construction, proc. int. symp. on rock support, Sudbury, (eds. P.K. Kaiser and D.R. McCreath), pp. 393-402. Rotterdam: Balkema.
33. Baker D.G. (1991): Wahleach power tunnel monitoring. Proc. 3rd Int. Symp. on Field Measurements in Geomechanics, Oslo, Norway.
34. Ballard R.F., Stokoe K.H. and McLemore R. (1983): Proposed test methods for crosshole seismic testing. ASTM Geotech. Testing J., 6, pp. 210-219.
35. Balmer G. (1952): A general analytical solution for Mohr's envelope. Am. Soc. Test. Mat. 52, pp. 1260-1271.
36. Bandis S.C. (1980): Experimental studies of scale effects on shear strength, and deformation of rock joints. Ph.D. thesis, University of Leeds.
37. Bandis S.C. (1990): Mechanical properties of rock joints. In Proc. Int. Soc. Rock Mech. symp. on rock joints, Loen, Norway, (eds N. Barton and O. Stephansson), pp. 125-140. Rotterdam: Balkema.
38. Barker R.D. and Worthington P.F. (1972): Location of disused mineshafts by geophysical methods. Civil Engng and Publ. Wks Rev., 67 (788), pp. 275-276.
39. Barla G., Sharp J.C. and Rabagliata (1993): Stress strength and deformability assessment for the design of large storage caverns in a weak Eocene chalk. Proc. MIR '90, 3rd Conf. on Meccanica e Ingegneria delle Rocce (Mechanics and Engineering of Rocks), Torino, 26—30 Nov., pp. 22-1 - 22-21.
40. Barr M.V. (1977): Downhole instrumentation — a review for tunnelling ground investigation. CIRIA Technical Note 090, Construction Industry Research and Information Association, London.
41. Barr M.V. and Hocking G. (1976): Borehole structural logging employing a pneumatically inflatable impression packer. Proc. Sym. on Exploration for Rock Engineering, Johannesburg.
42. Barton N. (1973): Review of a new shear-strength criterion for rock joints. Engineering Geology, 7, pp. 287-332.
43. Barton N. (1973): A review of the shear strength of filled discontinuities. Proc. Conf. on Fjellsprengningsteknikk/Bergmekanikk, Tapir, Trondheim, 38 p. (also in Norwegian Geotechnical Institute, Publ. No. 105)
44. Barton N.R. (1974): A review of the shear strength of filled discontinuities in rock. Norwegian Geotech. Inst. Publ. No. 105. Oslo: Norwegian Geotech. Inst.

45. Barton N., Lien R. and Lunde J. (1974): Analysis of rock mass quality and support practice in tunnelling and a guide to estimating support requirements. Internal Report No. 106, Norwegian Geotechnical Institute, Oslo.
46. Barton N. R., Lien R. and Lunde J. (1974): Engineering classification of rock masses for the design of tunnel support. *Rock Mech.*, 6(4), pp. 189-236.
47. Barton N., Lien R. and Lunde J. (1975): Estimation of support requirements for underground excavations. *Proc. Sixteenth Symp. on Rock Mechanics*, Minneapolis, pp. 163-177.
48. Barton N. (1976): The shear strength of rock and rock joints. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, Vol. 13, No. 9, pp. 255-279.
49. Barton N. (1976). Recent Experiences with the Q-system of Tunnel Support Design. *Proc. Symp. on Exploration for Rock Engineering*, Johannesburg, pp. 107-117.
50. Barton N., Lien R. and Lunde J. (1977): Estimation of support requirements for underground excavation. *Symposium on Rock Mechanics*, 16. Minneapolis, Minn., Proceedings, pp. 163-177.
51. Barton N. and Choubey V. (1977): The shear strength of rock joints in theory and practice. *Rock Mechanics*, No. 1/2, pp. 1-54, (also in *Norwegian Geotechnical Institute*, Publ. No. 119)
52. Barton N., Lien R. and Lunde J. (1980): Application of Q-system in design decisions concerning dimensions and appropriate support for underground installations. *Proc. Int. Conf. Subsurface Space*, Pergamon Press, pp. 553-561.
53. Barton N. and Bandis S. (1980): Some effects of Scale on the shear strength of joints. Technical note. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, Vol 17, pp. 69-73.
54. Barton N. and Bandis S.C. (1982): Effects of block size on the shear behaviour of jointed rock. *23rd U.S. symp. on rock mechanics*, Berkeley, pp. 739-760.
55. Barton N. (1987): Predicting the behaviour of underground openings in rock. *4th Manual Rocha Memorial Lecture*, Lisbon (in *Norwegian Geotechnical Institute*, Publ. No. 172) 21 p.
56. Barton, N. (1989): Cavern design for Hong Kong rocks. *Proc. Rock Cavern Seminar – Hong Kong* (eds A.W. Malone and P.G.D. Whiteside), pp. 179-202. London: Institution of Mining and Metallurgy
57. Barton N. (1990): Cavern design for Hong Kong rocks. *Norwegian Geotechnical Institute*, Publ.no. 180, pp. 1-24.
58. Barton N. (1990): Scale effects or sampling bias? *Proc. Int. Workshop Scale Effects in Rock Masses*, Balkema Publ., Rotterdam, pp. 31-55.
59. Barton, N. and Bandis, S.C. (1990): Review of predictive capabilities of JRC-JCS model in engineering practice. In *Rock joints*, *proc. int. symp. on rock joints*, Loen, Norway, (eds. N. Barton and O. Stephansson), 603-610. Rotterdam: Balkema.
60. Barton N., Tunbridge L., Løset F., Kristiansen J. og Vik G. (1990): OL mountain hall with 60m span – rock mechanical investigations (in Norwegian). *Norwegian annual national rock excavation conference (Fjellsprengningsteknikk - bergmekanikk – geoteknikk)*, pp. 36.1-36.21.
61. Barton N. (1991): Geotechnical design. *World Tunnelling*, November 1991, 6 p.

62. Barton N., Grimstad E., Aas G., Opsahl O.A., Bakken A., Johansen E.D. og Pedersen O. (1992): Norwegian method of tunnelling. *World Tunnelling*, Vol. 5, June, pp. 231-236, August, pp. 324-328. Also published in NGI Publ. no. 194.
63. Barton N., By T.L., Chryssanthakis L., Tunbridge L., Kristiansen J., Løset F., Bhasin R.K., Westerdahl H. and Vik G. (1992): Comparison of prediction and performance for a 62 m span sports hall in jointed gneiss. *Proc. 4th. int. rock mechanics and rock engineering conf., Torino*, Paper 17.
64. Barton N. (1993): Physical and discrete element models of excavation and failure in jointed rock. Keynote lecture presented at ISRM Int. Symp. on Assessment and Prevention of failure Phenomena in Rock Engineering, Istanbul, Turkey.
65. Barton N. (1993): Tunnel support using NMT, based on core logging (in Norwegian). Norwegian annual national rock excavation conference (Fjellsprengningsteknikk - bergmekanikk – geoteknikk), pp. 28.1 - 28.14.
66. Barton N. & Grimstad E. (1994): The Q-system following twenty years of application in NMT support selection. *Felsbau* 12 No.6, pp. 428-436.
67. Barton N. (1995): The influence of joint properties in modelling jointed rock masses. Keynote lecture, *Proc. 8<sup>th</sup> ISRM Congr., Tokyo*, pp. 1023 -1032, Balkema, Rotterdam.
68. Barton N. (1999): TBM performance estimation in rock using  $Q_{TBM}$ . *Tunnels & Tunnelling*, September 1999, pp. 30-34.
69. Barton N., Roald S. and Buen B. (2001/2002): Strengthening the case for grouting. *Tunnels & Tunnelling*, del 1: desember 2002, side 34-36; del 2: januar 2002, pp. 37-39.
70. Barton N. (2002): Some new Q-value correlations to assist in site characterization and tunnel design. *Int. J. Rock Mech. & Min. Sci.* nr. 39, pp. 185-216.
71. Barton, N. and Grimstad, E. (2004): The Q-system following thirty years of development and application in tunneling projects. *Proc. ISRM Symp. EUROCK 2004. Salzburg, Austria, 2004*, pp. 15-18.
72. Batchelor A. S., Kwakwa K. A., Proughten A. J. and Davies N. (1997): Determination of the in-situ stresses at Sellafield, UK: A case study. In *Proc. Int. Symp. on Rock Stress*, Kumamoto (Ed. K. Sugawara and Y. Obara), pp. 265–276. A.A. Balkema, Rotterdam.
73. Bates R.L., Jackson J.A. (1980): *Glossary of geology*. American Geological Institute, Fall Church, Virginia, second edition 1980.
74. Beaumont J.E. (1979): Remote sensing survey techniques, *The Highway Engineer*, 26 (4), pp. 2-14.
75. Belcher D.J. (1946): Engineering applications of aerial reconnaissance, *Bull. Geol. Soc. Amer.*, 57, pp. 727-34.
76. Benjamin J.R. and Cornell C.A., (1970): *Probability, Statistics and Decision for Civil Engineers*. McGraw-Hill, New York.
77. Benson R.P., Murphy D.K. and McCreath D.R. (1970): Modulus testing of rock at the Churchill falls underground powerhouse, Labrador. Determination of the in-situ modulus deformation of rock. *ASTM STP 477*, pp. 89 – 116.

78. Bergh-Christensen J. (1968): On the blastability of rocks (in Norwegian). Lic. Techn. thesis, Geological Inst., Techn. Univ. Norway, Trondheim.
79. Bergh-Christensen J. and Selmer-Olsen R. (1970): On the resistance to blasting in tunnelling. Proc. 2nd ISRM Congr., Belgrade, Vol. 3, paper 5 - 7.
80. Bergman M. (1975): Borehole investigations in rock; evaluation of the reliability of methods (in Swedish). National Swedish Building Research, report no R17:1975, 69 p.
81. Bergman S.G.A. (1956): Functional rock classification. (in Swedish). IVA Publ. 142, Stockholm.
82. Bergman S.G.A. and Johnsson N.E. (1981): Rock burst problems in ÖEF 600 m<sup>2</sup> tunnels in Brofjorden, Sweden. In: Bergmekanikdag 1981 - Papers presented at Rock Mechanics Meeting in Stockholm 1981, pp. 121-147 [In Swedish].
83. Bergman S.G.A. and Stille H. (1982): Rock burst problems in a 2.6 million m<sup>3</sup> underground crude oil storage in granite. In: Rock mechanics: caverns and pressure shafts. Vol. 1-2, pp. D301-309. ISRM, Rotterdam, Balkema. ISBN 90-6191-232-6.
84. Bergstrom M., Malmtorp J., Nylén K. and Rosengren R. (2003): Framgångsfaktorer i bergbyggandet, etapp 1: Inledande studie. Success factors in rock construction (In Swedish). Available as pdf on [www.SveBeFo.se](http://www.SveBeFo.se).
85. Bétournay, M.C. 1987. A design philosophy for surface crown pillars in hard rock mines. Bull. Canadian Inst. Min. Metall. 80 (903), pp. 45-61.
86. Berthelsen O.J. (1992): Guide to cavern engineering. Geotechnical Engineering Office, Hong Kong, Geoguide 4, 159 p.
87. Bhasin R. (1991): Evaluation of soft rock conditions in tunnels through the Lower Himalayan regions; a contribution for updating of the Q-system. Cand.Scient. thesis, University of Oslo, Norway, 83 p.
88. Bhawani Singh, Jethwa J.L., Dube A.K. and Singh B. (1992): Correlation between observed support pressure and rock mass quality. Tunnelling and Underground Space Technology, Vol. 7, No. 1, pp. 59-74.
89. Bieniawski Z.T. (1967): Mechanism of brittle fracture of rock, parts I, II and III. Int. J. Rock Mech. Min. Sci. & Geomech. Abstr. 4(4), pp. 395-430.
90. Bieniawski Z.T. (1973): Engineering classification of jointed rock masses. Trans. S. African Instn. Civ. Engrs., Vol 15, No 12, Dec. 1973, pp. 335 - 344.
91. Bieniawski Z.T. (1974): Geomechanics classification of rock masses and its application in tunneling. Proc. Third Int. Congress on Rock Mechanics, ISRM, Denver 1974, pp. 27-32.
92. Bieniawski Z.T. (1974): Geomechanics classification of rock masses and its application in tunnelling. In Advances in Rock Mechanics 2 , part A: pp. 27-32. Washington, D.C.: National Academy of Sciences
93. Bieniawski Z.T. (1974): Estimating the strength of rock materials. J. South African Inst. Min. Metall . 74 (8), pp. 312-320.

94. Bieniawski Z.T. (1975): The point load test in geotechnical practice. *Engineering Geology*, 9, pp. 1-11.
95. Bieniawski Z.T., (1976): Rock mass classifications in rock engineering. *Proceedings Symposium on Exploration for Rock Engineering*; ed. Z.T. Bieniawski A.A. Balkema, Rotterdam, pp. 97-106.
96. Bieniawski Z.T. (1978): Determining rock mass deformability: Experience from case histories. *Int. J. Rock Mechanics Mineral Science & Geomechanics Abstract*, Vol. 15, pp. 237-247.
97. Bieniawski Z.T. (1979): The geomechanics classification in rock engineering applications. *Proc. 4th. Congr., Int. Soc. Rock Mech., Montreux 2*, pp. 41-48.
98. Bieniawski Z.T. (1984): *Rock mechanics design in mining and tunneling*. A.A. Balkema, Rotterdam, 272 p.
99. Bieniawski Z.T. (1988): Rock mass classification as a design aid in tunnelling. *Tunnels & Tunnelling*, July 1988
100. Bieniawski Z.T. (1989): *Engineering rock mass classifications*. John Wiley & Sons, New York, 251 p.
101. Bieniawski Z.T. (1992): *Design methodology in rock engineering*. A.A. Balkema, Rotterdam, 198 p.
102. Bieniawski Z.T., Bauer S.J. and Costin L.S. (1993): Geotechnical design methodology workshop. *News Journal of International Society for Rock Mechanics*, Vol. 1, No. 4, pp. 42-45.
103. Bieniawski Z.T. (1997): Quo vadis rock mass classifications? *Felsbau* 15, No 3, pp. 177-178.
104. Bjerrum L.B. (1965): Discussion of paper: Functional rock classification by S.G.A. Bergman. *IVA report 142*, pp. 124-125.
105. Bjerrum L., Nash J.K.T.L., Kennard R.M. and Gibson R.E. (1972): Hydraulic fracturing in field permeability testing, *Géotechnique*, 22 (2), pp. 319-332.
106. Blindheim (1979): Boreability of rocks. (In Norwegian). Ph.D. thesis, NTH, Norway, Dept. of geology, 406 p.
107. Blindheim O.T., Boniface A. and Richards L.A. (1991): Boreability assessments for the Lesotho Highlands water project. *Tunnels & Tunnelling*, June 1991, pp. 55-58.
108. Blindheim O.T. (2005): A critique of QTBM. *Tunnels & Tunnelling. Intn.*(June), pp. 32–35.
109. Blyth F.G.H. and De Freitas M.H. (1984): *A Geology for Engineers*. 7th edn, Edward Arnold, London.
110. Boden A. and Sievänen U. (1995): Low-pH injection grout for deep repositories. Summary report from a co-operation project between NUMO (Japan), Posiva (Finland) and SKB (Sweden). SKB R-05-40, Svensk Kärnbränslehantering AB.
111. Boge K. and Johansen P.M. (1995): *Rock grouting, practical handbook*. (In Norwegian). Norwegian Tunnelling Society (NFF), Handbook No. 1, 86 p.

112. Bowcock J.B., Boyd J.M., Hoek E. and Sharp J.C. (1976): Drakensberg pumped storage scheme, rock engineering aspects. In *Exploration for Rock Engineering* (ed. Z.T. Bieniawski),: A.A. Balkema, Rotterdam, pp. 121-139.
113. Bozzolo D., Pamini R. and Hutter K. (1988): Rockfall analysis - a mathematical model and its test with field data. *Proc. 5th International Symposium on Landslides, Lusanne. July 1988, Vol. 1, pp. 555-560.*
114. Brace W. F., Paulding B. and Scholz C. (1966): Dilatancy in the fracture of crystalline rocks. *J. Geophys. Res.*, 71: pp. 3939–3953.
115. Brady B.H.G. and Brown E.T. (1985): *Rock mechanics for underground mining*. London: Allen and Unwin.
116. Brady B. H. G. and Brown E. T. (1993): *Rock Mechanics for Underground Mining*. Chapman and Hall, London, 2nd edn.
117. Brand E.W. (1988): Special Lecture: Landslide risk assessment in Hong Kong. *Proc. 5<sup>th</sup> International Symposium on Landslides, Lusanne. July 1988, Vol. 2, pp. 1059-1074.*
118. Brantberger M., Dalmalm T., Eriksson M. and Stille H. (1998): Styrande faktorer för täthetenkring en förinjekterad tunnel, Rapport 3049, Avdelningen för Jord- och bergmekanik, Kungliga Tekniska Högskolan (KTH), Stockholm.
119. Brantberger M., Stille H., Eriksson M. (2000): Controlling grout spreading in tunnelling grouting - analyses and development of the GIN-method, *Tunnelling and Underground Space Technology*, Vol. 15, No. 4, pp. 343-352.
120. Brantberger M. (2006): Projektplan: Utformning av förfrågningsunderlag för injekteringsarbeten. SveBeFo, Swedish Rock Engineering Research. Non referable project plan: Tenders for grouting. In Swedish.
121. Brantberger M., Zetterqvist A., Arnbjerg-Nielsen T., Olsson T., Outters N. and Syrjänen P. (2006): Final repository for spent nuclear fuel, Underground design Forsmark, Layout D I . SKB R-06-34, Svensk Kärnbränslehantering AB.
122. Brantmark J., Taube A., and Stille H., (1998): Excavation of a sub-sea road tunnel at Hvalfjörður, Iceland. 8<sup>th</sup> international IAEG congress Vancouver. Balkema.
123. Braun W.M. (1980): Application of the NATM in deep tunnels and difficult formations. *Tunnels and Tunnelling*, March 1980, pp. 17-20.
124. Brawner C.O. and Hoek E. (1977): Design, Construction and Maintenance of rock slopes on highway projects. *Proc. VIIIth International Road Federation World Meeting, Tokyo. October, 1977.*
125. Bredenberg H., Olsson L. and Stille H. (1981): Övervakning av grundläggningsarbeten i tätort. STU information nr 253-1981. In Swedish.
126. Brekke T.L. (1965): On the measurement of the relative potential swellability of hydrothermal montmorillonite clay from joints and faults in Pre-Cambrian and Paleozoic rocks in Norway. *Int. J. Rock Mech. Mining Sci.*, Vol 2, pp. 155-165.
127. Brekke T.L. and Selmer-Olsen R. (1965): Stability problems in underground construction caused by montmorillonite carrying joints and faults. *J. of Engineering Geology*, Vol. 1, No. 1, pp 3-19.

128. Brekke T.L. and Howard T.R. (1972): Stability problems caused by seams and faults. Rapid Tunneling & Excavation Conference, 1972, pp. 25-41.
129. Briand J.L. and Miran J. (1992): The flat dilatometer test, US Department of Transportation, Federal Highway Administration Pub. No. FHWA-SA-9 1-044, Washington, DC, 102 p.
130. Bridges M.C. (1976): Presentation of fracture data for rock mechanics. Proc. 2nd Australia-New Zealand Conf. on Geomechanics, Brisbane
131. British Standard Code of Practice, (1987): BS 8081, Ground Anchorage , pp. 89-115.
132. British Standard Institution (1981): Code of practice for site investigations. BS 5930: 1981, 147 p.
133. Broadbent C.D. and Rippere K.H. (1970): Fracture studies at the Kimberley Pit. Proc. Symp. Planning Open Pit Mines, Johannesburg, A.A. Balkema, Amsterdam, pp. 171- 179.
134. Broch E. (1971): Functional classification of rock masses, general overview – point load test (in Norwegian). Norwegian annual national rock excavation conference (Fjellsprengningsteknikk - bergmekanikk – geoteknikk, Oslo, pp. 7-21.
135. Broch E. and Franklin J.A. (1972): The point-load strength test. Int. J. Rock Mech. Min. Sci., Vol. 9, pp. 669-697.
136. Broch E. and Leivestad S.I. (1973): On the influence of moisture and anisotropy upon shear strength of rocks. (in Norwegian). Publ. no.9, Geol. Inst., The Technical University of Norway, 30 p.
137. Broch E. (1977): The point-load test and its use in engineering geology (in Norwegian). Rep. no. 2, Geological Inst., Techn. Univ. Norway, Trondheim, 148 p.
138. Broch E. (1979): Changes in rock strength caused by water. Proc. 4th ISRM Congr., Montreux, Vol. 1; Balkema, Rotterdam, pp. 71-75.
139. Broch E. (1983): Estimation of strength anisotropy using the point-load test. Int. J. Rock Mech. Min. Sci. & Geomech. Abstr., Vol. 20, No. 4, pp. 181 - 187.
140. Broch E. and Sørheim S. (1984): Experiences from the planning, construction and supporting of a road tunnel subjected to heavy rockbursting. Rock Mech. Rock Engn., Vol. 17, pp 15 - 35.
141. Brook N. (1985): The ekvivalent core diameter method of size and shape correction in point load testing. Int. J. Rock Mech. Sci. & Geomech. Abstr., Vol. 22, No. 2, pp. 61 - 70.
142. Broch E. (1988): Site investigations. Norwegian Tunnelling Today, Tapir publ. Trondheim, Norway, pp. 49 - 52.
143. Broch E. and Nilsen B. (1996): Engineering Geology of Rocks. NTNU, Dept. of Geology and Minr. Res. Eng., 294 p.
144. Brook N. and Dharmaratne P.G.R. (1985): Simplified rock mass rating system for mine tunnel support. T. I. Min. Metall. A 94, 148–154, ISSN: 0371-7844 CODEN: TIMN AQ.
145. Brosch F.J. (1986): Geology and the classification of rock masses - examples from Austrian tunnels. Bull. IAEG no 33, 1986, pp. 31 - 37.

146. Brown E.T. (1970): Strength of models of rock with intermittent joints. *J. Soil Mech. Foundn Div., ASCE* 96, SM6, pp. 1935-1949.
147. Brown and Hoek (1978): Trends in relationships between measured in situ stresses and depth. *Int. J. Rock Mech. Min. Sci.& Geomech. Abstr.*, Vol. 15, pp. 211-215.
148. Brown E.T. and Ferguson G.A. (1979): Progressive hanging wall caving at Gath's mine, Rhodesia. *Trans. Instn Min. Metall. (Section A: Min. industry)* 88 , pp. A92-105.
149. Brown E.T., ed., (1981): *Rock Characterization, Testing and Monitoring, ISRM Suggested Methods*. Pergamon Press, Oxford.
150. Brown E.T. (1981): Putting the NATM into perspective. *Tunnels and Tunnelling*, Nov. 1981, pp. 13-17.
151. Brown A. 1982. The influence and control of groundwater in large slopes. In *Stability in Surface Mining* (ed. C.O. Brawner), pp. 19-41. New York: Society of Mining Engineers, AIME
152. Brown E.T. and Bray J.W. (1982): Rock-support interaction calculations for pressure shafts and tunnels. In *Rock Mechanics: Caverns and Pressure Shafts* (ed. W. Wittke) 2, pp. 555-565. Rotterdam: Balkema
153. Brown E.T., Bray J.W., Ladanyi B. and Hoek E. (1983): Ground response curves for rock tunnels. *J. Geot. Engn.*, Vol. 109, No. 1, pp. 15 - 39.
154. Brown E.T., Bray J.W., Ladanyi B. and Hoek E. (1983): Characteristic line calculations for rock tunnels. *J. Geotech. Engng Div., ASCE* 109, pp. 15-39.
155. Brown E.T. (1985): From theory to practice in rock engineering. *Trans. Instn. Min. Metall. (Sect. A: Min.industry)*, 94, 1985, pp. A67 - A83.
156. Brown E.T. (1986): Research and development for design and construction of large rock caverns. *Proc. Int. Symp. on Large Rock Caverns. Helsinki, Finland*, pp. 1937-1948.
157. Brown E.T. (1987): Introduction. Analytical and computational methods in engineering rock mechanics, (ed. E.T. Brown), pp. 1-31. London: Allen and Unwin.
158. Brown E.T. and Hoek E. (1988): Determination of shear failure envelope in rock masses. *J. Geot. Engn.*, Vol 114, No. 3, pp. 371 - 373.
159. Brown E.T. and Hoek E. (1988): Discussion on "Determination of shear failure envelope in rock masses. by Ucar R.". *J. Geot. Engn.*, Vol. 114, No. 3, pp. 371 - 373.
160. Bruland A., Dahlø T.S. and Nilsen B. (1995): Tunnel performance estimation based on drillability testing. *Proc. 8th Int. ISRM Congr. on Rock Mechanics, Tokyo*, pp. 123-126.
161. Bouchier F., Dib E. and O'Flaherty M. (1992): Practical improvements to installation of cable bolts: progress at Campbell Mine. In *Rock support in mining and underground construction, proc. int. symp. on rock support, Sudbury*, (eds P.K. Kaiser and D.R. McCreath), pp. 311-318. Rotterdam: Balkema.
162. Bucky P.B. (1931): Use of models for the study of mining problems. *Am. Inst. Min. Metall. Engrs, Technical Publication* 425.

163. Bullock S.J. (1978): The case for using multichannel seismic refraction equipment and techniques for site investigation. *Bulletin of the Association of Engineering Geologists*, 14 (1), pp. 19-35.
164. Bunce C.M. (1994): Risk Analysis for Rock Fall on Highways. MSc thesis submitted to the Department of Civil Engineering, University of Alberta, Canada. 129 pages.
165. Burland J.B., Moore J.F.A. and Smith P.D.K. (1972): A simple and precise borehole extensometer. *Géotechnique*, 22, pp. 174-177.
166. Burland J.B. and Symes M.A. (1982): A simple axial displacement gauge for use in the triaxial apparatus. *Géotechnique*, 26, pp. 371-375.
167. Burton A.N. (1965): Classification of rocks for rock mechanics. Letter to the editor, *Int. J. Rock Mech. Mining Sci.*, Vol. 2, pp. 105.
168. Burton A.N. (1969): Air photograph interpretation in site investigation for roads. *Roads and Road Constr.*, 47 (555), pp. 72-76.
169. Burwell E.F.jr. and Roberts G.D. (1950): The geologist in the engineering organization. Chapter 1 in *Application of Geology to Engineering Practice (Berkey Volume)*: Geological Society of America, 327 p.
170. By T.L. (1985): Vibrations in soil and rock. *Proc. Int. Symp. on underground structures in urban areas*, Prague 1985, pp. 33-45.
171. Bywater S. and Fuller P.G. (1984). Cable support for lead open stope hanging walls at Mount Isa Mines Limited. In *Rock bolting: theory and application in mining and underground construction*, (ed. O. Stephansson), 539-556. Rotterdam: Balkema.
172. Cai M., Kaiser P. K., Uno H., Tasaka Y. and Minami M. (2004): Estimation of rock mass strength and deformation modulus of jointed hard rock masses using the GSI system. *Int. J. RockMech. Min. Sci.*, v.41.1, pp. 3-19.
173. Cai M. (2008): Influence of intermediate principal stress on rock fracturing and strength near excavation boundaries — Insight from numerical modelling. *Int. J. Rock Mech. Min. Sci.*, 45, pp. 763-772.
174. Call R.D., Savely J.P. and Nicholas D.E. (1976): Estimation of joint set characteristics from surface mapping data. *Monograph on Rock Mechanics Applications in Mining*. SME-AIME, pp 65-73.
175. Cameron-Clarke I.S. and Budavari S. (1981): Correlation of rock mass classification parameters obtained from borecore and in-situ observations. *J. Engn. Geol.*, Vol 17, pp. 19-53.
176. Carle S. F. and Fogg G. E. (1997): Modelling spatial variability with one and multidimensional continuous-lag markov chains. *Mathematical geology*, v 29, no. 7, 891-918.
177. Carle S. F. (1999): T-PROGS: Transition Probability Geostatistical Software. Version 2.1. Hydrologic Sciences Graduate Group. University of California, Davis, USA.
178. Carlsson A. and Olsson T. (1977): Variations of hydraulic conductivity in some Swedish rock types. *Proc. Int. Symp. Rockstore -77*, pp. 257-263.

179. Carlsson A. and Olsson T. (1982): Characterization of deep-seated rock masses by means of borehole investigations. *Research and Development* 5:1, Swedish State Power Board, Stockholm, Sweden.
180. Carlsson A. and Christiansson R. (1986): Rock stress and geological structures in the Forsmark area. In *Proc. Int. Symp. on Rock Stress and Rock Stress Measurements*, Stockholm (Ed. O. Stephansson). Centek Publishers, Lulea.
181. Carlsson A. and Christiansson R. (2007): Construction experiences from underground works at Forsmark, *Compilation Report. SKB Report R-07-10*. Svensk Kärnbränslehantering AB, Stockholm.
182. Carlsson A. and Christiansson R. (2007): Construction experiences from underground works at Forsmark, *Compilation Report. SKB Report R-07-10*. Svensk Kärnbränslehantering AB, Stockholm.
183. Carmichael T.J. and Lee C.F. (1977): Rock mass characterization for location and design of an underground oil storage facility. *18th US Symp. on Rock Mechanics*, Keystone, Colorado, 1977, pp. 5A4-1 - 5A4-8.
184. Carmichael R.S., Ed. (1989): *Handbook of physical properties of rocks and minerals*. CRC Press, Florida
185. Carter T.G. (1983): The site investigation and engineering characterization of glacial and glaciallacustrine materials. PhD. thesis, University of Surrey.
186. Carter T.G. (1992): Prediction and Uncertainties in Geological Engineering and Rock Mass Classification Assessment. *Proc. 4th Italian Rock Mechanics Conference*, Torino, pp.1.1-1.22.
187. Carter T.G. (1992): A new approach to surface crown pillar design. *Proc. 16th. Canadian Rock Mechanics Symposium*, Sudbury, pp. 75-83.
188. Carter T.G. and Miller R. I (1996): Some Observations on the Time Dependency of Collapse of Surface Crown Pillars. *Proc. 2nd North American Rock Mechanics Conf.*, Montreal, pp. 285-294.
189. Carter T.G., Steels D., Dhillon H.S. and Brophy D. (2005): Difficulties of Tunnelling under High Cover in Mountainous Regions. *Proc. Int. AFTES Congress, Tunnelling for a Sustainable Europe*, Chambery, pp. 349-358
190. Carter T.G., Cottrell B.E., Carvalho J.L. and Steed C.M. (2008): Logistic Regression improvements to the Scaled Span Method for dimensioning Surface Crown Pillars over Civil or Mining Openings. *Proc. 42nd US Rock Mechanics Symposium and 2nd Can-US Rock Symp.* San Francisco. Paper 08-282 10pp.
191. Carter T.G., Diederichs M.S. and Carvalho J.L. (2008): Application of modified Hoek-Brown transition relationships for assessing strength and post yield behaviour at both ends of the rock competence scale. *The Journal of The Southern African Institute of Mining and Metallurgy*, Vol. 108: pp. 325-338.
192. Casagrande A. (1947): Classification and identification of soils. *Proc. ASCE*, 73 (6), pp. 783-810.
193. Casagrande A. (1948): Classification and identification of soils. *Trans. ASCE*, 113, pp. 901- 992; reprint of Casagrande (1947) including discussion.
194. Casagrande A. (1960): Karl Terzaghi — his life and achievements. In *From Theory to Practice in Soil Mechanics*, John Wiley, New York. pp. 3-21.

195. Castellani V. and Dragoni W. (1991): Italian tunnels in antiquity. *Tunnels & Tunnelling*, March 1991, pp. 55-57.
196. Castelli E. (1992): Geomechanics characterization methodologies: a matrix approach. *Periodico della Societa Italiana Gallerie* 38, pp.13-25.
197. Castro L.A.M., McCreath D.R. and Oliver P. (1996): Rockmass damage initiation around the Sudbury Neutrino Observatory cavern. In *Proc. 2nd North American Rock Mechanics Symposium, Montreal* (Ed. M. Aubertin, F. Hassani and H. Mitri), vol. 2, pp. 1589–1595. A.A. Balkema, Rotterdam.
198. Castro, L.A.M., Grabinbsky M.W. and McCreath D.R. (1997): Damage initiation through extension fracturing in a moderately jointed brittle rock mass. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, 34(3-4).
199. Cecil O.S. (1970): Correlations of rock bolt - shotcrete support and rock quality parameters in Scandinavian tunnels. Ph.d. thesis Univ. of Illinois 1970; also in *Proc. Swedish Geotech. Institute*, No 27, 1975, 275 p.
200. Cecil O.S. (1971): Correlation of seismic refraction velocities and rock support requirements in Swedish tunnels. *Reprints and preliminary reports*, No. 40, Swedish Geotechnical Institute, Stockholm.
201. CEN (1994): Eurocode 7: Geotechnical Design - Part 1: General rules. European Prestandard ENV 1997-1, Comité Européen de Normalisation, 123 p.
202. Chan Y.C., Chan C.F. and Au S.W.C. (1986): Design of a boulder fence in Hong Kong. *Conf. On Rock Engineering and Excavation in an Urban Environment*. Hong Kong: Institution of Mining & Metallurgy.
203. Chang Y., Swindell R., Bogdanoff I., Lindström B., Termén J. and Starsec P. (2005): Study of tunnelling through water-bearing fracture zones — Baseline study on technical issues with NE-1 as reference. SKB R-05-25, Svensk Kärnbränslehantering AB.
204. Chappell B.A. (1987): Predicted and measured rock mass moduli. *J. of Mining Sci. and Tech.*, 6 (1), pp. 89-104.
205. Chappell B.A. (1990): Rock mass characterization for dam foundations. *J. Geotechn. Engn.*, Vol 116, No. 4, pp. 625 - 646.
206. Chaves J.R. and Schuster R.L. (1964): Use of aerial colour photography in materials surveys. *Highway Research Record*, No. 63, pp. 1-9.
207. Chen J.F. and Vogler U.W. (1992): Rock cuttability/boreability assessment research at the CSIR. *TUNCON '92, Design and Construction of Tunnels, Maseru, Lesotho*, pp. 91-97
208. Cheng Y. (1987): New development in seam treatment of Feitsui arch dam foundation. *Proc. 6th Cong. ISRM, Montreal*, pp. 319-326.
209. Cheng Y. and Liu S.C. (1990): Power caverns of the Mingtan Pumped Storage Project, Taiwan. In *Comprehensive Rock Engineering* (ed. J.A. Hudson) 5, pp. 111-132.
210. Chernyshev S.N. and Dearman W. (1991): *Rock Fractures*, Butterworth-Heinemann, London, 272 p.

211. Christian J.T. (2004): Geotechnical engineering reliability — How well do we know what we are doing? *Journal of geotechnical and geoenvironmental engineering*, ASCE. October 2004, pp 985-1003.
212. Christiansson R. and Martin C.D. (2001) In-situ stress profiles with depth from site characterization programs for nuclear waste repositories. In *Proc. EUROCK 2001*, Espoo, Finland (Ed. P. Särkkä and P. Eloranta), pp. 737–742. A.A. Balkema, Rotterdam.
213. Christiansson R. and Jansson T. (2003): A test of different stress measurement methods in two orthogonal bore holes in Äspö Hard Rock laboratory (HRL), Sweden. *Int. J of Rock Mech and Mining Sciences*. Vol 40, Nos 7 – 8, pp. 1161-1172.
214. Christiansson R. and Hudson J.A. (2003): ISRM Suggested Methods for stress estimation – Part 4: Quality control of stress estimation. *Int. J of Rock Mech and Mining Sciences*. Vol 40, Nos 7 – 8, pp. 1021-1026.
215. Clarke B.G. and Allan P.G. (1989): A self-boring pressuremeter for testing weak rock. *Proc. 12th Int. Conf Soil Mech. and Found. Eng.*, Volume 1, pp. 21 1-214.
216. Clayton C.R.I. (1990): SPT energy transmission: theory measurement and significance. *Ground Engineering*, 23 (10), pp. 33-42.
217. Clegg I.D. and Hanson D.S. (1992): Ore pass design and support at Falconbridge Limited. In *Rock support in mining and underground construction*, proc. int. symp. on rock support, Sudbury, (eds P.K. Kaiser and D.R. McCreath), pp. 219-225. Rotterdam: Balkema.
218. Clerici A. (1993): Indirect determination of the modulus of deformation of rock masses - Case histories. *Proc. Int. Conf. Eurock'93*, pp. 509 - 517.
219. Clifford R.L. (1974): Long rockbolt support at New Broken Hill Consolidated Limited. *Proc. Aus. Inst. Min. Metall.*, No. 251, pp. 21-26.
220. Clough R.W. (1960): The finite element method in plane stress analyses. *Proc. 2nd. ASCE Conference on Electronic Computation*, Pittsburgh , pp. 345-378.
221. Coates D.F. (1964): Classification of rocks for rock mechanics. *Rock Mech. and Mining Sci.*, Vol 1, pp. 421-429.
222. Coates D. (1966): *Rock Mechanics Principles*. Ottawa: Dept. Mines and Technical Surveys
223. Coates D.F. and Patching, T.H. (1968): A recommended rock classification for rock mechanics purposes. *CIM Bull.* (October), 1195–1197.
224. Coates, D.F. (1970): *Rock mechanics principles*. Mines Branch Monograph 874. Mines Branch, Dept. of Energy, Mines and Resources, Ottawa.
225. Colback P.S. and Wiid B.L. (1965): The influence of moisture content on the compressive strength of rock. *Proc. Symp. on Rock Mechanics*, Toronto, pp. 65-83.
226. Cook N. G.W. (1965): A note on rockbursts considered as a problem of stability. *J. S. African Inst. Min. and Metall.*, 65(8): 436–528.
227. Cook N.G.W. (1965) The failure of rock. *Int. J. Rock Mech. Min. Sci. Geomech. Abstr.* 2, 389-403.

228. Cook N.G.W., Hoek E., Pretorius J.P.G., Ortlepp W.D. and Salamon M.D.G. (1966): Rock Mechanics applied to the study of rockbursts: a synthesis of the results of rockburst research in South Africa up to 1965. *J. S. African Inst. Min. and Metall.*, pp. 436–528.
229. Cook N.G.W. (1967): The design of underground excavations. In *Proc. 8th U.S. Symp. on Rock Mechanincs*, Univ. of Minnesota (Ed. C. Fairhurst), pp. 167–193. *Am. Inst. Min. Metall. and Petrol. Engrs.*, NewYork.
230. Cook N.G.W. (1970): An experiment proving that dilatancy is a pervasive volumetric property of brittle rocks loaded to failure. *Rock Mech. and Rock Engin.*, 2: pp. 181–188.
231. Colley G.C. (1963): The detection of caves by gravity measurements. *Geophysical Prospecting*, 1 (2), pp. 1-9.
232. Cooling L.F. and Golder H.Q. (1942): The analysis of the failure of an earth dam during construction. *J. Inst. Civ. Eng.*, 19, pp. 38-55.
233. Coon R.F. and Merritt A.H. (1970): Predicting the modulus of deformation using rock quality indexes. *ASTM Special Publication 477*, ASTM, Philadelphia, pp. 154 - 173.
234. Cording E.J. and Deere D.U. (1972): Rock tunnel supports and field measurements. *Proc. North American rapid excav. tunneling conf.*, Chicago, (eds. K.S. Lane and L.A. Garfield) 1, pp. 601-622. New York: *Soc. Min. Engrs, Am. Inst. Min. Metall. Petrolm Engrs.*
235. Cording E.J., Hendron A.J. and Deere D.U. (1971): Rock engineering for underground caverns. *Proc. Symp. on Underground Rock Chambers, 1971* , pp. 567-600. New York: *American Society of Civil Engineers.*
236. Cording E.J. and Mahar J.M. (1974): The effect of natural geologic discontinuities on behavior of rock in tunnels. *Proc. Rapid Exc. & Tunn. Conf.*, AIME., pp. 107-138.
237. Corthésy R. and Leite M.H. (2008): A strain-softening numerical model of core discing and damage. *Int J Rock Mech Min Sci* 45, pp. 329-350
238. Cottiss G.I., Dowel R.W. and Franklin J.A. (1971): A rock classification system applied in civil engineering, part 1. *Civil Engn. and Public Works Review*, June 1971, pp. 611-614.
239. Cottiss G.I., Dowel R.W. and Franklin J.A. (1971): A rock classification system applied in civil engineering, part 2. *Civil Engn. and Public Works Review*, July 1971, pp. 736-743.
240. Coulomb C.A. (1776): *Essai sur une application des regles de maximis et minimis a quelques problemes de statique, relatifs a l'architecture*. *Memoires de Mathematique & de Physique* 7, pp. 343- 82.
241. Cowie P.A. and Scholz C.H. (1992): Displacement-length scaling relationship for faults; data synthesis and discussion. *J. of Struct. Geol.*, Vol. 14, No. 10, pp. 1149 - 1156.
242. Crouch S.L. and Starfield A.M. (1983): *Boundary element methods in solid mechanics*. London: Allen and Unwin
243. Cruden D.M. (1977): Describing the size of discontinuities. *Int. J. Rock Mech. and Min. Sci*, No 14, pp. 133-137.
244. Cumming J.D. and Wicklund A.P. (1980): *Diamond Drill Handbook*, 3rd edn, 2nd revision. J.K. Smit, Ontario, Canada.

245. Cummings R.A., Kendorski F.S. and Bieniawski Z.T. (1982): Caving rock mass classification and support estimation. U.S. Bureau of Mines Contract Report #J0100103. Chicago: Engineers International Inc.
246. Cundall P.A. (1971): A computer model for simulating progressive large scale movements in blocky rock systems. In: Rock Fracture, Proc. Symp. ISRM, Nancy 1, Paper 2-8.
247. Cundall P.A., Potyondy D.O. and Lee C.A. (1996): Micromechanics-based models for fracture and breakout around the Mine-by tunnel. In Proc. Int. Conf. on Deep Geological Disposal of Radioactive Waste, Winnipeg (Ed. J. B. Martino and C. D. Martin), pp. 113–122. Canadian Nuclear Society, Toronto.
248. Daeman J.J.K. (1977): Problems in tunnel support mechanics. *Underground Space* 1, 163-172.
249. Dalmalm T., Eriksson M., Janson T., Brantberger M., Slunga A., Delin P. and Stille H. (2000): Injekteringsförsök vid Södra Länkens bergtunnlar — Sammanfattande rapport (in Swedish). Rapport 3075. Inst. for Jord- och bergmekanik, Royal Institute of Technology (KTH), Stockholm.
250. Dalmalm T. (2004): Choice of grouting method for jointed hard rock based on sealing time predictions. Ph.D. thesis, Royal Institute of Technology, Stockholm.
251. Dalmalm T. and Roslin M. (2007): Tryckfall efter injektering beroende av geologin (in Swedish). Proc. to the Rock Mechanics Meeting, Stockholm, ISSN 0281-4714, pp 101-116.
252. Dalton J.C.P. and Hawkin, P.G. (1989): Fields of stress — some measurements of in-situ stress in a meadow in the Cambridgeshire countryside. *Ground Engineering*, 15(4), pp. 15- 23.
253. Darling P. (1991): Tunnelling through trouble in the Rockies. *Tunnels & Tunnelling*, March 1991, pp. 36-38.
254. Darracott B.W. and McCann D. (1986): Planning geophysical surveys in A.B. Hawkins (ed.) *Site Investigation Practice: Assessing BS 5930*, Eng. Geol. Special Pub. No. 2, Geological Society, pp. 85-89.
255. Da Silveria A.F., Rodrigues F.P., Grossman N.F. and Mendes F. (1966): Qualitative characterisation of the geometric parameters of jointing in rock masses. Proc. 1st Congress Int. Soc. Rock. Mech., Lisbon, pp. 225-233.
256. Davis W.L. (1977): Initiation of cablebolting at West Coast Mines, Rosebury. Proc. Aust. Inst. Min. Metall. conf., Tasmania, pp. 215-225.
257. Dearman W.R. (1974): The characterisation of rock for civil engineering practice in Britain. Centenaire de la Societe Geologique de Belgique, Colloque Geologic de l'Ingenieur, Liege, pp. 1-75.
258. Dearman W.R. and Fookes P.G. (1974): Engineering geological mapping for civil engineering practice. *Quart. J. Engr. Geol.*, Vol 7, pp. 223-256.
259. Dearman W.R. Baynes F.J. and Pearson R. (1977): Geophysical detection of disused mineshafts in the Newcastle-Upon-Tyne area, N.E. England. *Q. J. Eng. Geol.*, 10 (3), pp. 257-270.
260. Dearman W.R. (1991): *Engineering geological mapping*. Butterworth - Heinemann Ltd., Oxford.
261. De Marsily G. (1986): *Quantitative Hydrogeology*. Groundwater hydrology for engineers.

Academic Press, Inc., San Diego.

262. Deere D.U. (1963): Technical description of rock cores for engineering purposes. *Felsmechanik und Ingenieurgeologie*, Vol. 1, No 1, pp. 16-22.
263. Deere D.U. (1964): Technical description of rock cores for engineering purposes. *Rock Mechanics and Engineering Geology*, 1(1), pp. 17-22.
264. Deere D.U. and Miller R.P. (1966): Engineering classification and index properties for intact rock. Technical Report No. AFWL-TR-65-116, Air Force Weapons Lab., Kirtland Air Force Base, New Mexico.
265. Deere D.U., Hendron A.J., Patton F.D. and Cording E.J. (1967): Design of surface and near surface construction in rock. In *Failure and breakage of rock*, proc. 8th U.S. symp. rock mech., (ed. C. Fairhurst), pp. 237-302. New York: Soc. Min. Engrs, Am. Inst. Min. Metall. Petrolm Engrs.
266. Deere D.U. (1968): Geological considerations. *Rock Mechanics in Engineering Practice*, eds. K.G. Stagg and O.C. Zienkiewicz. John Wiley & Sons, London 1968, pp. 1-20.
267. Deere D.U., Peck R.B., Monsees J.E. and Schmidt B. (1969): Design of tunnel liners and support system. Office of high speed ground transportation, U.S. Department of transportation. PB 183799.
268. Deere D.U. (1971): The foliation shear zone - an adverse engineering geologic feature of metamorphic rocks. *Boston Soc. Civ. Engr.*, Vol 60, No. 4, pp. 163-176.
269. Deere D.U., Merritt A.H. and Cording E.J. (1974): Engineering geology and underground construction. General report, 2nd Intn. Congr. of Int. Assoc. of Engn. Geol., Sao Paulo, Brazil, 1974, pp VII-GR. pp. 1-26.
270. Deere D.U. (1980): Geological considerations. In *Rock Mechanics in Engineering Practice* (Ed. K.G. Stagg and O.C. Zienkiewicz), pp. 1-20. John Wiley & Sons, London.
271. Deere D.U. and Deere D.W. (1988): The rock quality designation (RQD) index in practice. In *Rock classification systems for engineering purposes*, (ed. L. Kirkaldie), ASTM Special Publication 984, pp. 91-101. Philadelphia: Am. Soc. Test. Mat.
272. Deere D.U. (1989): Rock quality designation (RQD) after 20 years. U.S. Army Corps Engrs. Contract Report GL-89-1. Vicksburg, MS: Waterways Experimental Station.
273. Denkhaus H.G. (1965): Strength of rock material and rock systems. *Int. J. Rock Mech. Mining Sci.*, Vol 2, pp. 111-126.
274. Dershowitz W.S., Einstein H.H. (1988): Characterizing rock joint geometry with joint system models. *Rock Mech. and Rock Engr.*, Vol 21, 1988, pp. 21 - 51.
275. Dershowitz W. and Doe T. (1997): Analysis of Heterogeneously Connected Rock Masses By Forward Modelling of Fractional Dimension Flow Behaviour, *Int. J. Rock Mech. & Min. Sci.* 34:3-4, Paper No. 061, Elsevier.
276. Dershowitz B., Winberg A., Hermanson J., Byegård J., Tullborg E.L., Andersson P. and Mazurek M. (2003): Äspö Task Force, Task 6C. A Semi-Synthetic Model of Block Scale Conductive Structures at the Äspö Hard Rock Laboratory. SKB IPR-03-13, Svensk Kärnbränslehantering AB.

277. Detournay E. and John C.M.St. (1988). Design charts for a deep circular tunnel under non-uniform loading. *Rock Mech. and Rock Engin.*, 21(2): pp.119–137.
278. Deutsch C.V. and Journel A.J. (1992): *Geostatistical software library and user's guide*: Oxford University press, New York, 340 p.
279. Dick R.C. (1975): In situ measurement of rock permeability: Influence of calibration error on test results. *Bull. Assoc. Eng. Geol.*, 12 (3), pp. 193-211.
280. Diederichs M.S., Pieterse E., Nosé J. and Kaiser P.K. (1993): A model for evaluating cable bond strength: an update. *Proc. Eurock '93*, Lisbon.
281. Diederichs M.S. (1999): *Instability of Hard Rockmasses: The Role of Tensile Damage and Relaxation*. Ph.D. thesis, Dept. of Civil Engineering, University of Waterloo, Waterloo, Canada.
282. Diederichs M.S. and Kaiser P.K. (1999): Tensile strength and abutment relaxation as failure control mechanisms in underground excavations. *Int. J. Rock Mech. Min. Sci.*, 36(1): pp. 69–96.
283. Diederichs M.S., Kaiser P.K. and Eberhardt E. (2004): Damage initiation and propagation in hard rock tunnelling and the influence of near-face stress rotation. *Int J Rock Mech Min Sci* 41, pp. 785-812
284. Diederichs M.S. (2007): The 2003 Canadian Geotechnical Colloquium: Mechanistic validation and practical application of damage and spalling prediction criteria for deep tunnelling. *Can Geotech J* 44 (9), pp. 1082-1116
285. Diederichs M.S., Carvalho J.L. and Carter T.G. (2007): A modified approach for prediction of strength and post yield behaviour for high GSI rockmasses in strong, brittle ground. *Proc. 1st Can-US Rock Symposium*. Vancouver, pp. 277-286
286. Dimitrijevic M.D. & Petrovic R.S. (1965): *The use of sphere projection in geology*. Geoloski Zavod, Ljubljana.
287. Dines K.A. and Lytle R.J. (1979): Computerised geophysical tomography. *Proc. IEEE*, 67 (7), pp. 1064-1073.
288. Dix C.H. (1939): Refraction and reflection of seismic waves II: Discussion of the physics of refraction prospecting. *Geophysics*, 4 (4), pp. 238-241.
289. Dobrin M.B. (1960): *Introduction to Geophysical Prospecting*, McGraw-Hill, New York, 446 p.
290. Dohr G. (1975): *Applied Geophysics. Introduction to Geophysical Prospecting*, Pitman, London.
291. Donaldson Associates Limited (2006): *Dounreay Shaft D1225, SEPA, Assessment of technical proposals for shaft isolation project*. [http://www.sepa.org.uk/pdf/radioactivity/dounreay/Dounreay\\_shaft\\_technical\\_assessment.pdf](http://www.sepa.org.uk/pdf/radioactivity/dounreay/Dounreay_shaft_technical_assessment.pdf)
292. Dorsten V., Frederick F.H. and Preston H.K. (1984): Epoxy coated seven-wire strand for prestressed concrete. *Prestressed Concrete Inst. J.* 29(4), pp. 1-11.
293. Doruk P. (1991): *Analysis of the laboratory strength data using the original and modified Hoek-Brown failure criteria*. MASC thesis, Dept. Civil Engineering, University of Toronto.

294. Dowding C.H. and Miller J.B. (1975): Comparison of predicted and encountered geology for seven Colorado tunnels. Report prepared for NSF, MIT Department of Civil Engineering, R 75-6, 1975.
295. Dowding C.H. (1978): Future challenges in site characterization. Site Characterization and Exploration, NSF Site Characterization Workshop, ASCE.
296. Draganovic A. (2007): Separations- och filtreringsstabilitet hos cementbaserade injekteringsbruk. Lic. thesis, Royal Institute of Technology (KTH), Stockholm.
297. Duddeck H. (ed.) (1988): Guidelines for the design of tunnels. ITA Working Group on General Approaches to the Design of Tunnels. Tunneling and Underground Space Technology 3, pp. 237-249.
298. Dumbleton M.J. and West G. (1970): Report LR 369, Air-photograph Interpretation for Road Engineers in Britain. Transport and Road Research Laboratory, Crowthorne, Berks.
299. Dumbleton M.J. and West G. (1976): Preliminary sources of information for site investigations in Britain. Transport and Road Research Laboratory Report LR 403 (revised edition), Crowthorne, Berks.
300. Duncan N. and Hancock K.E. (1966): The concept of contact stress in the assessment of the behaviour of rock masses as structural foundations. Proc. 1st Congr. Int. Soc. Rock Mech., Lisbon, Volume 2, pp. 487-492.
301. Duncan N. (1969): Engineering Geology and Rock Mechanics. Volume 1, Leonard Hill, London.
302. Duncan Fama, M.E. (1993): Numerical modelling of yield zones in weak rocks. In Comprehensive rock engineering, (ed. J.A. Hudson) 2, pp. 49-75. Oxford: Pergamon.
303. Duvall W.I. and Fogelson D.E. (1962): Review of criteria for estimating damage to residences from blasting vibrations. U.S. Bur. Mines Rep. Invest. 5986. 19 p.
304. Early K.R. and Dyer K.R. (1964): The use of a resistivity survey on a foundation site underlain by karst dolomite. Géotechnique, 14 (4), pp. 341-348.
305. Eberhardt E., Stead D., Stimpson B. and Read R.S. (1998): Identifying crack initiation and propagation thresholds in brittle rock. Canadian Geotech J 35, pp. 222-233
306. Edelbro C. (2003): Rock mass strength – A review. Technical Report. Luleå University of Technology, 132p.
307. Edelbro C. (2003): Rock Mass strength - A Review. Technical report 2003:16, Luleå University of Technology, Division of rock mechanics. ISSN:1402-1536.
308. Edelbro C. (2004): Evaluation of rock mass strength criteria. Licentiate thesis 2004:72. Luleå University of Technology. ISSN:1402-1757.
309. Edelbro C. (2006): Strength of hard rock masses: a case study. Technical report. Division of Mining and Geotechnical Engineering, Luleå University of Technology, available online: [epubl.luth.se/1402-1536/2006/13](http://epubl.luth.se/1402-1536/2006/13)

310. Edelbro C. (2007): Observations and modelling of failure of hard rock masses. In: Proceedings Deep Mining 07: 4th international seminar on deep and high stress mining, Perth, Australia, pp. 81-94.
311. Edelbro C., Sjöberg, J. and Nordlund, E. (2007): A quantitative comparison of strength criteria for hard rock masses. *Tunnelling and Underground Space Technology* 22 (1), pp. 57-68.
312. Edelbro C. (2008): Strength of hard rock masses: a case study, version 2. Technical report. Luleå University of Technology. ISSN:1402-1536.
313. Edelbro C. (2008): Different approaches for simulating failure in two hard rock mass cases — a parametric study *Rock Mech. and Rock Eng.*
314. Edelbro C. (2008): Numerical modelling of observed fallouts in hard rock masses using an instantaneous cohesion-softening friction-hardening model. *Tunnelling and Underground Space Technology*.
315. Edelbro C. and Sandström D. (2009): Interpretation of failure and fallouts based on numerical modelling of an underground mine stope. Submitted to the Sinorock 2009, ISRM International Symposium on Rock Mechanics. 19-22 May 2009.
316. Ehrenberg J. (1933): Geräte zur Entnahme von Bodenproben für bodenphysikalischer Untersuchungen. *Bautechnik*, 11, pp. 303-306.
317. Einstein H., Steiner W. and Baecher G.B. (1979): Assessment of empirical design methods for tunnels in rock. *RETC 1979*, pp. 683-705.
318. Einstein H.H. and Baecher G.B. (1982): Probabilistic and statistical methods in engineering geology. I. Problem statement and introduction to solution. *Rock Mechanics*, Supp. 12, pp. 47-61.
319. Einstein H.H. and Baecher G.B. (1983): Probabilistic and statistical methods in engineering geology. *Rock Mechanics*, Vol. , pp. 39-72.
320. Einstein H.H. (1991): Observation, quantification and judgement: Terzaghi and engineering geology. *J. Geotech. Engn.*, Vol. 117, No. 11, pp. 1772-1778.
321. Einstein H.H. (1993): Swelling rock. *ISRM News*, No. 2, pp. 57-60.
322. Eklund D. (2005): Penetrability of cementitious injection grouts. Ph.D. thesis, Royal Institute of Technology (KTH), Division of Soil and Rock Mechanics, Stockholm.
323. Emmelin A., Eriksson M. and Fransson A. (2004): Characterisation, design and execution of two grouting fans at 450 m level, Äspö HRL. SKB R-04-58, Svensk Kärnbranslehantering AB.
324. Emsley S., Olsson O., Steinberg L., Alheid H.-J. and Falls S. (1997): ZEDEX – A study of damage and disturbance from tunnel excavation by blasting and tunnel boring. SKB Technical report 97-30, 198 p.
325. Endersbee L.A. and Hofto E.O. (1963): Civil engineering design and studies in rock mechanics for Poatina underground power station, Tasmania. *J. Instn. Engrs. Australia* 35, pp. 187- 209.
326. Engelder T. and Sbar M.L. (1984): Near-surface in situ stress: introduction. *J. Geophys. Res.* 89, pp. 9321-9322. Princeton, NJ: Princeton University Press.

327. EPC (1996): Open learning in engineering education. Occasional paper No. 8 Engineering Professors' Council. <http://www.epc.ac.uk/uploads/occasionalpapers/op08.pdf>.
328. Eriksson A. and Palmqvist K. (1997): Experiences from grouting of the Lundby tunnel, proc. Bergmekanikdag 1997, SveBeFo (in Swedish, summary in English).
329. Eriksson C. and Krauland N. (1975): Rock mechanical views regarding the slide in the hanging wall in the Långsele mine. Internal note Boliden, Sweden, 15 p.
330. Eriksson M., Stille H. and Andersson J. (2000): Numerical Calculations for prediction of grout spread with account for filtration and varying aperture . Tunnelling and Underground Space Technology, Vol. 15, No. 4, pp. 353-364.
331. Eriksson M. (2002): Prediction of grout spread and sealing effect. A probabilistic approach. Ph.D. thesis, Royal Institute of Technology (KTH), Division of Soil and Rock Mechanics, Stockholm.
332. Eriksson M. and Stille H. (2003): A Method for Measuring and Evaluating the Penetrability of Grouts. Grouting and Ground Treatment Conference, New Orleans. Geotechnical special publication No. 120, pp. 1326-1337.
333. Eriksson M., Friedrich M. and Vorschulze C. (2004): Variations in Rheology and Penetrability of Cement-Based Grouts — An Experimental Study. Cement and Concrete Research 34 (2004), pp. 1111-1119.
- 334.
335. Eriksson M. and Stille H. (2005): Cement grouting of hard jointed rock. (in Swedish). SveBeFo Stockholm, 2005, 157 p.
336. Eshwaraiah H.V. and Upadhyaya V.S. (1990): Influence of rock joints in performance of major civil engineering structures. Proc. of Mechanics of Jointed and Faulted Rock. Balkema publ. pp. 951-968.
337. Essex R.J. (2007): Geotechnical Baseline Reports for Construction – Suggested Guidelines, ASCE Publ., 62p.
338. Ewan V.J. and West G. (1981): Reproducibility of joint orientation measurements in rock. TRRL Report SR 702, Transport and Road Research Laboratory, Crowthorne, Berks.
339. Ewan V.J., West G. and Temporal J. (1981): Reproducibility of joint spacing measurements in rock. TRRL Report LR 1013, Transport and Road Research Laboratory, Crowthorne, Berks.
340. Ewan V.J., West G. and Temporal J. (1983): Variation in measuring rock joints for tunnelling. Tunnels & Tunnelling, April 1983, pp. 15 -18.
341. Ewy R.T. and Cook N.G.W. (1990): Deformation and fracture around cylindrical openings in rock. Parts I & II. Int. J. Rock Mech. Min. Sci. Geomech. Abstr. 27, pp. 387-427.
342. Fabjanczyk M.W. (1982): Review of ground support practice in Australian underground metalliferous mines. Proc. Aus. Inst. Min. Metall. conf., Melbourne, pp. 337-349. Melbourne: Aust. Inst. Min. Metall.
343. Fahlquist F.E. (1941): New methods and technique in subsurface explorations. J. Boston Soc. Civ. Eng., 28, pp. 144-160.

344. Fairhurst C. and Cook N.G.W. (1966): The phenomenon of rock splitting parallel to a free surface under compressive stress. Proc. 1st. Cong. ISRM, Lisbon 1, pp. 687-692
345. Fairhurst C. (1988): Foreword. Int. J. Rock Mech. Min. Sci & Geomech. Abstr., Vol. 25, No. 3. pp. v - viii.
346. Fairhurst C. (1993): Analysis and design in rock mechanics—The general context. In Comprehensive Rock Engineering – Rock Testing and Site Characterization (Ed. J. A. Hudson), vol. 2, pp. 1–29. Pergamon Press, Oxford.
347. Faria Santos C. and Bieniawski Z.T. (1989): Floor design in underground coal mines. Rock Mechanics and Rock Engineering 22, 1989, pp. 249-271.
348. Farmer I.W. (1977): Rock engineering - applications in tunnelling. Tunnels & Tunnelling, July 1977, pp. 84-88.
349. Farmer I.W., and Shelton P.D. (1980): Review of underground rock reinforcement systems. Trans. Instn Min. Metall. (Sect. A: Min. industry) 89, pp. A68-83.
350. Farmer I.W. and Kemeny J.M. (1992): Deficiencies in rock test data. Proc. Int. Conf. Eurock '92, Thomas Telford, London, pp. 298-303.
351. Feat-Smith I. (1982): Survey of rock tunnelling machines available for mining projects. Trans. Instn Min. Metall. (Sect. A: Min. industry) 91, pp. A23-31.
352. Feder G. (1986): 10 Jahre Gebirgsmechanik aus dem Institut für Konstruktiven Tiefbau der Montanuniversität Leoben (in German). Berg und Hüttenmännische Monatshefte vereinigt mit Montan-Rundschau, Jahrgand 131, heft 2, pp. 27-41.
353. Federal Highways Administration. (1993): Rockfall Hazard Rating System, Participants Manual for NHI Course No. 130220. Publication No. FHWA SA-93-057.
354. Fell R. (1994): Landslide risk assessment and acceptable risk. Canadian Geotechnical Journal. Vol. 31. pp. 261-272
355. Fenner R. (1938): Untersuchungen zur Erkenntnis des Gebirgsdruckes. Glukauf 74, pp. 681-695, pp. 705-715.
356. Fischer W.A. (1958): Colour aerial photography in photogeologic interpretation. Photogr. Engng., 24, pp. 545-49.
357. Fischer W.A. (1962): Colour aerial photography in geologic investigations. Photogr. Engng., 28 (1), pp. 133-139.
358. Fisher P. and Banks D. (1978): Influence of the regional geologic setting on site geologic features. Proc. Site Charact. and Expl. ASCE, New York, pp. 163-185.
359. Fishman Yu.A. (2008): Features of compressive failure of brittle materials. Int. J. Rock Mech. Min. Sci., 45, pp. 993-998.
360. Fjällberg L. and Lagerblad B. (2003): Cementbaserade injekteringsmedel — olika typer, cementreaktioner, bindetid och flytförmåga (in Swedish). CBI rapport 1:2003, Cement och Betonginstitutet, Stockholm.

361. Fookes P.G., Dearman W.R. and Franklin J.A. (1971): Some engineering aspects of rock weathering with field examples from Dartmoor and elsewhere. *Q. J. Eng. Geol.*, 4, pp. 139-185.
362. Fookes P.G. and Sweeney M. (1976): Stabilisation and control of local rockfalls and degrading of slopes. *Quarterly J. Engineering Geology*. Vol. 9, pp. 37-55.
363. Franklin J.A. (1970): Observations and tests for engineering description and mapping of rocks. *Proc. 4th Congress ISRM, Beograd 1970*, 6 p.
364. Franklin J.A. and Hoek E. (1970): Developments in triaxial testing equipment. *Rock Mech.* 2, pp. 223-228. Berlin: Springer-Verlag.
365. Franklin J.A., Broch E. and Walton G. (1971): Logging the mechanical character of rock. *Tran. Inst. Min. Metall.* A80, pp. A1-A9.
366. Franklin J.A. (1975): Safety and economy of tunneling. *Proc. Tenth Canadian Rock Mech. Symp., Kingstone*, pp. 27-53.
367. Fransson A. (1999): Grouting predictions based on hydraulic tests of short duration: analytical, numerical and experimental approaches. Licentiate thesis, Chalmers University of Technology, Department of Geology, Gothenburg.
368. Fransson A. (2001): Characterisation of fractured rock for grouting using hydrogeological methods. Ph.D thesis, Chalmers University of Technology, Department of Geology, Gothenburg.
369. Fransson A. (2002): Nonparametric method for transmissivity distributions along bore holes. *Ground Water* 40(2), pp. 201-204.
370. Fransson A. and Gustafson G. (2006): Post excavation grouting: Inflow prognosis and design — suggested analyses, SveBeFo, Rapport 75, ISSN 1104-1773.
371. Franzén T. (1992): Shotcrete for underground support - a state of the art report with focus on steel fibre reinforcement. In *Rock support in mining and underground construction, proc. int. symp. rock support, Sudbury*, (eds P.K. Kaiser and D.R. McCreath), pp. 91- 104. Rotterdam: Balkema.
372. Franklin J.A. and Palassi M. (1993): Maximum Span and Stand-time of Underground Excavations, *Proc. Conference on Mine Design, Kingston*, pp. 443-453.
373. Freeze R.A. and Cherry J.A. (1979): *Groundwater*. Prentice-Hall, Inc., Englewood Cliffs, NJ, 553 p.
374. Freeze A.R. and Cherry, J.A. (1979): *Groundwater* . Englewood Cliffs, NJ: Prentice-Hall, 604 p.
375. Friedrich M. and Vorschulze C. (2002): Investigation of Variations in Rheology and Penetrability of Cement-Based Grouts — with application on prediction of grouting works. Examensarbete 02/09, Royal Institute of Technology (KTH), Division of Soil and Rock Mechanics, Stockholm.
376. Funehag J. and Axelsson M. (2003): Hydrogeological Characterisation and Sealing of Narrow Fractures in Hard Rock — A Case Study. *RMZ-Materials and Geoenvironment*, Vol. 50, No. 1, pp. 121-124.
377. Funehag J. and Gustafson G. (2004): Injekteringsförsök med Cembinder U22 i Hallandsås. Publikation 2004:1, Division of GeoEngineering, Chalmers University of Technology, Gothenburg.

378. Funehag J. (2005): Grouting of hard rock with gelling liquids, field and laboratory studies of Silica sol. Licentiate thesis, Chalmers University of Technology, Division of GeoEngineering. Gothenburg.
379. Funehag J. and Gustafson G. (2005): Grouting with silica sol in the Törnskog tunnel-Grouting design for silica sol in full production. Report No. 2005:12, Division of GeoEngineering, Chalmers University of Technology, Goteborg.
380. Funehag J. (2007): Grouting of fractured rock with silica sol — Grouting design based on penetration length. Ph.D. thesis, Chalmers University of Technology, Division of GeoEngineering. Gothenburg.
381. Fry N. (1984): The field description of metamorphic rock. Geological Society of London Handbook, Open University Press, Milton Keynes, 110 p.
382. Fuller P.G. (1981): Pre-reinforcement of cut and fill stopes. In Application of rock mechanics to cut and fill mining, (eds O. Stephansson and M.J. Jones), pp. 55-63. London: Instn. Min. Metall.
383. Fuller P.G. (1983): The potential for support of long hole open stopes with grouted cables. Proc. 5th. Int. Cong. for Rock Mechanics, Melbourne 2 , pp. D39-D44. Rotterdam: Balkema.
384. Fuller P.G. (1984): Cable support in mining - a keynote lecture. In Rock bolting: theory and application in mining and underground construction, (ed. O. Stephansson), pp. 511-522. Rotterdam: Balkema.
385. Gane P.G., Hales A.L. and Oliver H.A. (1946): A seismic investigation of Witwatersrand earth tremors. Bull. Seism. Soc. Am. 36 , pp. 49-80.
386. Gardener R. (1992): Seismic refraction as a tool in the evaluation of rock quality for dredging and engineering purposes: case studies. Proc. Intn. Symp. Eurock'92, Thomas Telford, London, pp. 153 - 158.
387. Garford Pty Ltd. (1990): An improved, economical method for rock stabilisation. 4p. Perth.
388. GeoEng2000 workshop on classification systems: The reliability of rock mass classification used in underground excavation and support design. ISRM News, Vol. 6, No. 3, 2001. 2 p.
389. Geological Society of America (1963): Rock Colour Chart. Geological Society of America.
390. Geological Society of London (1970): The logging of rock cores for engineering purposes: Engineering Group Working Party Report. Q. J. Eng. Geol., 3 (1), pp. 1-24.
391. Geological Society of London (1972): The preparation of maps and plans in terms of engineering geology: Engineering Group Working Party Report. Q. J. Eng. Geol., 5(4), pp. 295-382.
392. Geological Society of London (1977): The description of rock masses for engineering purposes: Engineering Group Working Party Report. Q. J. Eng. Geol., 10 (4), 355—388.
393. Geological Society Engineering Group Working Party (1971): Report on the logging of rock cores for engineering purposes. Q. J. Engn. Geol., 3, pp. 1-24.
394. Geotechnical Engineering Office: Geoguide 1 (1984): Geotechnical manual for slopes. Civil engineering department, Hong Kong, 295 p.

395. Geotechnical Engineering Office: Geoguide 2 (1987): Guide to site investigations. Civil engineering department, Hong Kong, 365 p.
396. Geotechnical Engineering Office: Geoguide 3 (1988): Guide to rock and soil description. Civil engineering department, Hong Kong, 189 p.
397. Geotechnical Engineering Office (1992): Geoguide 4 (1992): Guide to cavern engineering. Civil engineering department, Hong Kong, 156 p.
398. Geotechnical Engineering Office: Geoguide 5 (1995): Guide to slope maintenance. Civil engineering department, Hong Kong, 92 p.
399. Ghosh D.K. and Srivastava M. (1991): Point-load strength: An index for classification of rock material. *Bull. Int. Ass. Engn. Geol.*, No. 44, pp. 27 - 33.
400. Gibson R.E. (1966): A note on the constant head test to measure soil permeability in situ. *Géotechnique*, 16, pp. 256-259.
401. Gibson R.E. (1970): An extension to the theory of the constant head in situ permeability test. *Géotechnique*, 20 (2), pp. 193-197.
402. Gillespie P.A., Walsh J.J. and Watterson J. (1992): Limitations of dimension and displacement data from single faults and the consequences for data analysis and interpretation. *J. of Struct. Geol.*, Vol. 14, No. 10, pp. 1157 - 1172.
403. Given I.A. (1973): Mining engineering handbook. Society of Mining Engineers, vol. 1 1310 p., vol. 2 1360 p.
404. Glamheden R., Fälth B., Jacobsson L., Harrström J., Berglund J. and Bergkvist L. (2010): Counterforce Applied to Prevent Spalling. SKB TR-10-37, Svensk Kärnbränslehantering AB
405. Goel R.K., Jethwa J.L. and Paithankar A.G., 1995. Correlation between Barton's Q and Bieniawski's RMR—a new approach. *Int. J. Rock Mech. Min.* 33 (2), pp. 179–181 (Technical note).
406. Golder Associates (1981): Report 802-1571 to Canmet on "Prediction of Stable Excavation Spans for Mining at Depths below 1000 meters in Hard Rock". Canmet Contract No.17SQ.23440-0-9020. (Authors Mathews et al.)
407. Golser J. (1979): Another view of the NATM. *Tunnels and Tunnelling*, March 1979, pp. 41.
408. Goodman R.E. (1970): The deformability of joints. Determination of the in-situ modulus of deformation of rock; *Amer. Soc. Test & Mats.*, STP 477, pp. 174-196.
409. Goodman R.E. (1972): Measurement of rock deformability in boreholes. *Proc. 10<sup>th</sup> U.S. Symp. Rock Mechanics*, AIME, New York, pp. 523 – 545.
410. Goodman R.E. (1976): *Methods of Geological Engineering in Discontinuous Rocks*. West, New York.
411. Goodman R.E. and Shi G.H. (1985): *Block theory and its application to rock engineering*. Prentice-Hall, Englewood Cliffs, NJ
412. Goodman R.E. (1989): *Introduction to rock mechanics*. John Wiley & Sons, New York, 561 p.

413. Goodman R.E. (1993): Engineering geology. Rock in engineering construction. John Wiley & Sons, New York, 385 p.
414. Gothäll R. (2006): Rock Mass Response during High Pressure Grouting. Lic. thesis, Royal Institute of Technology, Division of Soil and Rock Mechanics, Stockholm.
415. Graham P.C. (1976): Rock exploration for machine manufacturers. Proc. Symp. on Exploration for Rock Engineering, Johannesburg, pp. 173 -180.
416. Grainger P., McCann D.M. and Gallois R.W. (1973): The application of the seismic refraction technique to the study of the fracturing of the Middle Chalk at Mundford, Norfolk. *Géotechnique*, 23 (2), pp. 219-32.
417. Greensmith J.T. (1978): Petrology of the Sedimentary Rocks. Allen and Unwin, London.
418. Greenwald H.P., Howarth H.C. and Hartman I. (1939): Experiments on the strength of small pillars of coal in the Attsburg bed. U.S. Bureau of Mines Tech. Rep. No. 605.
419. Greminger M. (1982): Experimental studies of the influence of rock anisotropy on size and shape effects in point-load testing. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.* 19, pp. 241-246.
420. Griffith, A.A. (1921): The phenomenon of rupture and flow in solids. *Phil. Trans. Roy. Soc., London A221* , pp. 163-198.
421. Griffith A.A. (1924.): Theory of rupture. Proc. 1st Congr. applied mechanics, Delft, pp. 55-63. Delft: Technische Boekhandel en Drukkerij. 304.
422. Griffiths D.H. and King R.F. (1965): Applied Geophysics for Engineers and Geologists. Pergamon Press, Oxford.
423. Griggs D.T. (1936): Deformation of rocks under high confining pressures. *J. Geol.* 44 , pp. 541-577.
424. Grimstad E., Barton N., Lien R., Lunde J. and Löset F. (1986): Classification of rock masses related to stability in tunnels. New experience of the Q-method (in Norwegian). Norwegian annual national rock excavation conference (Fjellsprenningsteknikk - bergmekanikk – geoteknikk), pp. 30.1-30.18.
425. Grimstad E. and Barton N. (1988): Design and methods of rock support. Norwegian tunnelling today. Norwegian Soil and Rock Engineering Association, publ. no. 5, pp. 59-64.
426. Grimstad E and Barton N. R. (1993): Updating of the Q-system for NMT. In International symposium on sprayed concrete, Fagernes, Norway. Norwegian Concrete Association, pp. 46–66.
427. Grimstad E. and Bhasin R. (1997): Rock support in hard rock tunnels under high stress. In Proc. Int. Symp. on Rock Support – Applied Solutions for Underground Structures, Lillehammer (Ed. E. Broch, A. Myrvang and G. Stjern), pp. 504–513. Norwegian Society of Chartered Engineers, Oslo.
428. Grujic N. (1974): Ultrasonic testing of foundation rock. Proc. 4th ISRM Intl. Congr., Denver
429. Gu D. and Wang S. (1981): On the engineering geomechanics of rock mass structure. *Bull. IAEG*, No. 23, pp. 109-111.

430. Guralnik D.B. (1980): Webster's new world dictionary. Second college edition, Simon and Schuster, New York, 1690 p.
431. Gustafson G. and Stille H. (1996): Prediction of grout ability from grout properties and hydrogeological data. *Tunnelling and Underground Space Technology*, Vol. 11, No. 3, pp. 325-332.
432. Gustafson G., Fransson A., Funehag J, and Axelsson M. (2004): Ett nytt angreppssatt for bergbeskrivning och analysprocess for injektering (in Swedish). *Väg- och Vattenbyggaren* 4, 2004.
433. Gustafson G. and Stille H. (2005): Stop criteria for cement grouting, *Felsbau* 23, Nr 3, pp. 62-68.
434. Gustafson G., Fransson A., Axelsson M. and Funehag J. (2007): Grouting strategies — requirements on grout strength and rheology. **In print.**
435. Gutt W.H. and Harrison W.H. (1977): Chemical resistance of concrete. *Concrete*, 11 (5), 35-37.
436. Guyod H. (1964): Use of geophysical logs in soil engineering. American Society for Testing and Materials Symposium on Soil Exploration, Special Technical Publication No. 351, pp. 74-85.
437. Haak A. (1987): Where are the limits if the new Austrian tunnelling method? Extracts from a discussion involving representatives from the National committees of Austria, Switzerland and the Federal Republic of Germany. *Tunnel* 3/87, pp. 126-128.
438. Habenicht H. (1979): Description of joint systems taken from drill cores (in German). *Rock Mechanics*, No. 11, pp. 217-242.
439. Haberfield C.M. and Johnston I.W. (1993): Factors influencing the interpretation of pressuremeter tests in soft rock. *Proc. Symp. on Geotechnical Engineering of Hard Soils — Soft Rocks*. Athens, Volume 1, Balkema, Rotterdam, pp. 525-532.
440. Hack H.R.G.K. and Price D.G. (1993): A rock mass classification system for the design and safety analysis of slopes. *Proc. Int. Conf. Eurock '93*, Balkema, Rotterdam, pp.803-810.
441. Hack R. (2002): An evaluation of slope stability classification. Keynote Lecture. *Proc. ISRM Eurock'2002*, Portugal, Madeira, Funchal, November 2002. Eds.: C. Dinis da Gama & L. Ribeira e Sousa. Publ. Sociedade Portuguesa de Geotecnia, Lisboa, Portugal. pp. 3- 32.
442. Hackman R.J. (1967): Time shadows, terrain and photo-interpretation. *Professional Paper 575-B*, US Geological Survey, pp. B 155-160.
443. Hagan T.N. (1980): Understanding the burn cut - a key to greater advance rates. *Trans. Instn. Min. Metall. (Sect. A: Min. Industry)*, 89, pp. A30-36.
444. Hagan T.N. (1982): Controlling blast-induced cracking around large caverns. *Proc. ISRM Symp., Rock Mechanics Related to Caverns and Pressure Shafts* , Aachen, West Germany.
445. Hagenhofer F. (1990): NATM for tunnels with high overburden. *Tunnels and Tunnelling*, May 1990, 2 p.
446. Hagerman T.H. (1966): Different types of rock masses from rock mechanics point of view. *Rock Mechanics and Engineering Geology*, Vol. IV, No. 3, 1966, pp. 183-198.
447. Haimson B.C. (1978): The hydrofracturing stress measuring method and recent field results. *Int. J. Rock Mech. Mi. Sci. & Geomech. Abstr.*, Vol. 15, pp. 167 - 178.

448. Haimson B.C. (1993): Scale effects in rock stress measurements. Proc. Int. Conf. on Scale Effects in Rock Masses, pp. 89 - 101.
449. Haimson B. and Chang C. (1999): A new true triaxial cell for testing mechanical properties of rock, and its use to determine rock strength and deformability of Westerly granite. Int. J. Rock Mech. Min. Sci., 37, pp. 285-296.
450. Hajiabdolmajid V., Martin C. D. and Kaiser P. K. (2000): Modelling brittle failure. In Proc. 4th North American Rock Mechanics Symposium, Narms 2000 Seattle (Ed. J. Girard, M. Liebman, C. Breeds and T. Doe), pp. 991–998. A.A. Balkema, Rotterdam.
451. Hakala M. and Heikkila E. (1997): Summary report - Development of laboratory tests and the stress-strain behaviour of Olkiluoto mica gneiss. Tech. Rep. POSIVA-97-04, Posiva Oy, Helsinki, Finland.
452. Hakami E. (1995): Aperture distribution of rock fractures. Ph.D. thesis, Royal Institute of Technology (KTH), Division of Engineering Geology, Stockholm.
453. Hammett R.D. and Hoek E. (1981): Design of large underground caverns for hydroelectric projects, with reference to structurally controlled failure mechanisms. Proc. American Soc. Civil Engrs. Int. Conf. on Recent Developments in Geotechnical Engineering for Hydro Projects. pp. 192-206. New York: ASCE.
454. Hand G.J., (1997): Construction and assessment of classification rules. John Wileys & sons.
455. Hansagi I. (1965): Numerical determination of mechanical properties of rock and of rock masses. Int. J. Rock Mech. Mining Sci., Vol 2, pp. 219-223.
456. Hansagi I. (1965): The strength properties of rocks in Kiruna and their measurements (in Swedish). Ingeniörsvetenskapsakademiens meddelande, IVA no.142, Stockholm, pp. 128-143.
457. Hanssen T.H. (1988): Rock Stresses. Norwegian Rock and Soil Assoc., Publ. no. 5, pp. 45-46.
458. Hanssen T.H. (1988): Rock properties. Norwegian Rock and Soil Assoc., Publ. no. 5, 3 pp.
459. Harding H.J.B. (1949): Site investigations including boring and other methods of subsurface explorations. J. Inst. Civ. Eng., 32, pp. 111-137.
460. Harr M.E. (1987): Reliability-based design in civil engineering. New York: McGraw-Hill.
461. Hatem D.J. (1998): Geotechnical Baselines - Professional Liability Implications. Tunnelling and Underground Space Technology 13, 2, pp.143-50.
462. Hatzor Y. and Goodman R.E. (1992): Application of block theory and the critical key block concept in tunneling; two case histories. In Proc. Int. Soc. Rock Mech. conf. on fractured and jointed rock masses, Lake Tahoe, California, pp. 632-639.
463. Hatzor Y. and Goodman R.E. (1993): Determination of the 'design block' for tunnel supports in highly jointed rock. In Comprehensive Rock Engineering, Principles, Practice and Projects. (ed. J.A. Houson) 2, pp. 263-292. Oxford: Pergamon
464. Hawkins M.F. (1956): A Note on the Skin Effect. Transactions, AIME 207, pp 356-357.
465. Hawkins A.B. (1986): Rock descriptions. In A.B. Hawkins (ed.) Site investigation Practice: Assessing BS 5930, Eng. Geol. Special Pub. No. 2, Geological Society, pp. 59-65.

466. Healy P.R. and Head J.M. (1984): Construction over abandoned mine workings. Construction Industry Research and Information Association Special Publication 32, 94 p.
467. Hedley D. G. F. and Grant F. (1972): Stope-and-pillar design for the Elliot Lake Uranium Mines. CIM Bull., 65: pp. 37–44.
468. Hedley D.G.F., Roxburgh J.W. and Muppalaneni S.N. (1984): A case history of rockbursts at Elliot Lake. In Proc. 2nd Int. Conf. on Stability in Underground Mining, Lexington, pp. 210–234. American Institute of Mining, Metallurgical and Petroleum Engineers, Inc., New York.
469. Hedley D.G.F. (1992): Rockburst handbook for Ontario hardrock mines. CANMET Special Report SP92-1E, Canada Centre for Mineral and Energy Technology.
470. Heinz W.F. (1989): Diamond drilling handbook. 2nd edn., W.F. Heinz, Halfway House, South Africa, 525 p.
471. Helfrich H.K., Hasselström B. and Sjögren B. (1970): Complex geoscience investigation programmes for siting and control of tunnel projects. The Technology and Potential of Tunnelling, Vol. 1, N.G.W. Cook, editor; Johannesburg.
472. Helfrich H.K. (1971): Mapping of the rock strength by refraction seismic measurements (in Swedish). IVA Report 38, pp. 25-35.
473. Hencher S.R. and Richards L.R. (1989): Laboratory direct shear testing of rock discontinuities. Ground Engineering, pp. 24-31.
474. Hendron A.J. (1968): Mechanical properties of rock. In K.K. Stagg and O.C. Zienkiewicz (eds) Rock Mechanics in Engineering Practice, Wiley, London.
475. Herget G. (1974): Ground stress determinations in Canada. Rock Mech. and Rock Engin., 10(3-4): pp. 37–51.
476. Herget G. (1982): Probabilistic slope design for open pit mines. Rock Mechanics, Suppl. 12, pp. 163-178.
477. Herget G. (1987): Stress assumptions for underground excavations in the Canadian Shield. Int. J. Rock Mech. Min. Sci. & Geomech. Abstr., 24(1): pp. 95–97.
478. Herget G. (1988): Stresses in rock. A.A. Balkema, Rotterdam.
479. Herget G. and Arjang B. (1990): Update on ground stresses in the Canadian Shield. In Proc. Stresses in Underground Structures, Ottawa (Ed. G. Herget, B. Arjang, M. Bétournay, M. Gyenge, S. Vongpaisal and Y. Yu), pp. 33–47. Canadian Government Publishing Centre, Ottawa, Canada.
480. Herget G. (1993): Rock stresses and rock stress monitoring in Canada. In Comprehensive Rock Engineering - Rock Testing and Site Characterization (Ed. J. A. Hudson), vol. 3, chap. 19, pp. 473–496. Pergamon Press, Oxford.
481. Hestnes E. (1980): Evaluation of slide risk. Norwegian Geotechnical Institute (NGI), Publ. 132, pp. 61-81.
482. Heuze F.E. and Salem A. (1977): Rock deformability measured in-situ – Problems and solutions. Proc. Conf. Field measurements in Rock Mechanics, Zürich, pp. 375 – 387.

483. Heuze F.E. and Amadei B. (1985): The NX-borehole jack: A lesson in trials & errors. *Int. J. Rock Mechanics Mineral Science & Geomechanics Abstracts*, Vol. 16, No. 2.
484. Heyman J. (1972): *Coulomb's Memoir on Statics — An Essay on the History of Civil Engineering*. Cambridge University Press.
485. Higginbottom, I.E. (1971): Superficial structures in reconnaissance and feasibility studies. *Q. J. Eng. Geol.*, 4, pp. 307-10.
486. Higginbottom I.E. (1976): The use of geophysical methods in engineering geology. *Ground Engineering*, 9 (2), pp. 34-38.
487. Higginbottom I.E. and Fookes P.G. (1970): Engineering aspects of periglacial features in Britain. *Q. J. Eng. Geol.*, 3(2), pp. 85-117.
488. Hight D.W. (1986): Laboratory testing: assessing BS5930. In A.B. Hawkins (ed.) *Site Investigation Practice: Assessing BS5930*, *Eng. Geol.*, Special Pub. No. 2, Geological Society, pp. 43-51.
489. Himus G.W. and Sweeting (1968): *The Elements of Field Geology*. 2nd edn, University Tutorial Press, London.
490. Hinds D. (1974): A method of taking an impression of a borehole wall. *Imperial College Rock Mechanics Research Report No. 28*, Imperial College, London.
491. Hjertström S. and Pettersson S-Å. (2003): Ny kunskap vid dispergering av mikrocement (in Swedish). *Föredrag BK dagen, Bergsprängningskommiten*, ISSN 0281-9733, pp. 83-92.
492. Hobbs B.E. and Ord A. (1989): Numerical simulation of shear band formation in a frictionaldilational material. *Ingenieur-Archiv* 59, pp. 209-220.
493. Hobbs N.B. (1975): Factors affecting the prediction of settlement of structures on rock: with particular reference to the Chalk and Trias: General report and state-of-the-art review for session 4. *Proc. Conf on Settlement of Structures*, BGS Cambridge, Pentech Press, London, pp. 579-610.
494. Hodgson R.A. (1961): Classification of structures on joint surfaces. *American J. of Science*, Vol. 259, 1961, pp. 493 - 502.
495. Hoek E. (1965): *Rock fracture under static stress conditions*. PhD Thesis, Univ. Cape Town.
496. Hoek E. (1965): *Rock fracture under static stress conditions*. *Nat. Mech. Engg. Res. Inst. Report MEG 383*, CSIR; S. Africa, 1965, 200 p.
497. Hoek E. (1968): Brittle failure of rock. In *Rock Mechanics in Engineering Practice*. (eds. K.G. Stagg and O.C. Zienkiewicz), pp. 99-124. London: Wiley.
498. Hoek E. and Bray J.W. (1974): *Rock Slope Engineering*. Institution of Mining and Metallurgy, London.
499. Hoek E. and Londe P. (1974): General report, surface workings in rock. *Proc. Third Int. Congr. on Rock Mech.*, Denver.
500. Hoek E. (1975): Influence of drilling and blasting on the stability of slopes in open pit mines and quarries. *Proc. Atlas Copco Bench Drilling Days Symp.*, Stockholm, Sweden.

501. Hoek E. and Brown E.T. (1980): Underground excavations in rock. Institution of Mining and Metallurgy, London 1980, 527 p.
502. Hoek E. and Brown E. T. (1980): Empirical strength criterion for rock masses. Journal of the Geotechnical Engineering Division, ASCE v. 106, n. GT9, pp. 1013-1035.
503. Hoek E.: (1981): Geotechnical design of large openings at depth. Rapid Exc. & Tunn. Conf. AIME 1981.
504. Hoek E. and Bray J.W. (1981): Rock Slope Engineering. 3rd edn. London: Institution of Mining and Metallurgy, 402 p.
505. Hoek E. (1982). Geotechnical Considerations in Tunnel Design and Contract Preparation. Trans. Instn. Min. Metall. (Sect.A:Min.industry) 91, A101-119.
506. Hoek E. (1983): Strength of jointed rock masses. The Rankine Lecture 1983, Geotechnique 33, no. 3, pp. 187-223
507. Hoek E. (1986): Rockfall: a computer program for predicting rockfall trajectories. Unpublished internal notes, Golder Associates, Vancouver.
508. Hoek E. (1986): Practical rock mechanics - development over the past 25 years. Keynote address delivered on 24.2.1986. Trans. Instn.. Min. Metall. (Sect. A: Min.industry), 96, pp. A1 – A6.
509. Hoek E and Brown E.T. (1988): The Hoek-Brown failure criterion - a 1988 update. Proc. 15<sup>th</sup> Canadian Rock Mech. Symp. (ed. J.H. Curran), pp. 31-38. Toronto: Civil Engineering Dept., University of Toronto
510. Hoek E. (1989): A limit equilibrium analysis of surface crown pillar stability. In Surface crown pillar evaluation for active and abandoned metal mines, (ed. M.C. Betourney), 3-13. Ottawa: Dept. Energy, Mines & Resources Canada.
511. Hoek E. (1990) Estimating Mohr-Coulomb friction and cohesion values from the Hoek-Brown failure criterion. Intl. J. Rock Mech. & Mining Sci. & Geomechanics Abstracts. 12(3), pp. 227-229.
512. Hoek E., Wood D. and Shah S. (1992): A modified Hoek-Brown criterion for jointed rock masses. Proc. rock characterization, symp. Int. Soc. Rock Mech.: Eurock '92, (ed. J.A. Hudson), pp. 209-214. London: Brit. Geol. Soc.
513. Hoek E. and Moy D. (1993): Design of large powerhouse caverns in weak rock. In Comprehensive rock engineering, (ed. J.A. Hudson) 5, pp. 85-110. Oxford: Pergamon.
514. Hoek E. (1994): Strength of rock masses. News Journal of ISRM, Vol. 2, No. 2, pp. 4-16.
515. Hoek E. (1994): The challenge of input data for rock engineering. Letter to the editor. ISRM, News Journal, Vol. 2, No. 2, 2 p.
516. Hoek E. and Brown E.T. (1994): Practical estimates of rock mass strength. Int J Rock Mech Min Sci 34, pp. 1165-1186.
517. Hoek E., Kaiser P.K. and Bawden W.F. (1995): Support of Underground Excavations in Hard Rock. A. A. Balkema, Rotterdam.

518. Hoek E. and Brown E. T. (1997), Practical estimates of rock mass strength. *International Journal of Rock Mechanics & Mining Sciences & Geomechanics Abstracts*, v. 34, no. 8, pp. 1165-1186.
519. Hoek E., Marinos, P. and Benissi M. (1998): Applicability of the geological strength index (GSI) classification for very weak and sheared rock masses. The case of the Athens schist formation. *Bull. Eng. Geol. Env.* No 57, pp. 151 - 160.
520. Hoek E. (1999): Putting numbers to geology — an engineer's viewpoint. *Q. Jnl. Eng. Geol.* vol. 32, 1, pp. 1-19
521. Hoek E., Carranza-Torres C. and Corkum B. (2002): Hoek-Brown failure criterion – 2002 edition. *Proceedings of the 5th North American Rock Mechanics Symposium and 17<sup>th</sup> Tunnelling Association of Canada Conference: NARMS-TAC 2002. July 7-10. University of Toronto*, pp. 267-271
522. Hoek E.: Rock mass classification. Hoek's Corner, [www. rockscience.com](http://www.rockscience.com);
523. Holland C.T. and Gaddy F.L. (1957): Some aspects of permanent support of overburden on coal beds. *Proc. W. Virginia Coal Mining Inst.* pp. 43-66.
524. Holmberg M. and Stille H. (2007): *Observationsmetodens grunder och dens tillämpning på design av konstruktioner i berg* (in Swedish). SveBeFo Report 80.
525. Holmberg R. and P-A. Persson (1979): Design og tunnel perimeter blasthole patterns to prevent rock damage. *Tunnelling 1979 (Proceedings) Inst. Mining and Metallurgy, London*
526. Holmberg R. and Persson P-A. (1980): Design of a tunnel perimeter blasthole pattern to prevent rock damage. *Trans. Instn Min. Metall. (Sect. A: Min. industry) 89*, pp. A37- 40.
527. Hooper W. and McDowell P.W. (1977): Magnetic surveying for buried mine shafts and wells. *Ground Engineering*, 10 (2), pp. 21-23.
528. Horn H.M. and Deere D.H. (1962): Frictional characteristics of minerals. *Géotechnique*, 12, pp. 319-335.
529. Houghton D.A. (1976): The role of rock quality indices in the assessment of rock masses. *Proc. of the Symp. on Exploration for rock engineering, Johannesburg, South Africa*, pp. 129-135.
530. Hucka V. (1965): A rapid method of determining the strength of rocks in situ. *Int. J. Rock Mech. Mi Sci.*, 2, pp. 127-134.
531. Hudson J.A., Brown E.T. and Fairhurst C. (1972): Shape of the complete stress-strain curve for rock. In *Proc. 13th U.S. Symp. on Rock Mechanics, Urbana* (Ed. E. Cording), pp. 773–795. American Society of Civil Engineers, NewYork.
532. Hudson J.A. and Priest S.D. (1979): Discontinuities and rock mass geometry. *Int. J. Rock Mech. Min. Sci & Geomech. Abstr.*, Vol 16, 1979, pp 339 - 362.
533. Hudson J.A. and Priest S.D. (1983): Discontinuity frequency in rock masses. *Int. J. Rock Mec. Min. Sci. & Geomech. Abstr.*, Vol 20, No 2, pp. 73-89, 1983.
534. Hudson J.A. (1989): *Rock mechanics principles in engineering practice. CIRIA Ground Engineering report*, 72 pp.

535. Hudson J. A. (editor) (2002): Strategy for a Rock Mechanics Site Descriptive Model. A test case based on data from the Äspö HRL. SKB Report R-02-04. Svensk Kärnbränslehantering AB (SKB), Stockholm, Sweden.
536. Hungr O. and Evans S.G. (1989): Engineering aspects of rockfall hazard in Canada. Geological Survey of Canada, Open File 2061, 102 p.
537. Hunt R.E. (1984): Slope failure risk mapping for highways: Methodology and case history. In Rockfall prediction and Control and Landslide Case Histories. Transportation Research Record, National Research Council, Washington, No. 1343. pp. 42-51.
538. Hunt R.E.B. and Askew J.E. (1977): Installation and design guidelines for cable dowel ground support at ZC/NBHC. Proc. Underground Operators Conference, Broken Hill, pp. 113-22.
539. Hustrulid W.A. (1971): A comparison of laboratory cutting results and actual tunnel boring performance. Mining Dept., Colorado School of Mines, Golden, Colorado.
540. Hutchins W.R., Bywater S., Thompson, A.G. and Windson, C.R. (1990): A versatile grouted cable dowel reinforcing system for rock. Proc. Aus. Inst. Min. Metall. 1, pp. 25-29.
541. Hutchinson D.J. and Diederichs M.S. (1996): Cablebolting in underground mines. BiTech Publishers Ltd., Richmond.
542. Hval O. (2000): Sammenlikning av de ingeniørgeologiske klassifikasjonssystemene RMR, Q og RMi – erfaringer fra praktisk anvendelse i Tåsentunnelen og Svartdalstunnelen (in Norwegian). Cand. Scient. Institute for geology, University in Oslo.
543. Hyett A.J., Dyke C.G. and Hudson J.A. (1986): A critical examination of basic concepts associated with the existence and measurement of in situ stress. In Proc. Int. Symp. on Rock Stress and Rock Stress Measurements (Ed. O. Stephansson), pp. 687–694. Centek, Lulea.
544. Hyett A.J., Bawden W.F. and Coulson A.L. (1992): Physical and mechanical properties of normal Portland cement pertaining to fully grouted cable bolts. In Rock support in mining and underground construction, proc. int. symp. rock support, Sudbury, (eds. P.K. Kaiser and D.R. McCreath), pp. 341-348. Rotterdam: Balkema.
545. Hyett A.J., Bawden W.F. and Reichert R.D. (1992): The effect of rock mass confinement on the bond strength of fully grouted cable bolts. Int. J. Rock Mech. Min. Sci. & Geomech. Abstr. 29(5), pp. 503-524.
546. Hyett A.J., Bawden W.F., Powers R. and Rocque P. (1993): The nutcase cable. In Innovative mine design for the 21st century, (eds W.F. Bawden and J.F. Archibald), pp. 409-419. Rotterdam: Balkema.
547. Håkansson U. (1993): Rheology of fresh cement-based grout. Ph.D. thesis, Royal Institute of Technology (KTH), Division of Soil and Rock Mechanics, Stockholm.
548. Hässler L. (1991): Grouting of rock simulation and classification. Ph.D. thesis, Royal Institute of Technology (KTH), Division of Soil and Rock Mechanics, Stockholm.
549. Hässler L., Wilén P. and Forhaug M. (1998): Grouting of rock tunnel: The Arlanda Express Project. Proc. to Underground Construction in Modern Infrastructure, Stockholm. pp. 361-366, ISBN 90 5410 964 5.

550. IAEG (1981): Commission on Site Investigation - Engineering geological mapping. International Association of Engineering Geology (IAEG), Bull. No. 24, pp. 185-274.
551. Ide J.M. (1936): Comparison of statically and dynamically determined Young's modulus of rock. Proc. Nat. Acad. Sci. 22, pp. 81- 92.
552. Ikeda K. (1970): A classification of rock conditions for tunneling. Quarterly Reports, Vol. 11, No. 2, pp. 71-74.
553. Ilsley R.C., Costello M.J. (1983): Discontinuity characterization for underground openings in the Milwaukee water pollution abatement program. Underground Space, Vol. 7, 1983, pp. 214 - 220.
554. Iman R.L., Davenport J.M. and Zeigler D.K. (1980): Latin Hypercube sampling (A program user's guide). Technical Report SAND79-1473. Albuquerque, New Mexico: Sandia Laboratories.
555. Imrie A.S. (1983): Taming the Downie Slide. Canadian Geographic 103.
556. Imrie A.S., Moore D.P. and Enegren E.G. (1992): Performance and maintenance of the drainage system at Downie Slide. Proc. 6th Int. Symp. on Landslides, Christchurch, New Zealand.
557. Ingevald K. and Strindell L. (1977): Brofjorden. Bergtrycksmätning vid anläggning 3904 (in Swedish). Vattenfall report BTH L-566.
558. Ingevald K. and Strindell L. (1980): Brofjorden II. Bergtrycksmätning vid anläggning 3904 C (in Swedish). Vattenfall report BTH-SV L-602.
559. International Society for Rock Mechanics (ISRM), Commission on standardization of laboratory and field tests (1971): Suggested methods for determining the slaking, swelling, porosity, density and related rock index properties. Int. Soc. Rock Mech. secretary, Lisbon.
560. International Society for Rock Mechanics (ISRM), Commission on "Definition of the most promising lines of research" (1971): Final report. Int. Soc. Rock Mech. secretary, Lisbon.
561. International Society for Rock Mechanics (ISRM), Commission on standardization of laboratory and field tests (1972): Suggested methods for determining the uniaxial compressive strength of rock materials and the point load strength index. Committee on laboratory tests. Int. Soc. Rock Mech., Lisbon.
562. International Society for Rock Mechanics (ISRM), Commission on Terminology, Symbols and Graphic Representation.(1975): Terminology. Int. Soc. Rock Mech. secretary, Lisbon.
563. International Society for Rock Mechanics (ISRM) (1975a): Recommendations on site investigation techniques. Int. Soc. Rock Mech., Lisbon, Final report: July 1975, 56 p.
564. International Society for Rock Mechanics (ISRM), Commission on standardization of laboratory and field tests (1978): Suggested methods for the quantitative description of discontinuities in rock masses. Int. J. Rock Mech. Min. Sci. & Geomech. Abstr., Vol. 15, No. 6, pp. 319-368.
565. International Society for Rock Mechanics (ISRM) (1979): Suggested methods for determining in situ deformability of rock. Int. J. Rock Mech. Min. Sci. & Geomech. Abstr., Vol. 16, No. 3, pp. 195-214.

566. International Society for Rock Mechanics (ISRM), Commission on classification of rocks and rock masses (1980): Basic geotechnical description of rock masses. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, Vol. 18, pp. 85-110.
567. International Society for Rock Mechanics (ISRM) working groups (1981): Rock characterization, testing and monitoring. Brown E.T., editor, Pergamon Press, New York, 211 pp.
568. International Society for Rock Mechanics (ISRM), Commission on Testing Methods (1981): Suggested methods for determining the uniaxial compressive strength and deformability of rock materials. *Int. Soc. Rock Mech.*, secretary, Lisbon, 5 p.
569. International Society for Rock Mechanics (ISRM) (1981): Commission on classification of rocks and rock masses. *Int. J. Rock Mech. Min. Abstr.* 18, pp. 85–110.
570. International Society for Rock Mechanics (ISRM), Commission on swelling rock (1983): Characterization of swelling rock. *Int. Soc. Rock Mech.* secretary, Lisbon.
571. International Society for Rock Mechanics (ISRM), Commission on Testing Methods (1985): Suggested method for determining point load strength. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, Vol. 22, pp. 51-60.
572. ISRM (1987): Commission on Testing Methods - Suggested methods for rock stress determination. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, Vol. 24, No. 1, pp. 53-73.
573. International Society for Rock Mechanics, Commission on testing methods (1989): Suggested method for large scale sampling and triaxial testing of jointed rock. *Int. J. Rock Mech. Min. Sci. & Geomech Abstr.*, Vol. 26, No. 5, pp. 427- 434.
574. International Society for Rock Mechanics (ISRM), Commission on failure mechanisms around underground excavations, First report (1989): Observations, researches and recent results about failure mechanisms around single galleries. *Int. Soc. Rock Mech.* secretary, Lisbon.
575. International Tunnelling Association (ITA) (1990): ITA Recommendations on contractual sharing of risks. *Tunnels and Underground Space Technology*, Vol. 5, No. 4, 1990
576. International Society for Rock Mechanics (ISRM) (1996): Commission on Rock Grouting. *International Journal for Rock Mechanics and Mining Sciences*. Vol. 33, no 8, pp. 803-847.
577. International Tunnelling Association (ITA) (2004): Guidelines for tunnelling risk management: International Tunnelling Association, Working Group No.2. *Tunnelling and Underground Space Technology* 19, pp. 217–237.
578. IS: 7746 (1975): Indian Standard code of practice for in-situ shear test on rock. ISI, New Delhi.
579. Isaksen V. and Solberg E. (1990): Fullface boring at Svartisen power plant (in Norwegian). Final dissertation work University of Trondheim, Norway
580. Isaksson T. (2002): Models for estimation of time and cost based on risk evaluation applied on tunnel projects. Doctoral Thesis, Division of Soil and Rock Mechanics, Royal Institute of technology (KTH), Stockholm.
581. Jacobs J.A. (1981): Seismology and the deep structure of the earth. Ch. 3 in: *The Cambridge encyclopedia of earth sciences* (D.G. Smith, ed.), Cambridge University Press, pp. 36 - 50.
582. Jaeger J.C. (1969): Behavior of closely jointed rock. *Proc. 11th Symp. Rock Mech.*, pp. 57 - 68.

583. Jaeger J.C. and Cook N.G.W. 1969. *Fundamentals of Rock Mechanics*. London: Chapman and Hall.
584. Jaeger J.C. (1971): Friction of rocks and stability of rock slopes. The 11th Rankine Lecture. *Géotechnique* 21(2), pp. 97-134.
585. Jaeger C. (1972): *Rock Mechanics and Engineering*. Cambridge: at the University Press, 417 p.
586. Jackson D.D. (1972): Interpretation of inaccurate, insufficient and inconsistent data. *Geophys. J. R. Abstr. Soc.*, 28, pp. 97-109.
587. Jamtveit B. and Yardley B. (1997): *Fluid Flow and Transport in Rocks — Mechanisms and Effects*, Chapman & Hall, ISBN 0 412 734 605.
588. Janelid I. (1965): Rock mechanics and its significance in mine and rock excavation design (in Swedish). Royal Academy of Engineering Sciences, Report 142, pp. 7-12.
589. Janson T. (1998): Calculation models for estimation of grout take in hard jointed rock, Ph.D. thesis, Royal Institute of Technology (KTH), Division of Soil and Rock Mechanics, Stockholm.
590. Jennings J.E. and Robertson A.MacG. (1969): The stability of slopes cut into natural rock. *Conf. on Soil Mechanics and Foundation Engineering, Mexico, Vol. II*, pp. 585-590.
591. Jensen M. (1969): *Civil Engineering around 1700*. Danish Technical Press, Copenhagen.
592. Jethwa J.L., Dube A.K., Singh B., and Mithal R.S. (1982): Evaluation of methods for tunnel support design in squeezing rock conditions. *Proc. 4<sup>th</sup> Int. Congr. Int. Assoc. Eng. Geol.*, New Delhi, 1982, Vol. 5 pp. 125-134
593. Jirovec P. (1978): Wechselwirkung zwischen anker und gebirge. *Rock Mech. Suppl.* 7, pp. 139-155.
594. Jodl H.G., (1995): *Construction method NATM*. IACES, Bureau of Vienna, Summer course in NATM, University of Technology, Vienna.
595. Johansson E. and Hakala M. (1995): Rock mechanical aspect on the critical depth of kbs-3 type repository based on brittle rock strength criterion developed at URL in Canada. *Arbets Rapport AR D-95-014*, Swedish Nuclear Fuel and Waste Management Company, Stockholm, Sweden.
596. John K.W. (1968): Graphical stability analyses of slopes in jointed rock. *Proc. Soil Mech. Fndn Div., ASCE*, SM2, paper no. 5865.
597. John K.W. (1969): Civil engineering approach to evaluate strength and deformability of regularly jointed rock. 11th int. symp. on rock mech. pp. 69-80.
598. John K.W. and Baudendistel M. (1981): A compromise approach to tunnel design. 22nd US *Symp. on Rock Mechanics*, 1981, pp. 333-341.
599. Johnson R.B. (1954): Use of the refraction method for differentiating Pleistocene deposits in Arcola and Tuscola Quadrangles, Illinois. *Illinois Geol. Surv. Report Investigation 176*, Illinois Geological Survey.
600. Judd W.R. and Huber C. (1961): Correlation of rock properties by statistical methods. *Inc. Symp. on Mining Research, Missouri*, 1961, pp. 621-648.

601. Kaiser P.K., MacKay C. and Gale A.D. (1986): Evaluation of rock classifications at B. C. Rail Tumbler Ridge Tunnels. *J. Rock Mech. and Rock Engn.*, Vol. 19, pp. 205-234.
602. Kaiser P.K., Hoek E. and Bawden W.F. (1990): A new initiative in Canadian rock mechanics research. Proc. 31st US rock mech. symp., Denver, pp. 11-14.
603. Kaiser P.K., Yazici S. and Nosé J. (1992): Effect of stress change on the bond strength of fully grouted cables. *Int. J. Rock Mech.. Min. Sci. Geomech. Abstr.* 29(3), pp. 293-306.
604. Kaiser P.K., McCreath D.R. and Tannant D.D. (1997): Rockburst support. In *Canadian Rockburst Research Program 1990-95*, vol. 2, p. 342. Canadian Mining Industry Research Organization (CAMIRO), Sudbury.
605. Karmis M. (ed.) (1986): Application of rock characterization in mine design. SME Publication, Littleton Co.
606. Kemeny J.M. and Cook N.G.W. (1987): Crack models for the failure of rock under compression. In Proc. 2nd int. conf. on constitutive laws for engineering materials, theory and applications, (eds C.S. Desai, E. Krempl, P.D. Kiousis and T. Kundu) 1, pp. 879-887. Tucson, AZ: Elsevier.
607. Kendorski F., Cummings R., Bieniawski Z.T. and Skinner E. (1983): Rock mass classification for block caving mine drift support. Proc. 5th Congr. Int. Soc. Rock Mech., Melbourne, pp. B51-B63. Rotterdam: Balkema.
608. Kennie T.J.M. and Matthews M.C. (1985): Remote Sensing in Civil Engineering. Surrey University Press, Glasgow, 351 p.
609. Kikuchi K., Kobayashi T., Inoue M. and Izumiya Y. (1985): A study on the quantitative estimation of joint distribution and the modelling of jointed rock masses. Tokyo Electric Power Services Co., Engineering geological department, Civil operation center. 10 p.
610. Kikuschi K., Mito Y. and Nakada M. (1995): In-situ seepage flow tests on jointed rock mass and its analysis. Proc. to The Int Workshop on Rock Foundation, Tokyo, Japan 1995, Yoshinaka & Kikuschi (eds). Balkema, Rotterdam. ISBN 90 5410 562 3.
611. Kildemo G.A. (1985): En bergmekanisk undersökelse av Kobbskaret Vegtunnel (in Norwegian; in English: A rock mechanics investigation in the Kobbskaret tunnel). M.Sc. thesis. Norwegian Institute of Technology. Trondheim.
612. Kilford W.K. (1973): Elementary Air Survey. 3rd edn, Pitman, London.
613. King L.V. (1912): On the limiting strength of rocks under conditions of stress existing in the earth's interior. *J. Geol.* 20, pp. 119- 138.
614. King E.H. (1996): Rock tunnels. In Bickel J.O., Kuesel T.R. and King E.H. (ed.) *Tunnel Engineering handbook*, Chapman & Hall, Ch. 7, pp. 122-152.
615. Kirsch G. (1898): Die theorie der elastizitat und die bedurfnisse der festigkeitslehre. *Veit. Deit. Ing.* 42 (28), 797-807.
616. Kirsten H.A.D. (1992): Comparative efficiency and ultimate strength of mesh- and fibereinforced shotcrete as determined from full-scale bending tests. *J. S. Afr. Inst. Min. Metall.* Nov., pp. 303-322.

617. Kirsten H.A.D. (1993): Equivalence of mesh- and fibre-reinforced shotcrete at large deflections. *Can. Geotech. J.* 30, pp. 418-440.
618. Kirkaldie L. (1988): Rock classification systems for engineering purposes. STP 984, Amer. Society for Testing Materials, 167 p.
619. Klüver B.H. and Iversen E. (2003): Rock grouting in Norwegian tunnels — the latest experiences (in Norwegian, summary in English). *proc. Bergmekanikdag 2003, SveBeFo.*
620. Knill J.L. (1969): The application of seismic methods in the prediction of grout take in rock. *Proc. Int. Conf. In Situ Investigations in Soil and Rocks*, pp. 63-70.
621. Knill J.L. (1971): *Collecting and Processing of Geological Data for Purposes of Rock Engineering: The Analysis and Design of Rock Slopes.* University of Alberta, Edmonton, Canada.
622. Kobayashi S. and Stille H. (2007): Design of rock grouting based on analysis of grout penetration — Verification using Äspö HRL data and parameter analysis. SKB R-07-13, Svensk Kärnbränslehantering AB.
623. Koerner U. (1971): Critical notes on rock classification in underground construction from a geological point of view. *Die Bautechnik*, No. 9, pp. 318-319.
624. Kompen R. and Opsahl O.A. (1986): Wet process shotcrete with steel fibre and silica fume - state of the art in Norway. *Proc. 2<sup>nd</sup> Int. Conf. on fly ash, silica fume, slag and natural pozzolane in concrete, Research Session. Madrid 1986*, 18 p.
625. Kompen R. (1989): Wet process steel fibre reinforced shotcrete for rock support and fire protection, Norwegian practice and experience. In *Proc. underground city conf., Munich*, (ed. D. Morfeldt), pp. 228-237.
626. Koviri K. 1994. Erroneous concepts behind the New Austrian Tunnelling Method. *Tunnels & Tunnelling*, November 1994. Vol. 26. 38-42.
627. Krauland N., Söder P. and Agmalm G. (1989): Determination of rock mass strength by rock mass classification - Some experiences and questions from Boliden mines. *Int. J. Rock Mech. Min. Sci & Geomech. Abstr.*, Vol. 26, No 1, pp 115 - 123.
628. Krumbein W.C. and Greybill F.H. (1965): *An introduction to statistical models in geology.* McGraw-Hill, Inc. New York, 475 p.
629. Kuhl. D.E. and Edwards. R.Q. (1963): Image separation radioisotope scanning. *Radiology*, 8, pp. 653-662.
630. Ladanyi B. and Archambault. G. (1970): Simulation of shear behaviour of a jointed rock mass. In *Rock mechanics - Theory and Practice, Proc. 11th Symp. on Rock Mechanics, Berkeley, 1969*, pp.105-25. New York: Society of Mining Engineers, AIME
631. Lajtai E.Z. (1982): *The fracture of Lac du Bonnet granite. Contract Report.* Pinawa, Ontario: Atomic Energy of Canada.
632. Lajtai E.Z. and Lajtai V.N. (1975): The collapse of cavities. *Int. J. Rock Mech. Min. Sci. Geomech. Abstr.* 12, pp. 81-86.

633. Lake L.M. and Simons N.E. (1970): Investigations into the engineering properties of chalk at Welford Theale, Berkshire. Proc. Conf. on In situ Investigations into Soils and Rocks, British Geotechnical Society, London, pp. 23-29.
634. Lake L.M. and Simons N.E. (1975): Some observations on the settlement of a four storey building founded on chalk at Basingstoke, Hampshire. Proc. Conf. on Settlement of Structures, BGS Cambridge, Pentech Press, London, pp. 283-291.
635. Lama R.D. and Vutukuri V.S. (1978): Handbook on mechanical properties of rocks. Trans Tech Publications, Clausthal, Germany, 1978, 1650 p.
636. Lancaster-Jones P.F.F. (1975): The interpretation of the lugeon water test. Q. J. Eng. Geol., 8, pp. 151-154.
637. Lane K.S. (1948): Discussion on A.M. Casagrande: 'Classification and identification of soils'. Trans. of Am. Soc. of Civil Engn., Vol. 113, pp. 950 - 951.
638. Lang T.A. (1961): Theory and practice of rockbolting. Trans Amer. Inst. Min. Engrs 220, pp. 333-348.
639. Langefors U. and Khilstrom B. (1973): The modern technique of rock blasting . 2nd edn. New York: Wiley. 405 p.
640. Langille C.C. and Burtney M.W. (1992): Effectiveness of shotcrete and mesh support in low energy rockburst conditions at INCO's Creighton mine. In Rock support in mining and underground construction, Proc. int. symp. rock support, Sudbury, (eds. P.K. Kaiser and D.R. McCreath), pp. 633-638. Rotterdam: Balkema.
641. LaPointe P.R. (1988): A method to characterize fracture density and connectivity through fractal geometry. Int. J. Rock Mech. Min. Sci. & Geomech. Abstr., Vol 25, No. 6., pp. 421-429.
642. Lappalainen P., Pulkkinen J. and Kuparinen J. (1984): Use of steel strands in cable bolting and rock bolting. In Rock bolting: theory and application in mining and underground construction, (ed. O. Stephansson), pp. 557-562. Rotterdam: Balkema.
643. Larsson S., Stille H. and Olsson L. (2005): On horizontal variability in lime- cement columns in deep mixing, Géotechnique 55, No 1., pp. 33-46.
644. Lau J. S. O. and Gorski B. (1991): The post failure behaviour of Lac du Bonnet grey granite. CANMET Divisional Report MRL 91-079(TR). Ottawa: Dept. Energy Mines and Resources, Canada.
645. Lau J.S.O. and Chandler N.A. (2004): Innovative laboratory testing. Int J Rock Mech Min Sci 41, pp. 1427-1445
646. Lauffer H. (1958): Classification for tunnel construction. Geol Bauwesen 2(1), pp46-51 (in German).
647. Laubscher D.H. (1977): Geomechanics classification of jointed rock masses – mining applications. Trans. Instn. Min. Metall. 86, pp. A1-8.
648. Laubscher D.H. (1984): Design aspects and effectiveness of support systems in different mining conditions. Trans Instn. Min. Metall. 93, pp. A70 - A82.

649. Laubscher D.H. and Taylor H.W. (1976): The importance of geomechanics classification of jointed rock masses in mining operations. In *Exploration for rock engineering*, (ed. Z.T. Bieniawski) 1, pp. 119-128. Cape Town: Balkema.
650. Laubscher D.M. and Page C.H. (1990): The design of rock support in high stress or weak rock environments. *Proc. 92nd Can. Inst. Min. Metall. AGM, Ottawa*, Paper # 91.
651. Laubscher D.H. and Jakubec, J. (2000): The IRMR/MRMR rock mass classification system for jointed rock masses. In: *SME Annual Meeting, February 28–March 1, Salt Lake City, Utah*, pp. 475–481.
652. Lauffer H. (1958): Classification for tunnel construction (in German). *Geologie und Bauwesen*, Vol. 24, No. 1, pp. 46-51.
653. Lauffer-Innsbruck H. (1988): On rock classification regarding cutting. (in German). *Felsbau*, Vol. 6, pp. 137-149.
654. Leeman E.R. and Hayes D.J. (1966): A technique for determining the complete state of stress in rock using a single borehole. *Proc. 1st Cong. Int. Soc. Rock Mech, Lisbon 2*, pp. 17- 24.
655. Legget R.F and Karrow P.F (1983): *Geology in civil engineering*. McGraw-Hill Book Company, 1340 p.
656. Leggo P.J. and Leech C. (1983): Sub-surface investigation for shallow mine workings and cavities by the ground impulse radar technique. *Ground Engineering*, 16 (1), pp. 20-23.
657. Lewis M.R. and Moore D.P. (1989): Construction of the Downie Slide and Dutchman's Ridge drainage adits. *Canadian Tunnelling* (ed. Z. Eisenstein), pp. 163-172. Vancouver: Bi-Tech
658. Lien R. (1980): Classification of rock drillability. (In Norwegian). *Proc. Norwegian Nat. Tunnelling Conf., Oslo 1980, Tapir*, pp. 27B1-27B3.
659. Lillesand T.M. and Kiefer R.W. (1979): *Remote Sensing and Image Interpretation*. John Wiley, New York.
660. Lin D and Fairhurst C. (1988): Static analysis of the stability of three-dimensional blocky systems around excavations in rock. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.* 25 (3), pp. 139-147.
661. Lindblom U.E. (1986): Developments in design methods for large rock caverns. General report, *Proc. Symp. of Large Rock Caverns, Helsinki, 1986*, pp. 1937-1948.
662. Lindblom U., Ludvig B. and Axelsson H. (2005): The Göta Tunnel — an impervious rock structure in a sensitive geotechnical environment (in Swedish, summary in English). *Proc. Bergmekanikdag 2005, SveBeFo*.
663. Lineham D. and Murphy V.J. (1962): Engineering seismology applications in metropolitan areas. *Geophysics*, 27 (2), pp. 213-220.
664. Linkov A.M. (1992): *Dynamic phenomena in mines and the problem of stability*. Distributed by MTS Systems Corporation, 14000 Technology Drive, Eden Prairie, MN, USA, 55344. Notes from a course of lectures presented by Dr. Linkov as MTS Visiting Professor of Geomechanics at the University of Minnesota, Minneapolis, MN, USA.

665. Lislerud A. (1988): Hard rock tunnel boring: Prognosis and costs. *Tunnelling and Underground Space Technology*, Vol. 3, No. 1, pp. 9 - 17.
666. Little AL., Stewart J.C. and Fookes P.J. (1963): Bedrock grouting tests at Mangla Dam, West Pakistan. *Proc. Symp. on Grouts and Drilling Muds in Engineering Practice*, Butterworths, London, pp. 9 1-97.
667. Liu S.C., Cheng Y. and Chang C.T. (1988): Design of the Mingtan cavern. *Proc .symp. ISRM. on Rock Mech. and Power Plants*, Madrid, pp. 199-208.
668. Ljunggren C. and Klasson K. (1996): Rock stress measurements at the three investigation sites, Kivetty, Romuvaara and Olkiluoto, Finland. *Work Report PATU-96-26e*, Posiva Oy, Helsinki, Finland.
669. Ljunggren C. (1998): Overcoring rock stress measurements in borehole KR6 at Hästhölm, Finland. *Work Report 98-70*, Posiva Oy, Helsinki, Finland.
670. Lombardi G. and Deere D. (1993): Grouting design and control using the GIN principle. *Water Power and Dam Constr.*, Vol. 45, No. 6.
671. Londe P. (1965): Une methode d'analyse a trois dimensions de la stabilite d'une rive rocheuse. *Annales des Ponts et Chaussees* 135 (1), pp. 37-60.
672. Londe P., Vigier G. and Vormeringer R. (1969): The stability of rock slopes, a threedimensional study. *J. Soil Mech. Foundns Div., ASCE* 95 (SM 1), pp. 235-262.
673. Londe P., Vigier G. and Vormeringer R. (1970): Stability of slopes - graphical methods. *J. Soil Mech. Fndns Div., ASCE* 96 ( SM 4), pp. 1411-1434.
674. Lorig L.J. and Brady B.H.G. (1984): A hybrid computational scheme for excavation and support design in jointed rock media. In *Design and performance of underground excavations*, (eds E.T. Brown and J.A. Hudson), pp. 105-112. London: Brit. Geotech. Soc.
675. Lottes G. (1972): The development of European pumped-storage plants. *Water Power* 24, pp. 22-33.
676. Love A.E.H. (1927): *A treatise on the mathematical theory of elasticity*. New York: Dover.
677. Louis C. (1969): A study of groundwater flow in jointed rock and its influence on the stability of rock masses. Imperial College, London, *Rock Mechanics Report No. 10*, 90 p.
678. Louis C. and Perrot M. (1972): Three dimensional investigation of flow conditions at Grand Maison Damsite. *Proc. Symp. on Percolation Through Fissured Rock*, Stuttgart.
679. Lugeon M. (1933): *Barrages et Géologie*. Dunod, Paris.
680. Lunder P.J. and Pakalnis R. (1997): Determination of the strength of hard-rock mine pillars. *CIM Bull.*, 90(1013): pp. 51–55.
681. Lundholm B. (2000): Rock stress and rock stress measurements at Äspö. *International Progress Report IPR-00-024*, Swedish Nuclear Fuel and Waste Management Company, Stockholm, Sweden.

682. Lundman P., Sjöberg J. and Lindfors U. (2004): Banverkets syn på bergmekanisk dimensionering med exempel från framtida projektteringshandbok (in Swedish). Bergmekanikdag 2004 (Stockholm, March 17, 2004), SveBeFo (Svensk Bergteknisk Forskning), pp. 21-30.
683. Lutton R.J., Banks D.C. and Strohm W.E. (1979): Slides in the Gaillard Cut, Panama Canal Zone. In *Rockslides and Avalanches* (ed. B. Voight) 2, pp. 151-224. New York: Elsevier.
684. Löset F. (1990): Use of the Q-method for securing small weakness zones and temporary support.(in Norwegian). Norwegian Geotechnical Institute, internal report No. 548140-1, 40 p.
685. Löset F. (1992): Support needs compared at the Svartisen road tunnel. *Tunnels & Tunnelling*, June 1992, 3 p.
686. Løset F. (1997): Practical application of the Q-method (in Norwegian). Internal NGI report no. 592046-2, 40 p.
687. Madan M.M. (1991): An analytical approach to tunnel construction. *Tunnels & Tunnelling*, May 1991, pp. 71-74.
688. Maeda K. (1955): Apparent resistivity for dipping beds. *Geophysics*, 20 (1), pp. 123-147.
689. Mahar J.W., Parker H.W. and Wuellner W.W. (1975): Shotcrete practice in underground construction. US Dept. Transportation Report FRA-OR&D, pp.75-90. Springfield, VA: Nat. Tech. Info. Service.
690. Makurat A. (1988): Practical application of the methods. Proc. NIF-Conf. on practical rock mechanics for tunnels and caverns, Trondheim, January 1989, 12 p.
691. Mahtab M.A., and Yegulalp T.M. (1986): Characterizing jointed rock for tunnel design. Proc. of Conf. on Large Underground Openings, Florence, Italy, pp. 613-619.
692. Mallard D.J. (1977): Discussion: Session 1 — Chalk. Proc. ICE Conf. on Piles in Weak Rock, pp. 177-180.
693. Malm Y. (2005): Uppföljning av injekteringsarbeten — En studie av Nordlänken-Oxnared-Trollhättan (in Swedish). Master Thesis 04/06, Royal Institute of Technology, Division of Soil and Rock Mechanics, Stockholm.
694. Malmgren L. (2007): Skadekartering block 33 och 25 i KUJ (in Swedish). LKAB. Internal LKAB report.
695. Marachi N.D., Chan C.K. and Seed H.B. (1972): Evaluation of properties of rockfill materials. *J. Soil Mechs. Fdns. Div. ASCE* 98(SM4), pp. 95-114.
696. Marchetti S. and Crapps D.K. (1981): Flat Dilatometer Manual. GPE Inc., USA.
697. Marinos P. and Hoek E. (2000): GSI: A geologically friendly tool for rock mass strength estimation, Proceedings GeoEng2000 Conference, Melbourne, pp. 1422-1442.
698. Marinos V., Marinos P. and Hoek E. (2005): The geological strength index: applications and limitations. *Bulletin of the Engineering Geology and the Environment*, v. 64, pp. 55-65.
699. Marshall D. (1963): Hangingwall control at Willroy. *Can. Min. Metall. Bull.* 56, pp. 327-331.

700. Marsland A. (1986): The choice of test methods in site investigation. In A.B. Hawkins (ed.) Site Investigation Practice: Assessing BS 5930, Eng. Geol. Special Pub. No. 2, Geological Society, pp. 289-298.
701. Marsland A. and Quartermain R. (1974): Further developments of multipoint magnetic extensometers for use in highly compressible ground. *Géotechnique*, 24, pp. 429-433.
702. Martin C.D. (1988): TBM tunnelling in poor and very poor rock conditions. *Tunnels and Tunnelling*, March 1988, pp. 22-28.
703. Martin C.D. (1990): Characterizing in situ stress domains at the AECL Underground Research Laboratory. *Can. Geotech. J.* 27, pp. 631-646.
704. Martin C.D., Read R.S. and Chandler (1990): Does scale influence in situ stress measurements? - Some findings at the Underground Research Laboratory. *Proc. Int. Conf. on Scale Effects in Rock Masses*, Balkema, Rotterdam, pp. 307 - 315.
705. Martin C.D., Read R.S. and Lang P.A. (1990): Seven years of in situ stress measurements at the URL - an overview. In *Proc. 31st U.S. Symp. on Rock Mechanics*, Golden (Ed. W. Hustrulid and G. Johnson), pp. 15-25. A.A. Balkema, Rotterdam.
706. Martin C.D. and Christiansson R. (1991): Overcoring in highly stressed granite – The influence of microcracking. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, 28(1): pp. 53-70.
707. Martin C.D. and Simmons, G.R. (1992): The Underground Research Laboratory, an opportunity for basic rock mechanics. *ISRM News Journal* 1(1), pp. 5-12.
708. Martin C.D. (1993): The strength of massive Lac du Bonnet granite around underground openings. Ph.D. thesis, Winnipeg, Manitoba: Dept. Civil Engineering, University of Manitoba.
709. Martin C.D. and Chandler N.A. (1993): Stress heterogeneity and geological structures. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, 30(7): pp. 993-999.
710. Martin C.D. and Chandler N.A. (1994): The progressive fracture of Lac du Bonnet granite. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, 31(6): pp. 643-659.
711. Martin C.D. and Stimpson B. (1994): The effect of sample disturbance on laboratory properties of Lac du Bonnet granite. *Can. Geotech. J.*, 31(5): pp. 692-702.
712. Martin C.D., Read R.S. and Dzik E.J. (1995): Near-face cracking and strength around underground openings. In *Proc. 2nd Int. Conf. on Mechanics of Jointed and Faulted Rock*, Vienna (Ed. H. P. Rossmanith), pp. 747-752. A.A. Balkema, Rotterdam.
713. Martin C.D., Kaiser P.K. and Alcott J.M. (1996): Predicting the depth of stress induced failure around underground openings. In *Proc. 49th Canadian Geotechnical Conference*, St. John's, vol. 1, pp. 105-114. C-CORE, St. John's.
714. Martin C.D., Kaiser P.K. and Alcott J.M. (1996): Predicting the depth of stress induced failure around underground openings. In *Proc. 49th Canadian Geotechnical Conference*, St. John's, vol. 1, pp. 105-114. C-CORE, St. John's.
715. Martin C.D., Yazici S., Young R.P. and Murdie R. (1997): Low stress damage mechanisms around underground openings in brittle rocks. In *Proc. 50th Canadian Geotechnical Conference*, Ottawa (Ed. G. E. Bauer), vol. 1, pp. 110-117.
716. Martin C.D. (1997): Seventeenth Canadian Geotechnical Colloquium: The effect of cohesion loss and stress path on brittle rock strength. *Can. Geotech. J.*, 34(5): pp. 698-725.

717. Martin C.D., Diederichs M. and Hajiabdolmajid V. (1998): Damage mechanisms in brittle rock masses. In Proc. 51st Canadian Geotechnical Conference, Edmonton, vol. 2, pp. 581–588.
718. Martin C.D., Kaiser P.K. and McCreath D.R. (1999): Hoek-Brown parameters for predicting the depth of brittle failure around tunnels. *Can. Geotech. J.*, 36(1): pp. 136–151.
719. Martin C.D., Tannant D.D., Yazici S. and Kaiser P.K. (1999): Stress path and instability around mine openings. In Proc. 9th, ISRM Congress on Rock Mechanics, Paris (Ed. G. Vouille and P. Berest), vol. 1, pp. 311–315. A. A. Balkema, Rotterdam.
720. Martin C.D. and Maybee W.G. (2000): The strength of hard-rock pillars. *Int. J. Rock Mech. Min. Sci.*, 37(8):1239–1246.
721. Martin C.D. and Christiansson R. (2008): Estimating the potential for spalling around a deep nuclear waste repository in crystalline rock. *Int. J. Rock. Mech. Min. Sci.*, doi:10.1016/j.ijrmms.2008.03.001.
722. Martin C.D. and Christiansson R. (2010): Evaluating the design risks for deep underground excavations using information from surface based drill holes. Proceedings of World Tunneling Congress, IATES – ITA, Vancouver, May 2010.
723. Mason R. (1978): *Petrology of the Metamorphic Rocks*. George Allen & Unwin, London.
724. Masur C.I. and Kaufman R.I. (1962): Dewatering. In *Foundation Engineering* (ed. G.A. Leonards), pp. 241-350. New York: McGraw- Hill
725. Matheson J.L. (1939): An aerial survey of the estuary of the River Dee, employing a simple method of rectifying oblique photographs. *J. Inst. Civ. Eng.*, 10 (Paper 5157), pp. 47-54.
726. Matherson G.D. (1983): Rock stability assessment in preliminary site investigations — graphical methods. TRRL Report LR 1039, Transport Research Laboratory, Crowthorne, Berks.
727. Mathews K.E. and Edwards D.B. (1969): Rock mechanics practice at Mount Isa Mines Limited, Australia. Proc. 9th Commonwealth min. metall. Congr., Paper 32. London: Instn Min. Metall.
728. Mathews K.E., Hoek E., Wyllie D.C. and Stewart S.B.V. (1981): Prediction of stable excavations for mining at depth below 1000 metres in hard rock. CANMET Report DSS Serial No. OSQ80-00081, DSS File No. 17SQ.23440-0-9020. Ottawa: Dept. Energy, Mines and Resources.
729. Matthews M.C. (1993): The mass compressibility of fractured chalk. PhD. thesis, University of Surrey.
730. Mathews S.M., Tillman V.H. and Worotnicki G. (1983): A modified cablebolt system for support of underground openings. Proc. Aust. Inst. Min. Metall. annual conf., Broken Hill. pp. 243-255.
731. Matthews S.M., Thompson A.G., Windsor C.R. and O'Bryan, P.R. (1986): A novel reinforcing system for large rock caverns in blocky rock masses. In *Large rock caverns*, (ed. K.H.O. Saari), pp. 1541-1552. Oxford: Pergamon.
732. Matula M. (1969): Engineering geologic investigations of rock heterogeneity. 11th US Symp. on Rock Mech. pp. 25-42.
733. Matula M. and Holzer R. (1978): Engineering topology of rock masses. Proc. of Felsmekanik Kolloquium, Grundlagen und Anwendung der Felsmekanik, Karlsruhe, Germany, 1978, pp. 107-121.

734. Maury V. (1976): An example of underground storage in soft rock (chalk). Proc. Int. Symp. Rock Store, pp. 681-689.
735. Maybee W.G. (1999): Pillar design in hard brittle rocks. Master's thesis, School of Engineering, Laurentian University, Sudbury, ON, Canada.
736. Maxwell G.M. (1976): Old mineshafts and their location by geophysical surveying. Q. J. Eng. Geol., 9 (4), pp. 283-290.
737. McCreath D.R. and Kaiser P.K. (1992): Evaluation of current support practices in burst-prone ground and preliminary guidelines for Canadian hardrock mines. In Rock support in mining and underground construction, proc. int. symp. rock support, Sudbury, (eds P.K. Kaiser and D.R. McCreath), pp. 611-619. Rotterdam: Balkema.
738. McFeat-Smith I., Nieuwenhuijs G.K. and Lai W.C. (1986): Application of seismic surveying, orientated drilling and rock classification for site investigation of rock tunnels. Proc. Int. Conf. Rock Engineering and Excavation in an Urban Environment, MIT., pp. 249-261.
739. McGarr A. (1978): State of stress in the earth's crust. Ann. Rev. Earth Planet. Sci., 6:405-436.
740. McIntyre J.S. and Hagan T.N. (1976): The design of overburden blasts to promote highwall stability at a large strip mine. Proc. 11th Canadian Rock Mech. Symp., Vancouver.
741. McLean A.C. and Gribble C.D. (1985): Geology for Civil Engineers. 2nd edn, Unwin Hyman, London, 314 p.
742. McMahon B.K. (1971): A statistical method for the design of rock slopes. Proc. 1<sup>st</sup> Australia-New Zealand Conf. on Geomechanics, Melbourne 1, pp. 314-321.
743. McMahon B.K. (1975): Probability of failure and expected volume of failure in high rock slopes. Proc. 2<sup>nd</sup> Aust.-New Zealand Conf. on Geomech., Brisbane.
744. Meigh A.C. and Greenland S.W. (1965): In situ testing of soft rocks. Proc. 6th Int. Conf Soil Mech. and Found. Eng., Montreal, Volume 1, pp. 73-76.
745. Merritt A.H. (1972): Geologic prediction for underground excavations. Proc. North American rapid excav. tunneling conf., Chicago, (eds K.S. Lane and L.A. Garfield) 1, pp. 115-132. New York: Soc. Min. Engrs, Am. Inst. Min. Metall. Petrolm Engrs.
746. Merritt A.H. and Baecher G.B. (1981): Site characterization in rock engineering. 22nd U.S. Symp. on Rock Mechanics, pp. 49-66.
747. Milne D., Germain P., Grant D. and Noble P. (1991): Field observations for the standardization of the NGI classification system for underground mine design. Intn. congr. on Rock Mechanics, A.A. Balkema, Aachen, Germany.
748. Milne D., Germain P. and Potvin Y. (1992): Measurement of rock mass properties for mine design. Proc. Int. Conf. Eurock '92, Thomas Telford, London, pp. 245-250.
749. Milne D., Hadjigeorgiou J. and Pakalnis R. (1998): Rock mass characterization for underground hard rock mines. Tunnelling and underground space technology, Vol. 13, No .4, pp. 383 - 391.
750. Milne D., Palmström A. and Peck W. (2002): Reply to Barton's comments on GeoEng2000 workshop summary. Published in ISRM News 7-2, 2002. under Letter to the Editor of the ISRM News Journal. 18 February 2002 regarding Journal article of (December 2001),

751. Mogi K. (1966): Pressure dependence of rock strength and transition from brittle fracture to ductile flow. *Bulletin Earthquake Res. Inst. (Japan)*, 44: pp. 215–232.
752. Mogi K. (1967): Effect of the intermediate principal stress on rock failure. *Journal of Geophysical research*, v.72, no 20, pp. 5117-5131.
753. Mollard J.D. (1962): Photo analysis and interpretation in engineering geology investigations: A Review. In T. Fluhr and R.F. Legget (eds), *Reviews in Engineering Geology*, The Geological Society of America, New York, pp. 105-127.
754. Monssees J.E. (1996): Soft ground tunnelling. In Bickel J.O., Kuesel T.R. and King E.H. (ed.) *Tunnel Engineering handbook*, Chapman & Hall, Ch. 6, pp. 97-121.
755. Mooney H.M. and Orellana E. (1966): *Master Tables and Curves for Vertical Electrical Sounding over Layered Structures*. Interciencia, Madrid.
756. Mooney H.M. and Wetzel W.W. (1956): *The Potentials about a Point Electrode and Apparent Resistivity Curves for a Two-, Three- and Four-layer Earth*. University of Minnesota Press, Minneapolis.
757. Moore D.P., Imrie A.S. and Baker D.G. (1991): Rockslide risk reduction using monitoring. *Proc. Can. Dam Safety Assoc. Annual Meeting*, Whistler, British Columbia.
758. Moore J.R., Echard J.D. and Neil G.G. (1980): Radar detection of voids under concrete highways. *IEEE Int. Radar Conf.*, CH 1493-6/80/0000-0131.
759. Moreno Tallon E. (1980): Application of the geomechanical classification for the tunnels at Pajares. (in Spanish). *Curso de Sostenimientos activos en Galerías y Tuneles*, Madrid, Fundacion Gomez-Pardo.
760. Moreno Tallon, E. (1987): Rock-masses characterization for underground excavation purposes. *VI Australian Tunnelling Conference*, Melbourne 1987.
761. Moretto, O. (1982): *Mecánica de rocas en el complejo hidroeléctrico Río Grande No. 1*. Proc. Primer. Cong. Sudamericano de Mecánica de Rocas, Bogotá, Colombia.
762. Morfeldt C.-O., Bergman M. and Lundström L. (1973): Rock mass investigations; evaluation of methods (in Swedish). *Swedish Building Research*, report R34: 1973, 116 p.
763. Morfeldt C.-O. (1976): Caverns and tunnels in rock; engineering and geological follow-up (in Swedish). *Swedish Building Research*, report R15: 1976, 106 p.
764. Morgan D.R. (1993): Advances in shotcrete technology for support of underground openings in Canada. In *Shotcrete for underground support V*, proc. engineering foundation conf., Uppsala, (eds J.C. Sharp and T. Franzen), pp. 358-382. New York: Am. Soc. Civ. Engrs.
765. Morgan G.C. (1991): Qualification of risks from slope hazards. In *Landslide Hazards in the Canadian Cordillera*. Geological Association of Canada, Special Publication.
766. Morgan G.C., Rawlings G.E. and Sobkowicz J.C. (1992): Evaluation of total risk to communities from large debris flows. *Geotechnical and Natural Hazards*, Vancouver Geotechnical Society and Canadian Geotechnical Society, Vancouver, BC, Canada, May 6-9, 1992, pp. 225—236.

767. Morgenstern N.R. and Vaughan P.R. (1963): Some observations on allowable grouting pressures. Proc. Symp. on Grouts and Drilling Muds in Engineering Practice, Butterworths, London, pp. 36-42.
768. Morgenstern N.R. (1991): Limitations of stability analysis in geo-technical practice. *Geotecnia* 61: pp. 5-19.
769. Morrison R.G.K. (1942): Report on the rockburst situation in Ontario mines. *Trans. Can. Inst. Min. Metall.* 45.
770. Morrison R.G.K. (1976): A philosophy of ground control: a bridge between theory and practice. rev. edn. Montreal: Department of Mining and Metallurgical Engineering, McGill University, 182 p.
771. Morriss P. and Stoter H.J. (1983): Open-cut slope design using probabilistic methods. Proc. 5th. Cong. ISRM., Melbourne 1, pp. C107-C113. Rotterdam: Balkema
772. Movinkel T. and Johannessen O. (1986): Geologic parameters for hard rock tunnel boring. *Tunnels & Tunnelling*, April 1986, pp. 45-48.
773. Moy D., Hsieh C.S. and Li, H.C. (1990): The introduction of steel fiber shotcrete to underground cavern support in Taiwan. Shotcrete for Underground Support, Proc. of the Engineering Foundation Conf. on Shotcrete V, Uppsala, Sweden.
774. Moy D. and Hoek E. (1989): Progress with the excavation and support of the Mingtan power cavern roof. Proc. Rock Cavern Seminar - Hong Kong (eds A.W. Malone and P.G.D. Whiteside), pp. 235-245. London: Institution Mining and Metallurgy.
775. Muir Wood A.M. and Caste G. (1970): In situ testing for the Channel Tunnel. Proc. Conf on In-situ Investigations in Soils and Rocks. BGS, London, pp. 109-116.
776. Muir Wood A.M. (1979): Ground behaviour and support for mining and tunnelling. *Tunnels and Tunnelling*, Part 1 in May 1979 pp. 43-48, and Part 2 in June 1979, pp. 47-51.
777. Muller J. (1979): Josef Stini. Contributions to engineering geology and slope movement investigations. In *Rockslides and Avalanches* (ed. B. Voight), Part 2, pp. 95-109. New York: Elsevier.
778. Muller L. (1959): The European approach to slope stability problems in open pit mines. Proc. 3rd Symp. Rock Mech., Colorado School Mines Quarterly, 54, pp. 114- 133.
779. Müller L. (1963): Rock construction (in German). Ferdinand-Enke-Verlag, Stuttgart, 624 p.
780. Müller L., Bock H. and Müller K. (1970): Structural geology of rocks - rock mechanics in construction (in German). Wilhelm Ernst & Sohn Verlag, Berlin.
781. Müller L. (1978): Removing misconceptions on the new Austrian tunnelling method. *Tunnels and Tunnelling*, Oct. 1978, pp. 29-32.
782. Müller L. (1982): The influence of engineering geology and rock mechanics in tunnelling. Proc. of IV Congr. Intn. Ass. of Engr. Geol., New Delhi, 1982, pp. ix 177 - 186.
783. Muskhelishvili, N.I. (1953): Some basic problems of the mathematical theory of elasticity. 4<sup>th</sup> edn, translated by J.R.M. Radok. Gronigen: Noordhoff.

784. Mutschler T. and Natau O. (1991): Further developments for the determination of the stress-strain behaviour of jointed rock mass by large scale tests. Proc. 7th. Congr. of ISRM, Aachen, pp. 1557-1560.
785. Myrvang A. (1983): Practical use of rock stress and deformation measurements. Norwegian Soil and Rock Engineering Association, Publ. No.2, pp. 9-14.
786. Myrvang A. (1991): Rock stress and rock stress problems in Norway. In: Hudson J.A. (ed.): Comprehensive Rock Engineering, Pergamon Press,
787. Myrvang A.M. (1991): Estimation of in situ compressive strength of rocks from in situ stress measurements in high stressed rock structures. Proceedings. 7th ISRM Congress on rock mechanics. Aachen. Edited by W.Wittke. A.A. Balkema. Rotterdam, pp. 573-575.
788. Myrvang A.M., Alnaes L., Hansen S.E., and Davik K.I. (1997): Heavy spalling problems in road tunnels in Norway – Long time stability and performance of sprayed concrete as rock support. International symposium on rock support: applied solutions for underground structures. Lillehammer, 22-25 June 1997. Norwegian Society of Chartered Engineers, Oslo. ISBN 82-91341-18-4.
789. Myrvang A.M. (1997): Evaluation of in-situ rock stress measurements at the ZEDEX test area. Progress Report HRL-97-22, Swedish Nuclear Fuel and Waste Management Company, Stockholm, Sweden.
790. Nakano R. (1979): Geotechnical properties of mudstone of Neogene Tertiary in Japan. Proc. Int. Symp. Soil Mechanics, Oaxaca, pp. 75 - 92.
791. Narr, W., Suppe, J. (1991): Joint spacing in sedimentary rocks. J. of Structural Geol., Vol 13, No. 9, pp 1037 - 1048.
792. Natau O.P., Frölich B.O. and Mutschler T. (1983): Recent developments of the large-scale triaxial test. Proc. 7th. Congr. of ISRM, Melbourne, pp. 1557-1560.
793. Natau O. (1990): Scale effects in the determination of the deformability and strength of rock masses. In: Proceedings of the first international workshop on scale effects in rock masses, 7-8 June, pp. 77-89 (A. Pinto Da Cunha (Ed)), Loen, Norway, Balkema, Rotterdam. ISBN 90 6191 126 5.
794. Natau O., Bühler, Keller S. and Mutschler T. (1995): Large scale Triaxial testss in connection with a FEM analysis for the determination of the properties of a transversal isotropic rock mass. Proc. 8th Int. Congress on Rock Mechanics, Tokyo, 9 p.
795. NBF (1993): Shotcrete. Norwegian Concrete Association (NB), Publ. No. 7, 69 p.
796. NBG (1985): Handbook in engineering geology - rock. (in Norwegian). Norwegian rock mechanics group (NBG). Tapir, 140 p.
797. NBR (1997): Norwegian Standard 3480. Geotechnical Planning. (In Norwegian). Norwegian Council for Building Standardisation (NBR), 11 p.
798. NBR (1988): National Application Document (NAD) for NS-ENV 1997-1:1997 Eurocode 7: Geotechnical design. Norwegian Council for Building Standardisation (NBR), 14 p.

799. Neumann-Denzau G. and Behrens J. (1984): Inversion of seismic data using tomographical reconstruction techniques for investigations of laterally inhomogeneous media. *Geophys. J. R. Abstr. Soc.*, 79, pp. 305-315.
800. Nickson S., Sprott D., Bawden W.F. and Coulson A. (1997): A geomechanical study for a shaft wall rehabilitation program. In *Proc. 99th CIM Annual General Meeting, Vancouver*, pp. 1–20. Canadian Institute of Mining, Montreal.
801. Nieto A.S. (1983): Some geologic factors in the location design and construction of large underground chambers in rock. *Proc. Rapid Exc. & Tunn.Conf. AIME 1983*, pp 569-596.
802. Nilsen B. (1979): Stability of high rock slopes. (In Norwegian). NTH, Dept. of Geology, Report No. 14, 320 p.
803. Nilsen B. and Palmström A. (2001): Stability and water leakage of hard rock subsea tunnels. *Conf. on Modern Tunneling Science and Technology*, Adachi et al. (eds), 2001, Kyoto, Japan, pp. 497-502.
804. Nilsen B., Shrestha G.L., Panthi K.K., Holmøy K.H. and Olsen V. (2003): RMR vs Q vs RMI, *Tunnels & Tunnelling Int.* 35:5, pp. 45-48.
805. Nilssen P. (2004): Bergspenningsmålinger i Garpenberg Norra gruve (in Norwegian). SINTEF bygg og miljø – Berg og geoteknikk. STF22 F04110.
806. NGI internal report 515170-8 (2001): Empirical relation between Q-value and p-wave velocity of some typical Norwegian rock types, (by Annette Wold Hagen) 46 p.
807. Nguyen, V. U. and Chowdhury, R.N. (1985): Simulation for risk analysis. *Geotechnique* 35(1), pp. 47-58.
808. Nickson, S.D. (1992): Cable support guidelines for underground hard rock mine operations. MAsc. thesis, Dept. Mining and Mineral Processing, University of British Columbia.
809. Nielsen N.M., Hartford D.N.D. and MacDonald (1994): Selection of tolerable risk criteria for dam safety decision making. *Proc. 1994 Canadian Dam Safety Conference, Winnipeg, Manitoba*. Vancouver: BiTech Publishers, pp. 355-369.
810. Nilsen B. (1982): Effects of flattening the roof of caverns - a case study. *Proc. Int. Symp. on Rock Mech. related to Caverns and pressure shafts, Aachen 1982, Balkema, Vol. 1*, pp. 375-381.
811. Nilsen B. (1985): Shear strength of rock joints at low normal stresses - a key parameter for evaluating rock slope stability. *Proc. Int. Symp. on Fundamentals of rock joints. Centek*, pp. 487-494.
812. Nilsen B. (1988): Norwegian sub-sea tunnels, a review with emphasis on water leakages. *Proc. Int. ITA Congr. on Tunnels and Water, Madrid, June 1988*, pp. 913-918.
813. Nilsen B. and Thidemann A. (1993): Rock engineering. *Hydropower Development*, publ. no. 9, Norwegian Institute of Technology, Division of Hydraulic Engineering, 156 p.
814. Nilsen B. and Ozdemir L. (1993): Hard rock tunnel boring prediction and field performance. *Rapid Excavation and tunneling Conference*, 20 p.
815. Nilsen B. (1996): Rock slope stability analyses - What are the key issues? NORAD-course: "Hydropower Development", NTNU, Dept. of Geology and Mineral Res. Eng., 17 p.

816. Nilsen B., Palmström A. and Stille H. (1999): Quality control of a sub-sea tunnel project in complex ground conditions. Proc. World Tunnel Congress'99. Oslo. A.A. Balkema, 9 p.
817. Norbury D.R., Child G.H. and Spink T.W. (1986): A critical review of Section 8 (BS 5930) — soil and rock description. In A.B. Hawkins (ed.) Site Investigation Practice: Assessing BS 5930, Eng. Geol. Special Pub. No. 2, Geological Society, pp. 33 1-342.
818. Nord G., Olsson P. and By T.L. (1992): Probing ahead of TBMs by geophysical means. Tunnelling and Underground Space Technology, Vol. 7, No. 3, pp. 237-242.
819. Norman J.W. (1968): Photogeology of linear features in areas covered with superficial deposits. Trans. Inst. Mm. Met, 77 B, pp. 60-77.
820. Norman J.W. (1968): The air photograph requirements of geologists. Photogrammetric Record, 6 (32), pp. 133-149.
821. Norman J.W. (1969): Photo-interpretation of boulder clay areas as an aid to engineering geological studies. Q.J. Eng. Geol., 2, pp. 149-157.
822. Norman J.W. (1970): The photogeological detection of unstable ground. J. Inst. Highways Engrs., 17 (2), pp. 19-22.
823. Norman J.W., Leisowitz T.H. and Fookes P.G. (1975): Factors affecting the detection of slope instability with air photographs in an area near Sevenoaks, Kent. Q. J. Eng. Geol, 8 (3), pp. 159-76.
824. Norwegian Institute of Technology (1994): Fullface boring of tunnels (in Norwegian). Norwegian Institute of Technology, Div. of Construction Engineering, PR 1-94, 159 p.
825. Norwegian Institute of Technology (1994): Hard rock tunnel boring. Norwegian Institute of Technology, Div. of Construction Engineering, PR 1-94, 164 p.
826. Norwegian Institute of Technology (1995): Tunnelling, prognosis for drill and blast. (In Norwegian), Norwegian Institute of Technology, Div. of Construction Engineering, PR 2A-95, 75 p.
827. Norwegian Standard. (1993): Vibrations and shocks in structures, guidance limits for blasting-induced vibrations (in Norwegian). NS 8141. Norwegian Council for Building Standardisation (NBR), 7 p.
828. Nystuen J.P., (1989): Naming geological units in Norway. Norsk Geologisk Tidsskrift, Vol. 69, Suppl.
829. Obermeier S.E. (1974): Evaluation of laboratory techniques for measurement of swell potential of clays. Bull. Ass. of Engn. Geol., Vol XI, No. 4, pp. 293-314.
830. Obert L and Duval, W.I. (1967): Rock Mechanics and the Design of Structures in Rock. New York: Wiley 65 p.
831. Olivier H.J. (1976): Importance of rock durability in the engineering classification of Karoo rock masses for tunnelling. Proc. symp. on Exploration for Rock Engineering, Johannesburg 1976, pp 137 - 144.

832. Olofsson I., Stephens M., Follin S., Nilsson A-C., Röshoff K., Lindberg U., Lanaro F., Fredriksson A., and Persson L. (2007): Site descriptive modelling Forsmark, stage 2.2. A fracture domain concept as a basis for the statistical modelling of fractures and minor deformation zones, and interdisciplinary coordination. Report R-07-15. Svensk Kärnbränslehantering AB (SKB), Stockholm, Sweden.
833. Olsson O., Emsley S., Bauer C., Falls S. and Stenberg L. (1996): ZEDEX—A study of the zone of excavation disturbance for blasted and bored tunnels. International Cooperation Report 96-03, Swedish Nuclear Fuel and Waste Management Company, Stockholm, Sweden. 3 Volumes.
834. Olsson O.L. (2000): Underground storage for nuclear waste in Sweden. In Proc. EUROCK 2000 Symposium, Aachen (Ed. D. G. für Geotechnik e.V. (DGGT)), pp. 117– 124. Verlag Glückauf GmbH, Essen.
835. Olsson M. and Bergqvist I. (1997): Joint formation during detonation in multiple blast holes. Summary report from test period 1993 – 96. (in Swedish) SveBeFo Report 32, 26 p.
836. Olsson L. and Stille H. (2002): Observation systems with alarm thresholds and their use in designing underground facilities. SKB R- 02-05 (2002), 47 p.
837. Ortlepp D.W. and Gay N.C. (1984): Performance of an experimental tunnel subjected to stresses ranging from 50 MPa to 230 MPa. Proc. symp. ISRM on Design and Performance of Underground Excavations, Cambridge. pp.337-346. London: British Geotechnical Society
838. Ortlepp W.D. (2001): The behavior of tunnels at great depth under large static and dynamic pressures. *Tunnelling and Underground Space Technology*, 16(1), pp. 41– 48.
839. Ortlepp W.D. (1992). Assessment of rockburst risk in the Underground Research Laboratory, Pinawa, Manitoba, Canada. Tech. Rep. 195524, Overview Report for Atomic Energy of Canada Limited by Steffen, Robertson & Kirsten.
840. Ortlepp D.W. (1992): The design of the containment of rockburst damage in tunnels – an engineering approach. In *Rock support in mining and underground construction, proc. int. symp. on rock support, Sudbury*, (eds P.K. Kaiser and D.R. McCreath), pp. 593-609. Rotterdam: Balkema.
841. Ortlepp W.D. (1992): Note on fault-slip motion inferred from a study of microcataclastic particles from an underground shear rupture. *Pageoph*, 139(3/4): pp. 167–195.
842. Ortlepp W.D. (1993): Invited lecture: The design of support for the containment of rockburst damage in tunnels - an engineering approach. *Proc. int. symp. on rock support, Sudbury*, (eds P.K. Kaiser and D.R. McCreath), pp. 593-609. Rotterdam: Balkema.
843. Ortlepp W.D. (1993): A philosophical consideration of support requirements in civil and mining tunnels. In *TUNCON '93, Proc. symp. Aspects of Control in Tunnelling, Johannesburg*, pp. 49-54.
844. Otter J.R.H., Cassell A.C. and Hobbs R.E. (1966): Dynamic relaxation. *Proc. Instn Civ. Engrs* 35, pp. 633-665.
845. Ouchterlony F. and Olsson M. (2000): Time to complete the table on the blast damage zone. (in Swedish) *Proc. Swedish national conf. on rock blasting, Stockholm*, pp. 155 – 178.
846. Owen D.R.J. and Hinton E. (1980): *Finite Elements in Plasticity: Theory and Practice*, Pineridge Press.

847. Ozdemir L. and Nilsen B. (1993): Hard Rock Tunnel Boring Prediction and Field Performance. Rapid Excavation and Tunneling Conference (RETC) Proceedings, 1993, Boston, USA.
848. Pacher F., Rabcewicz L. and Golser J. (1974): Zum der seitigen Stand der Gebirgsklassifizierung in Stollen-und Tunnelbau. Proc. XXII Geomech. colloq., Salzburg, pp. 51-58.
849. Pacher F. (1959): Kennziffern des flachengefuges. Geologies and Bauwesen, 24, pp. 223-227.
850. Pacher F. (1975): The development of the New Austrian Tunnelling Method and the main features in design work and construction. 16th Symp. on Rock Mechanics, Minneapolis, pp. 223-232.
851. Pacher F. (1978): The conseption of safety in special cases of rock construction. (in German). Proc. Felsmechanik Kolloquium Karlsruhe 1978, Trans Tech Publ. pp. 27-44.
852. Pahl P.J. (1981): Estimating the mean length of discontinuity traces. Int. J. Rock Mech. Mi Sci. and Geomech. Abstr., 18, pp. 221-228.
853. Palmström A. (1974): Characterization of the degree of jointing and the quality of rock masses (in Norwegian). Internal report Ing. A.B. Berdal, Hövik, Norway, 26 p.
854. Palmström A. (1982): The volumetric joint count - a useful and simple measure of the degree of jointing. Proc. IV Int. Congr. IAEG, New Delhi, 1982, pp. V.221-V.228.
855. Palmström A. (1984): Geo-investigation and advanced tunnel excavation technique important for the Vardö subsea road tunnel. Proc. Int. Symp. Low Cost Road Tunnels, Oslo, Norway, 1985, 16 p.
856. Palmström A. (1985): Application of the volumetric joint count as a measure of rock mass jointing. Proc. Int. Symp. Fundamentals of Rock Joints, Björkliden, Sweden, 1985, pp 103-110.
857. Palmström A. (1986): The volumetric joint count as a measure of rock mass jointing. Presented at the Conference on Fracture, Fragmentation and Flow, Jerusalem 1986, 19 p.
858. Palmström A. (1986): A general, practical method for identification of rock masses to be applied in evaluation of rock mass stability conditions and TBM boring progress. (in Norwegian). Proc. Conf. on Fjellsprengningsteknikk, Bergmekanikk, Geoteknikk, Oslo Norway, pp. 31.1-31.31.
859. Palmström A. and Berthelsen O. (1988): The significance of weakness zones in rock tunnelling. Proc. Int. Conf. Rock Mechanics and Power Plants, Madrid 1988, 8 p.
860. Palmström A. (1995): R<sub>Mi</sub> - a rock mass characterization system for rock engineering purposes Ph.D. thesis Univ. of Oslo, 400 p.
861. Palmström A. (1996): Characterization of rock masses by the R<sub>Mi</sub> for use in practical rock engineering. Tunnelling and Underground Space Technology, Vol. 11, No. 2, pp. 175 - 186 (part 1), Vol. 11, No 3, pp. 287 - 303 (part 2).
862. Palmström A. (1997): Collection and use of geological data in rock engineering. ISRM News, pp. 21- 25.
863. Palmström A. (2000): Recent developments in rock support estimates by the R<sub>Mi</sub>. Journal of Rock Mechanics and Tunnelling Technology, Vol. 6, No. 1 May 2000, pp. 1 – 19.

864. Palmström A. and Nilsen B. (2000): Engineering geology and rock engineering. Handbook. Norwegian Rock and Soil Engineering Association, 250 p.
865. Palmström A. and Singh R. (2001): The deformation modulus of rock masses - comparisons between in situ tests and indirect estimates. *Tunnelling and Underground Space Technology*, Vol. 16, No. 3, pp. 115 - 131.
866. Palmström A. (2001): Measurement and characterization of rock mass jointing. In *In-situ characterization of rocks*. Sharma V.M. and Saxena K.R. eds., A.A. Balkema publishers, 2001, pp. 49 - 97.
867. Palmström A., Blindheim O.T. and Broch E. (2002): The Q system – possibilities and limitations. (in Norwegian) Norwegian annual tunnelling conference *Fjellsprengningsteknikk/Bergmekanikk/Geoteknikk*, Oslo 2002, pp. 41.1 – 41.38.
868. Palmström A. (2003): Appropriate amount of ground investigations. (in Norwegian). Conf. on Investigations for constructions in rock. *Kursdagene NTNU*, Trondheim, 2003, 22 p.
869. Palmström A. (2003): Experience from construction of the Vardö, Nordkapp, Oslofjorden and Bömlafjorden tunnels (in Norwegian). Conf. on Investigations for constructions in rock. *Kursdagene NTNU*, Trondheim, 2003, 18 p.
870. Palmström A. (2003): Slides in Norwegian water tunnels – a maintenance problem? (in Norwegian) Conference on *Vassdragteknisk forum*, arranged by Norwegian Electricity Industry Association, Oslo 2003, 6 p.
871. Palmström A. (2003): Appropriate amount of ground investigations. (in Norwegian). Norwegian annual tunnelling conference *Fjellsprengningsteknikk/Bergmekanikk/Geoteknikk*, Oslo 2003, pp. 5.1-5.17.
872. Palmström A. (2005): Measurements of and correlations between block size and rock quality designation (RQD). Published in *Tunnels and Underground Space Technology*, Vol. 20, 2005, pp. 362-377.
873. Palmström A. (2006): What is required and what should be included in the geological description in a tender document? (in Norwegian) Norwegian annual tunnelling conference *Fjellsprengningsteknikk / Bergmekanikk / Geoteknikk*, Oslo 2006, pp. 17.1-17.9.
874. Palmstrom A. and Broch E. (2006): Use and misuse of rock mass classification systems with particular reference to the Q-system. *Tunnels and Underground Space Technology*, Vol. 21, pp. 575-593.
875. Palmström A. and Stille H. (2007): Ground behaviour and rock engineering tools for underground excavations. *Tunnelling and Underground Space Technology*, Vol. 22 (2007), pp. 363–376.
876. Palmström A. and Huang Ziping (2008): Application of Norwegian subsea tunnel experiences to construction of Xiamen Xiang'an subsea tunnel. *Chinese Journal of Rock Mechanics and Engineering*, 2007, Vol. 26, No. 11.
877. Papadopoulos Z. and Marinos P. (1992): On the anisotropy of the Athenian schist and its relation to weathering. *Bull. Int. Ass. Engn. Geol.*, No. 45, pp. 111 - 116.

878. Patching T.H. and Coates D.F. (1968): A recommended rock classification for rock mechanics purposes. *CIM Bull.*, Oct. 1968, pp 1195-1197.
879. Patton F.D. (1966): Multiple modes of shear failure in rock. *Proc. 1st Congr. ISRM, Lisbon, 1966, I*: pp. 509-513.
880. Patton F.D. and Deere D.U. (1970): Significant geologic factors in slope stability. *Proc. Symp. Planning Open Pit Mines, Johannesburg*, pp. 143-151.
881. Pearce G.E. (1988): Report on the *Proc. 5th Int. Tunnelling Symp., Tunnelling 88, Trans. Instn Min. Metall. (Sect. A: Min. industry) 97*, pp. A149-159.
882. Pearson R. and Money M.S. (1977): Improvements in the Lugeon or Packer permeability test. *Q. J. Eng. Geol.*, 10, pp. 222-239.
883. Pearson J.R.A. (1988): Key questions in rock mechanics. *Proc. 29th U.S. Rock Mechs. Symp., Minneapolis*, pp. 7-15.
884. Peck, R.B. (1943): Earth pressure measurements in open cuts, Chicago subway. *Trans. ASCE*, 108, pp. 1008-1036.
885. Peck R.B. (1969): Advantages and limitations of the observational method in applied soil mechanics: 9th Rankine lecture. *Géotechnique*, 19 (2), pp. 171-187.
886. Peck R.B., Hanson W.E, and Thorburn T.H. (1974): *Foundation Engineering*. John Wiley, New York.
887. Peck R. B. (1980): Where has all the judgement gone? Laurits Bjerrum memorial lesson no 5, Norwegian Geotechnical Institute, Oslo, Norway
888. Peck W. (2000): Determining the Stress Reduction Factor in Highly Stressed Jointed Rock. *Australian Geomechanics*, June 2000. pp. 57 – 60.
889. Pelli F., Kaiser, P.K. and Morgenstern, N.R. (1991): An interpretation of ground movements recorded during construction of the Donkin-Morien tunnel. *Can. Geotech. J.* 28(2), pp. 239-254.
890. Perrin R.M.S. (1963): The use of air photographs in the study of patterned ground in East Anglia. *Photogrammetria*, 14, pp. 183-188.
891. Peters C.M.F. (1972): A structural interpretation of the Garlock fault at the Tehachapi crossing. *Proc. Rapid Excav. & Tunn. Conf., AIME.*, pp. 133-155.
892. Peterson J.E., Paulsson B.N.P. and McEvelly T.V. (1985): Applications of ART to crosshole seismic data. *Geophysics*, 50 (10), pp. 1566-1580.
893. Pietruszczak S. and Stolle D.F.E. (1987): Deformation of strain softening materials Part II: Modelling of strain softening response. *Computers and Geotechnics* 4, pp. 109-123
894. Pettitt W. (2001): Analysis of the in-situ principal stress field at the HRL using acoustic emission data. *International Progress Report SKB-IPR-01-09, Swedish Nuclear Fuel and Waste Management Company, Stockholm, Sweden*.
895. Phillips F.C. (1971): *The Use of Stereographic Projection in Structural Geology*. Edward Arnold, London.

896. Pierson L.A., Davis S.A. and Van Vickle R. (1990): Rockfall Hazard Rating System Implementation Manual. Federal Highway Administration (FHWA) Report FHWAOR —EG-90-01. FHWA, U.S. Department of Transportation.
897. Pinches G.M. and Thompson R.P. (1990): Crosshole and downhole seismic surveys in the UK Trias and Lias. In F.G. Bell, M.G. Culshaw, J.C. Cripps and J.R. Coffey (eds) Field Testing in Engineering Geology, Eng. Geol. Special Pub. No. 6, Geological Society, pp. 299-308.
898. Pine R.J. (1992): Risk analysis design applications in mining geomechanics. Trans. Inst. Min. Metall. (Sect.A) 101, pp. 149-158.
899. Piteau D.R. (1970): Geological factors significant to the stability of slopes cut in rock. Proc. Symp. on Planning Open Pit Mines, Johannesburg, South Africa, 1970, pp. 33-53.
900. Piteau D.R. (1973): Characterizing and extrapolating rock joint properties in engineering practice. Rock Mechanics, Suppl. 2, pp. 5-31.
901. Poisel R. (1990): The dualism-continuum of jointed rock. Proc. Mech. of Jointed and Faulted Rock, 1990, Balkema publ. pp. 41-50.
902. Pollard D.D. and Aydin A. (1988): Progress in understanding jointing over the past century. Bull. Geol. Society of America, Vol 100, pp. 1181 - 1204.
903. Potvin Y. (1988): Empirical open stope design in Canada. Ph.D. thesis, Dept. Mining and Mineral Processing, University of British Columbia.
904. Potvin Y., Hudyma M.R. and Miller H.D.S. (1989): Design guidelines for open stope support. Bull. Can. Min. Metall. 82(926), pp. 53-62.
905. Potvin Y. and Milne D. (1992): Empirical cable bolt support design. In Rock Support in mining and underground construction, proc. int. symp. on rock support, Sudbury, (eds P.K. Kaiser and D.R. McCreath), pp. 269-275. Rotterdam: Balkema.
906. Potyondy D.O., Cundall P.A. and Lee C.A. (1996): Modelling rock using bonded assemblies of circular particles. In Proc. 2nd North American Rock Mechanics Symposium, Montreal (Ed. M. Aubertin, F. Hassani and H. Mitri), vol. 2, pp. 1937-1944. A.A. Balkema, Rotterdam.
907. Potyondy D.O. and Cundall P.A. (1998): Modeling notch-formation mechanisms in the URL Mine-by Test Tunnel using bonded assemblies of circular particles. Int. J. Rock Mech. Min. Sci. & Geomech. Abstr., 35(4-5): pp. 510-511. Paper: 067.
908. Potyondy D.O. and Cundall P.A. (2000): Bonded-particle simulations of the in-situ failure test at Olkiluoto. Working Report 2000-29, Posiva Oy, Helsinki, Finland. 76p.
909. Price N.J. (1969): Laws of rock behavior in the earth's crust. 11th Symp. on Rock Mech. Berkley, pp. 3-23.
910. Price N.J. (1981): Fault and joint development in brittle and semi-brittle rock. Pergamon Press, 1981, 176 p.
911. Priest S.D. and Hudson J.A. (1976): Discontinuity spacings in rock. Int. J. Rock Mech. Mm. Sci. and Geomech. Abstr., 13, pp. 135-148.

912. Priest S.D. (1980): The use of inclined hemisphere projection methods for the determination of kinematic feasibility, slide direction and volume of rock blocks. *Int. J. Rock Mech. Mi Sci. and Geomech. Abstr.*, 17, pp. 123.
913. Priest S.D. and Hudson J.A. (1981): Estimation of discontinuity spacing and trace length using scanline surveys. *Int. J. Rock Mech. Mi Sci. and Geomech. Abstr.*, 18, pp. 183-197.
914. Priest S.D. and Brown E.T. (1983): Probabilistic stability analysis of variable rock slopes. *Trans. Inst. Min. Metall. (Sect. A)* 92: pp. 1-12.
915. Priest S.D. (1985): *Hemispherical Projection Methods in Rock Mechanics*. George Allen and Unwin, London.
916. Priest S.D. (1993): *Discontinuity Analysis for Rock Engineering*. Chapman and Hall, London, 473 p. ISBN 0 412 47600 2.
917. Pritchard C.J. and Hedley D.G.F. (1993): Progressive pillar failure and rockbursting at Denison Mine. In *Proc. 3rd Int. Symp. on Rockbursts and Seismicity in Mines*, Kingston (Ed. R. P. Young), pp. 111–116. A.A. Balkema, Rotterdam.
918. Proctor R.J. (1971): Mapping geological conditions in tunnels. *Bull. Ass. Engrs. Geol.*, Vol. VIII, No. 1, pp. 1-31.
919. Pusch R. and Morfeldt C.-O. (1993): Characterization of rock masses for construction of underground openings from numeric calculation of stresses, deformations and ground water flow. (in Swedish). *Väg och vattenbyggaren*, no. 4/93, pp. 13 - 18.
920. Qiaxiong L. (2006): *Strength Degradation and Damage Micromechanism of Granite under Long-Term Loading*. PhD. thesis, The University of Hong Kong
921. Rabcewicz L.v. (1964/65): The new Austrian tunnelling method. *Water Power*, part 1 November 1964 pp. 511-515, Part 2 January 1965 pp. 19-24.
922. Rabcewicz L. (1969): Stability of tunnels under rock load. *Water Power* 21(6-8), pp. 225-229, pp. 266-273, pp. 297-304.
923. Rabcewicz L.v. (1975): Tunnel under Alps uses new, cost-saving lining method. *Civil Engineering-ASCE*, October 1975, pp. 66-68.
924. Rabcewicz L.v. and Golser J. (1973): Principles dimensioning the support system for the new Austrian tunnelling method. *Water Power*, March 1973, pp. 88-93
925. Ramamurthy T., Venkatappa Rao G. and Singh J. (1993): Engineering behaviour of phyllites. *Engineering Geology*, 33, pp. 209 - 225.
926. Ramamurthy T. and Arora, V.K. (1993): A classification for intact and jointed rocks, *Geotechnical Engineering of Hard Soils-Soft Rocks*. Balkema, Rotterdam, pp. 235–242.
927. Ramamurthy T. (2001): Shear strength response of some geological materials in triaxial compression. *Int. J. Rock Mech. Min.* 38, pp. 683–697.
928. Ray R.G. (1960): *Aerial Photographs in Geologic Interpretation and Mapping*. US Geological Survey Professional Paper 373, Washington, DC.

929. Ray R.G. and Fischer W.A. (1960): Quantitative photogeology — a geologic research tool. *Photogrammetric Engineering*, 26, pp. 146-147.
930. Raybould D.R. and Price D.G. (1966): The use of the proton magnetometer in engineering geological investigations. *Proc. 1st Congr. Int. Soc. Rock Mech.*, Lisbon, Volume 1, pp. 11-14.
931. Read J.R.L. and Lye G.N. (1983): Pit slope design methods, Bougainville Copper Limited open cut. *Proc. 5th Cong. ISRM.*, Melbourne pp. C93-C98. Rotterdam: Balkema.
932. Read R.S. (1996): Characterizing excavation damage in highly stressed granite at AECL's Underground Research Laboratory. In *Proc. Int. Conf. on Deep Geological Disposal of Radioactive Waste*, Winnipeg (Ed. J. B. Martino and C. D. Martin), pp. 35-46. Canadian Nuclear Society, Toronto.
933. Read R.S. and Martin C.D. (1996): Technical summary of AECL's Mine-by Experiment Phase 1: Excavation response. AECL Report AECL-11311, Atomic Energy of Canada Limited.
934. Read R.S. and Chandler N.A. (1997): Minimizing excavation damage through tunnel design in adverse stress conditions. In *Proceedings of the International Tunnelling Association World Tunnel Congress*, Vienna, vol. 1, pp. 23-28. A.A. Balkema, Rotterdam.
935. Redford P.R. (1981): Site investigation practices for hard rock tunnel design. MSc dissertation, University of Surrey.
936. Rhén I., Gustafson G., Stanfors R. and Wikberg P. (1997): ÄSPÖ HRL – Geoscientific evaluation 1997/5: Models based on site characterization 1986-1995. SKB Technical Report TR97-06, Swedish Nuclear Fuel and Waste Management Company, Stockholm, Sweden.
937. Riedmüller G., (1997): Rock characterization for tunnelling - Engineering geologist's point of view. *Felsbau* 15 (3), pp. 167- 170.
938. Riedmüller G., Schubert W., (1999): Critical comments on quantitative rock mass classifications. *Felsbau* 17(3): pp. 164-167.
939. Riedmüller G., Schubert W. (1999): Rock mass modelling in tunnelling versus rock mass classification using rating methods. In B. Amadei, R. L. Kranz, G. A. Scott, P. H. Smeallie (eds.), *Rock Mechanics for Industry; Proc. intern. symp.*, Vail: pp. 601-605. Rotterdam: Balkema.
940. Riedmüller G. and Schubert W. (1999): Rock mass modeling in tunneling versus rock mass classification using rating methods. 37th U.S. Symposium on Rock Mechanics (USRMS), June 7 - 9, 1999, Vail, CO
941. Riemer W., Pantartzis P., Krapp L. and Scourtis C. (1996): Investigation and monitoring of landslides at the Polyphyton project in Greece. *Proc. Intl. Symposium on Landslides*, Trondheim, Norway.
942. Ritchie A.M., (1963): The evaluation of rockfall and its control. *Highway Record*. Vol 17.
943. Ritter W. (1879): *Die Statik der Tunnelgewölbe*. Berlin: Springer.
944. Robbins R.J. (1976): Mechanized tunnelling - progress and expectations: 12th Sir Julius Werhner Memorial Lecture. In *Tunnelling '76* (ed. M.J. Jones), pp. xi-xx. London: Institution Mining and Metallurgy

945. Robbins R.J. (1980): Present trends and future directions in tunnelling. The Yugoslav Symp. on Rock Mechanics and Underground Actions, 11 p.
946. Robertson A. MacG. (1970): The interpretation of geological factors for use in slope theory. Proc. Symp. Planning Open Pit Mines, Johannesburg, A.A. Balkema, Amsterdam, pp. 57—77.
947. Robinson C.S. (1972): Prediction of geology for tunnel design and construction. Rapid Tunneling and Excavation Conf., pp 105-114.
948. Rocscience Inc. (2007): RocLab Version 1.031 – Rock mass strength analysis using the Hoek-Brown failure criterion. (www.rocscience.com), Toronto, Ontario, Canada.
949. Rocscience Inc. (2008): Phase2 Version 7.001 - Finite Element Analysis for Excavations and Slopes. (www.rocscience.com), Toronto, Ontario, Canada.
950. Rokoengen K. (1973): Classification of clay zones in rock. (in Norwegian). Report no. 11, The Technical University in Norway, Trondheim, 46 p. (Extract from dr. thesis on 'Swelling properties of clay zones in rock')
951. Romana M. (1985): New adjustment rating for application of the Bieniawski classification to slopes. Proc. Int. Symp. Rock Mechanics Mining Civ. Works. ISRM, Zacatecas, Mexico, pp. 59-63.
952. Rose D. (1985): Steel fibre reinforced shotcrete for tunnel linings: the state of the art. Proc. North American rapid excav. tunneling conf. 1, pp. 392-412. New York: Soc. Min. Engrs, Am. Inst. Min. Metall. Petrolm Engrs.
953. Rosenbleuth E. (1981): Two-point estimates in probabilities. J. Appl. Math. Modelling 5, October, pp. 329-335.
954. Rostami J. (1992): Design optimization, performance prediction and economic analysis of tunnel boring machines for the construction of the proposed Yucca Mountain nuclear waste repository. Dr. thesis, Colorado School of mines, 195 p.
955. Rouhiainen P. (2000): Difference flow measurements in borehole KLX02 at Laxemar. Äspö Hard Rock Laboratory. SKB IPR 01-06, Svensk Kärnbränslehantering AB.
956. Ruiz M.D. (1966): Some technological characteristics of twenty-six Brazilian rock types. Proc. 1st Congr. Intn. Rock Mech., Lisbon, Vol. 1, pp. 115 - 119.
957. Russenes B.F. (1974): Analysis of rock spalling for tunnels in steep valley sides (in Norwegian). M.Sc. thesis, Norwegian Institute of Technology, Dept. of Geology, 247 p.
958. Russo G., Kalamaras G.S. and Grasso P. (1998): A discussion on the concepts of geomechanical classes, behaviour categories, and technical classes for an underground project. Gallerie e grandi opere soterranee, No. 54, March 1998, pp. 40 - 51.
959. Russo G. (2007): Improving the reliability of GSI estimation: the integrated GSI-RMi system. Proc. I.S.R.M. Workshop "Underground Works under Special Conditions", Madrid, pp. 123-130
960. Russo G. (2009): A New Rational Method for Calculating the GSI. Tunnelling and Underground Space Technology 24, pp.103-111.

961. Rutledge J.C. and Preston R.L. (1978): New Zealand experience with engineering classifications of rock for the prediction of rock support. Proc. Int. Tunnelling Symposium, Tokyo, 1978, pp. A3 1-7.
962. Sadagah B.H., Sen Z. and Freitas M.H.D. (1990): A mathematical representation of jointed rock masses and its application. Proc. of Symp. on Mechanics of Jointed and Faulted Rock, 1990, pp. 65-70.
963. Salamon M.D.G. (1974): Rock mechanics of underground excavations. In Advances in rock mechanics, Proc. 3rd Cong. ISRM., Denver 1B , pp. 951-1009. Washington, DC: National Academy of Sciences
964. Salamon M.D.G. and Munro A.H. (1967): A study of the strength of coal pillars. J. S. Afr. Inst. Min. Metall. 65, pp. 55- 67.
965. Salamon M.D.G. and Oravecz K.I. (1976): Rock mechanics in coal mining. Johannesburg: Chamber of Mines of South Africa. 119 p.
966. Salamon M.D.G. (1984) Energy considerations in rock mechanics: fundamental results. J. S. African Inst. Min. and Metall., 84: pp. 233–246.
967. Sandström D. (2003): Analysis of the virgin state of stress at the Kiirunavaara mine. Licentiate thesis. Division of Rock Mechanics, Luleå University of Technology. 2003:02, ISSN: 1402-1757.
968. Santarelli F.J. and Dusseault M.B. (1991): Core quality control in petroleum engineering. In Proc. 32nd U.S. Symp. on Rock Mechanics, Norman (Ed. J.-C. Roegiers), pp. 111–120. A.A. Balkema, Rotterdam.
969. Sapigni M., Bert M., Bethaz E., Busillo A. and Cardone G. (2002): TBM performance estimation using rock mass classifications. Rock Mechanics and Mining Sciences 39, pp. 771-788.
970. Sarma S.K. (1979): Stability analysis of embankments and slopes. J. Geotech. Eng. Div., ASCE. 105 (GT12), pp. 1511- 1524.
971. Savin G.N. (1961): Stress concentrations around holes. London: Pergamon.
972. Sheorey P.R., Biswas A.K. and Choubey V.D. (1989): An empirical failure criterion for rocks and jointed rock masses. Eng. Geol. 26, pp. 141–159.
973. Sheorey P.R. (1997): Empirical rock failure criteria. A. A. Balkema, Rotterdam. ISBN 90 5410 670 0.
974. Schmuck C.H. (1979): Cable bolting at the Homestake gold mine. Mining Engineering, December, pp. 1677-1681.
975. Schmertmann J.H. and Osterberg J.O. (1960): An experimental study of the development of cohesion and friction with axial strain in saturated cohesive soils. Research conference on shear strength of cohesive soils. Boulder, CO, New York, ASCE. pp. 643-94. [In Corthésy and Leite (2008)]
976. Schneider H.J. (1976): The friction and deformation behaviour of rock joints. Rock Mechanics No. 8, pp. 169-184.
977. Scholz C.H. (1990): The mechanics of earthquakes and faulting. Cambridge University Press, Cambridge, USA, 438 p.

978. Schubert W., Goricki A., Button E., Riedmüller G., Pölsler P., Steindorfer A., Vanek R. (2001): Excavation and Support Determination for the Design and Construction of Tunnels. In P. Särkkä, P. Eloranta (eds.), EUROCK 2001; Proc. intern. symp., Espoo: pp. 383-388. Rotterdam: Balkema.
979. Scott J.J. (1976): Friction rock stabilizers - a new rock reinforcement method. In Monograph on rock mechanics applications in mining, (eds W.S. Brown, S.J. Green and W.A. Hustrulid), pp. 242-249. New York: Soc. Min. Engrs, Am. Inst. Min. Metall. Petrolm. Engrs.
980. Scott J.J. (1983): Friction rock stabilizer impact upon anchor design and ground control practices. In Rock bolting: theory and application in underground construction, (ed. O. Stephansson), pp. 407-418. Rotterdam: Balkema.
981. Seeber G., Keller S., Enzenberg A., Tagwerker J., Schletter R., Schreyer F. and Coleselli A. (1978): Methods of measurements for rock support and installations in road tunnels using the new Austrian tunnelling method. (in German). Bundesministerium f. Bauten u. Technik, Strassenforschung Heft 133, 200 p.
982. Selmer-Olsen R. (1950): On faulting and crushed zones in the Bamble formation. (In Norwegian). Norsk geologisk tidsskrift, No 25, 1950, pp. 171-191.
983. Selmer-Olsen R. (1964): Geology and engineering geology (in Norwegian). Tapir, Trondheim, Norway, 409 p.
984. Selmer-Olsen R. (1971): Engineering geology. Part 1. (in Norwegian). Tapir, Trondheim, Norway, 230 p.
985. Selmer-Olsen R. and Blindheim O.T. (1971): On the drillability of rock by percussive drilling. Proc. 2<sup>nd</sup> ISRM-Congress, Belgrade 1971, Vol. 3, 6 p.
986. Selmer-Olsen R. (1981): Considerations of large water leakage in deep-seated tunnels. (In Norwegian with summary in English). Proc. Fjellsprengningsteknikk/Bergmekanikk/Geoteknikk 1981, Tapir, pp. 21.1-15.
987. Selmer-Olsen R. (1988): General engineering design procedures. Norwegian Tunnelling Today, Tapir 1988, pp. 53-58
988. Selmer-Olsen R. and Palmström A. (1989): Tunnel collapses in swelling clay zones, part 1. Tunnels & Tunnelling, November 1989, pp. 49 – 51.
989. Selmer-Olsen R. and Palmström A. (1990): Tunnel collapses in swelling clay zones, part 2. Tunnels & Tunnelling, January 1990, pp. 55 – 58.
990. Sen Z., Eissa E.A. (1991): Volumetric rock quality designation. J Geotech. Engr., Vol 117, No 9, 1991, pp. 1331 - 1346.
991. Sen Z. and Eissa E.A. (1992): Rock quality charts for log-normally distributed block sizes. Int. J. Rock Mech. Min. Sci. & Geomech. Abstr., Vol. 29, No. 1, pp. 1-12.
992. Serafim J.L. and Guerreiro M. (1968): Shear strength of rock masses at 3 Spanish dam sites. Proc. Int. Symp. Rock Mech., Madrid, pp. 147 – 157.

993. Serafim J.L. and Pereira J.P. (1983): Consideration of the geomechanics classification of Bieniawski. Proc. Int. Symp. on Engineering Geology and Underground constructions, pp. 1133 - 1144.
994. Seshagiri Rao K., Venkatappa Rao G. and Ramamurthu T. (1987): Discussion of paper by K.L. Gunsallus and F.H. Kulhawy, "A comparative evaluation of rock strength measures". Int. J. Rock Mech. Min. Sci. & Geomech. Abstr. Vol. 24, No. 3, pp. 193-196.
995. Shah S. (1992): A study of the behaviour of jointed rock masses. Ph.D. thesis, Dept. Civil Engineering, University of Toronto.
996. Sharma V.M., Singh R.B. and Chaudhary R.K. (1989): Comparison of different techniques and interpretation of the deformation modulus of rock mass. Proc. Indian Geotechnical Conference (IGC), Visakhapatnam, Vol. I, pp. 439 – 443.
997. Sharma V.M. and Singh R.B. (1989): Deformability of rock mass. Proc. Conf. Application of rock mechanics in river valley projects, Roorkee, pp. II-7 – II-12.
998. Sharma V.M., Singh R.B. and Chaudhary R.K. (1990): Rock mechanics investigation of a water resources project. Proc. Trend in geotechnical investigations in last twenty five years, Indian Society of Engineering Geology, Calcutta, pp. 177 – 186.
999. Sharma V.M. and Singh R.B. (1990): Deformability of rock mass using Goodman jack. 56<sup>th</sup> Research & Development Session of Central Board of Irrigation and Power, pp. 99 – 101.
1000. Sharma S. and Judd W.R. (1991): Underground opening damage from earthquakes. Engineering Geology, 30: pp. 263–276.
1001. Sharp J.C., Smith M.C.F., Thoms I.M. and Turner V.D. (1986): Tai Koo Cavern, Hong Kong - performance of a large metro excavation in a partially weathered rock mass. In Large Rock Caverns (ed. K.H.O. Saari). 1 , pp. 403-423. Oxford: Pergamon
1002. Sheory P.R. (1994): A theory for in situ stresses in isotropic and transversely isotropic rock. Int. J. Rock Mech. Min. Sci. & Geomech. Abstr. 31(1), pp. 23-34.
1003. Shi G.H. and Goodman R.E. (1981): A new concept for support of underground and surface excavations in discontinuous rocks based on a keystone principle. In Rock mechanics from Research to Applications, Proc. 22nd. U.S. Symp. for Rock Mechanics, Cambridge. pp. 290- 296. Cambridge, Mass.: Massachusetts Institute for Technology.
1004. Shi G.H. and Goodman R.E. (1989): The key blocks of unrolled joint traces in developed maps of tunnel walls. Int. J. Numerical and Analytical Methods in Geomechanics 13, pp. 131-158.
1005. Siddique A. (1990): A numerical and experimental study of sampling disturbance. PhD. thesis, University of Surrey.
1006. Silveira A.F. (1990): Some considerations on the durability of dams. Water Power and Dam Construction, pp. 19-28.
1007. Singh B. and Goel R.K., (1999): Rock mass classification: A practical approach in civil engineering. Elsevier publisher, Amsterdam, 267 p.
1008. Singh J., Ramamurthy T. and Venkatappa Rao G. (1989): Strength anisotropies in rocks. Ind. Geotech. J., 19(2), pp. 147-166.

1009. Singh R.B., Haridev, Dhawan A.K. and Sharma V.M. (1994): Deformability of rock mass by plate jacking and Goodman jack test. Proc. Indian Geotechnical Conference (IGC), pp. 385 – 388.
1010. Singh R. and Bhasin R. (1996): Q-system and deformability of rock mass. Proc. of Conf. on Recent Advances in Tunnelling Technology, New Delhi, pp. 57 – 67.
1011. Singh R. and Rajvansi U.S. (1996): Effect of excavation on modulus of deformation. Proc. of Conf. on Recent Advances in Tunnelling Technology, New Delhi, pp. 57 – 67.
1012. Singh R. and Dhawan A.K. (1999): Experience of deformability measurement using Goodman jack. Proc. Of Int. Conf. On Rock Engn. Techniques for Site Characterization, Bangalore, India, pp. 29-36.
1013. SINTEF (1990): Deformation and rock stress measurements at Svartisen power plant, E fjord and Stetind road tunnels (in Norwegian). SINTEF Report no. STF36 F90059
1014. SINTEF (1993): Fullface boring Dalåa - Torsbjørka (in Norwegian). Final report made for Merkraft A/S.
1015. Sjöberg J. (1999): Analysis of large scale rock slopes. PhD. thesis 1999:01. Division of Rock Mechanics, Luleå University of Technology, ISSN: 1402-1544
1016. Sjöberg J., Lundman P. and Nordlund E. (2001): Analys och prognos av utfall i bergschakt (in Swedish). KUJ 1045. Slutrapport. LKAB Utredning 01-762.
1017. Sjöberg J. (2003): Bergspänningsmätning i Renström (in Swedish). SwedPower Report 1663300-01 (confidential).
1018. Sjöberg J. (2005): Rock mechanics analysis of the copper orebody. SwedPower Report 2050700-01 (confidential).
1019. Sjöberg J., Lundman P. and Nordlund E. (2001): Analys och prognos av utfall i bergschakt (in Swedish), KUJ 1045. Slutrapport. LKAB Utredning 01-762.
1020. Sjöberg J. and Malmgren L. (2008): Application of global-local modelling to mining rock mechanics problems. In: Proc. First International FLAC/DEM Symposium on Numerical Modelling, Minneapolis, Aug 25-27, 2008.
1021. Sjöberg J., Bertilsson R. and Christiansson R. (2008): Overcoring in Deep Surface Boreholes Recent Experiences and Lessons for the Future. American Rock Mechanics Association. The 42nd US Rock Mechanics Symposium and 2nd US-Canada Rock Mechanics Symposium, San Francisco, June 29-July 2.
1022. Sjögren B., Övsthus A. and Sandberg J. (1979): Seismic classification of rock mass qualities. Geophysical Prospecting, Vol. 27, No. 2, pp. 409-442.
1023. Sjögren B. (1984): Shallow refraction seismics. Chapman and Hall, London, 270 p.
1024. SKB (1992): Passage through water-bearing fracture zones. Investigations during passage of fracture zone EW-7 and NE-3. SKB PR-25-92-18A, Svensk Kärnbränslehantering AB.
1025. SKB (2005): Preliminary site description Forsmark area - version 1.2. Updated 2005-11-09.
1026. SKB R-05-18, Svensk Kärnbränslehantering AB.

1027. SKB (2006): Preliminary site description. Laxemar subarea - version 1.2. SKB R-06-10, Svensk Kärnbränslehantering AB.
1028. SKB (2006): Long-term safety for KBS-3 repositories at Forsmark and Laxemar - a first evaluation. Main report of the SR-Can project. Report TR-06-09.
1029. SKB (2007): Underground Design Premises/D2. SKB Report R-07-33. Svensk Kärnbränslehantering AB (SKB), Stockholm, Sweden.
1030. SKB, (2007): Deep repository, Underground Design Premises D2, "UDP/D2". SKB R-07-33, Svensk Kärnbränslehantering AB.
1031. SKB (2008): Site description of Forsmark at completion of the site investigation phase. SDMSite  
1032. Forsmark. Report TR-08-05. Svensk Kärnbränslehantering AB (SKB), Stockholm, Sweden.
1033. SKB (2008): Site Engineering Report Forsmark. Guidelines for underground design step D2.  
1034. Report R-08-83. Svensk Kärnbränslehantering AB (SKB), Stockholm, Sweden.
1035. SKB (2008): Underground design Forsmark. Layout D2. Report R-08-116. Svensk Kärnbränslehantering AB (SKB), Stockholm, Sweden.
1036. Skempton A.W. (1964): Long term stability of clay slopes. 4th Rankine Lecture, Géotechnique, 14, pp. 77-101.
1037. Smith R.E. (2001): Geotechnical Baseline Reports: State of the Practice. Proc. 36th Ann. Symp. Engineering Geology and Geotechnical Engineering, Las Vegas, Nevada, pp.501-505.
1038. Snow D. (1966): Disc'n. Theme III, Int. Congr. Rock Mech., Lisbon.
1039. Snow D. (1968): Fracture deformation and changes of permeability and storage upon changes of fluid pressure. Quarterly Colorador School of Mines, 63, pp. 201-244.
1040. Sonmez H. and Ulusay R (1999): Modifications to the geological strength index (GSI) and their applicability to stability of slopes, International Journal of Rock Mechanics & Mining Sciences, v. 36, pp. 743-60.
1041. Sonmez H., Nefeslioglu H.A. and Gokceoglu C. (2004): Determination of wJd on rock exposures including wide spaced joints. Technical note. Rock Mech. Rock Engr. 37 (5), pp. 403-413.
1042. Soos I.G.K. 1979. Uplift pressures in hydraulic structures. Water Power and Dam Construction. 31(5), pp. 21-24.
1043. Spaun G. (1974): Zur Frage der Sohlhebungen in Tunneln des Gipskeupers. In: Festschrift Leopold Müller-Salzburg zum 65. Geburtstag, pp. 245-260.
1044. Spang R.M. and Rautenstrauch R.W. (1988): Empirical and mathematical approaches to rockfall prediction and their practical applications. Proc. 5th International Symposium on Landslides, Lusanne. Vol. 2. pp. 1237-1243.
1045. SS-EN 445. Admixtures for concrete, mortar and grout - Test methods - Part 4: Determination of bleeding of concrete.
1046. SS-EN 1997-1. Eurokod 7: Dimensionering av geokonstruktioner - Del 1: Allmänna regler. Swedish Standards Institute.

1047. Stacey T.R. (1981): A simple extension strain criterion for fracture of brittle rock. *Int J Rock Mech Min Sci & Geomech Abstr* 18, pp. 469-474
1048. Stacey T. and Page C.H. (1986): *Practical Handbook for Underground Rock Mechanics*, vol. 12 of Series on Rock and Soil Mechanics. Trans Tech Publications, Clausthal- Zerrfeld, Germany.
1049. Staub I., Fredriksson A. and Christiansson R. (2003): A theoretical model for the characterisation of rock mass mechanical properties – Application at the Äspö HRL, Sweden. In: *Proceedings of the 10th congress of the ISRM*, 8-12 September 2003, vol 2, South Africa. The South African institute of mining and metallurgy, Johannesburg, pp. 1161-1166.
1050. St Joseph J.K.S. (1957): A survey of pioneering in air photography. In W.F. Grimes (ed.), *Aspects of Archaeology*, pp. 305—3 15.
1051. St Joseph J.K.S. (1977): *The Uses of Air Photography*, 2nd edn, John Baker, London.
1052. Stang T. and Aadal T. (1991): Fullface boring at Svartisen power plant (in Norwegian). Final dissertation work University of Trondheim, Norway
1053. Startzman, R.A. and Wattenbarger, R.A. (1985): An improved computation procedure for risk analysis problems with unusual probability functions. *Proc. symp. Soc. Petrolm. Engrs hydrocarbon economics and evaluation*, Dallas.
1054. Stephenson D.E. and Triandafilidis G.E. (1974): Influence of specimen size and geometry on uniaxial compressive strength of rock. *Bull. Ass. of Engr. Geol.*, Vol Xi, No. 1, 1974, pp. 29-47.
1055. Stephansson O. and Ångman P. (1984): Hydraulic fracturing stress measurements at Forsmark and Stidsvig, Sweden. Research Report TULEA 1984:30, Luleå University, Luleå, Sweden.
1056. Stephansson O. (1993): Rock stress in the Fennoscandian Shield. In *Comprehensive Rock Engineering - Rock Testing and Site Characterization* (Ed. J. A. Hudson), vol. 3, pp. 445–459. Pergamon Press, Oxford.
1057. Stillborg B. (1994): *Professional users handbook for rock bolting*, 2nd edn. Clausthal-Zellerfeld: Trans Tech Publications.
1058. Stille H. (1976): Behaviour of anchored sheet pile walls. Ph.D. Thesis, Royal Institute of Technology, KTH, Stockholm, Sweden 1976
1059. Stille H. and Broms B. (1976): Failure of anchored sheet pile walls. *ASCE, Jn Geotech. Div*, March 1976, GT3, pp 235-251.
1060. Stille H., Groth T. and Fredriksson A. (1982): FEM-analysis of rock mechanical problems with JOBFEM, *Stiftelsen Bergteknisk Forskning – BeFo*, Stockholm, 307:1/82.
1061. Stille H. and Nord G. (1983): Support technique for a large silo in poor rock. *Rock. Mech. and Rock Eng.*, 16, pp. 233-252
1062. Stille H. (1986): Experiences of design of large caverns in Sweden. *Proc. Int. Conf. Large Rock Caverns*, Pergamon Press.
1063. Stille H. and Nord G. (1988): Bore and blast techniques in different types of rock: Sweden's experience. *Tunnelling and Underground Space*, Vol. 3, No. 1

1064. Stille H. and Fredriksson A. (1988): Measurements, calculations and stability prognoses at the SRF undersea repository for low and medium level nuclear waste. *Tunnelling and Underground Space*, Vol. 3, No. 3.
1065. Stille H. Holmberg M. and Nord G. (1989): Support of weak rock with grouted bolts and shotcrete. *Int. Journal on Rock Mechanics, Min. Sci.* Vol. 26, No. 1
1066. Stille H., Hässler L. and Håkansson U. (1992): Classification of jointed rock with emphasis on grouting. *Tunnelling and Underground Space*. Vol. 7, No. 4.
1067. Stille H., Hässler L. and Håkansson U. (1992): Computer-simulated flow of grouts in jointed rock. *Tunnelling and Underground Space*. Vol. 7, No. 4.
1068. Stille H., Hässler L. and Håkansson U. (1992): Rheological properties of microfine cement grouts. *Tunnelling and underground space*. Vol. 7, No. 4
1069. Stille H. (1992): Rock support in theory and practice. In *Proc. Int. Symp. on Rock Support in Mining and Underground Construction*, Sudbury (Ed. P. K. Kaiser and D. R. McCreath), pp. 421–438. A. A. Balkema, Rotterdam.
1070. Stille H., Gustafson G., Olsson P. and Håkansson U. (1993): Experiences from the grouting of the section 0-1400 m of tunnel Äspö Hard Rock Laboratory. SKB Progress report 25-92-19 (1993)
1071. Stille H., Janson T. and Olsson P. (1994): Experiences from the grouting of the section 1340-2565 M of the tunnel. Äspö Hard Rock Laboratory. SKB Progress Report 25-94-13 (1994)
1072. Stille H. and Sturk R. (1995): Design and excavation of rock caverns for fuel storage – A case study from Zimbabwe. *Tunnelling and Underground Space Technology*, 1995.
1073. Stille H. (1996): Summary of rock mechanical results from the construction of Äspö Hard Rock Laboratory. Progress Report HRL-96-07, Swedish Nuclear Fuel and Waste Management Company, Stockholm, Sweden.
1074. Stille H. (1997): Swedish Research Work Regarding Grouting of Rock -30 years. *Proc. Bergmekanikdagen, SveBeFo*, Stockholm, ISSN 0281-4714. Pp 133-148.
1075. Stille H., Sturk R. and Olsson L. (1998): Quality systems and risk analysis. *Special Conf. Underground Construction in Modern Infrastructures*, Stockholm, June 1998.
1076. Stille H., (2000): Squeezing behaviour - Observation and monitoring. *Italian Geotechnical Journal Anno XXXIV*, n1-Gemaio-Marzo 2000.
1077. Stille H. (2001): Rock support in theory and practice. In *Text book on Underground Mining Methods*, Society for mining and exploration, INC. (SME), Chapter 62, pp. 535-547, SME, (2001)
1078. Stille H., Andersson J. and Olsson L. (2003): Information based design in rock engineering. *SveBeFo*, Stockholm (2003), 147 p.
1079. Stille H. and Palmström A. (2003): Classification as a tool in rock engineering. *Tunnelling and underground space technology*, Vol. 18, 2003, pp. 331 – 345.
1080. Stille H. and Isaksson T. (2005, Model for estimation of time and cost for tunnel projects based on risk evaluation. *Int. journal for Rock Mechanics and Rock Engineering*, Vol. 38, No 5.

1081. Stille H., Holmberg M., Olsson L. and Andersson J. (2005): Design of rock-structure interaction with probabilistic method. SveBeFo, Stockholm 2005, 104 p. In Swedish with English summary.
1082. Stille B. (2007): Injekteringsmodell prövad mot data frill praktikfall (in Swedish) . Proc. to the Rock Mechanics Meeting, Stockholm, ISSN 0281-4714, pp 85-100.
1083. Stille H. and Palmström A. (2008): Ground behaviour and rock mass compositions in underground excavations. *Tunnelling and Underground Space Technology* 23 (2008), pp. 46–64.
1084. Stimpson B. (1982): A rapid field method for recording joint roughness profiles. Technical note. *Int. J. Rock Mech. Min. Sci & Geomech. Abstr.*, Vol 19, pp. 345-346, 1982
1085. Stine H., Gustafson G., Håkansson U. and Olsson P. (1993): Passage through water-bearing fracture zones. Experiences from the grouting of the section 1-1,400 m of the tunnel. SKB PR-25-92-19, Svensk Kärnbränslehantering AB.
1086. Stini I. (1950): *Geology in tunnel construction* (in German). Springer publishers, Vienna, 366 pp.
1087. Stojkovic H., Stojkovic G., Uzaravic D. and Grget G. (2009): Classification of carbonate and clastic rock masses by RMR and Q-system. *Proc. Eurock 2009: Rock Engineering in Difficult Ground Conditions - Soft Rocks and Karst*. Vrkljan (ed.) pp. 361-366.
1088. Sturk R. (1998): *Engineering geological information — its value and impact on tunnelling*. PhD. thesis, Division of Soil and Rock Mechanics, Royal Institute of technology (KTH), Stockholm.
1089. Sundberg J., Wrafter J., Back P-E. and Rosén L. (2008): *Thermal properties Laxemar. Site descriptive modelling SDM-Site Laxemar. Rapport R-08-61*. Swedish Nuclear Fuel and Waste Management Company.
1090. Sundberg J., Back P-E., Ericsson L.O. and Wrafter J. (2009): Estimation of thermal conductivity and its spatial variability in igneous rocks from in situ density logging. *International Journal of Rock Mechanics and Mining Sciences*, Vol. 46, pp. 1023-1028.
1091. Svanholm B.O., Persson P-A. and Larsson B. (1977): Smooth blasting for reliable underground openings. In *Storage in excavated rock caverns, Rockstore 77: Storage* (ed. M. Bergman) 3, pp. 573-579. Oxford: Pergamon.
1092. Swan G. (1985): *Strength distributions and potential for multiple pillar collapse*. Division Report MRP 85-127 (TR), Canada Centre for Mineral and Energy Technology (CANMET), Ottawa, Canada.
1093. Swan G. (1981): Tribology and the characterization of rock joints. *Proc. 22nd US Symp.on Rock Mechanics*, MIT. 1981, pp. 432-437.
1094. Swedenborg S. (2001): *Rock mechanical effects of cement grouting in hard rock*. PhD. thesis, Chalmers University of Technology, Department of Geotechnical Engineering, Gothenburg.
1095. Swedish Standard. (1991): *Mechanical vibration and shock – Guidance levels for blast-induced vibration in building*. SS 460 48 66 (in Swedish). Swedish Standards Institute, 6 p.
1096. Söder P.-E. and Krauland N. (1990): Determination of pillar strength by full scale pillar tests in the Laisvall mine. In *Proc. 11th Plenary Scientific Session of the Int. Bureau Strata Mechanics, World Mining Congress, Novosibirsk* (Ed. A. Kidybiński and J. Dubiński), pp. 39–59. A.A. Balkema, Rotterdam.

1097. Sörheim S. (1981): Bergtrykksvariasjoner og sikring i Heggura vegtunnel (in Norwegian). MSc. thesis. Norwegian Institute of Technology, Trondheim.
1098. Talobre J. (1957): *La mecanique des roches*. Paris: Dunod
1099. Tamrock (1989): *Surface drilling and blasting*. Tamrock Drills, Finland, 479 p.
1100. Tapponnier P. and Brace W. F. (1976): Development of stress-induced microcracks in Westerly granite. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, 13: pp. 103–112.
1101. Tarbuck E.J. and Lutgens F.K. (1986): *The Earth - An introduction to physical geology*. Ch. 14: Earthquakes. Merrill Publ. Co., pp. 355-361.
1102. Tatchell G.E. (1991): Automatic data acquisition systems for monitoring dams and landslides. *Proc. 3rd Int. symp. on Field Measurements in Geomechanics*, Oslo, Norway.
1103. Telford W.M., Geldart L.P. and Sheriff R.E. (1990): *Applied Geophysics*. 2nd edn, Cambridge University Press, Cambridge, 770 p.
1104. Terzaghi K. (1925): *Erdbaumechanik auf Bodenphysikalischer Grundlage*. Vienna: Franz Deuticke.
1105. Terzaghi K. (1936): Presidential Address. *Proc. 1st Int. Conf. for Soil Mechanics and Foundations Engineering*, Cambridge, Mass. 1, 22-3.
1106. Terzaghi K. (1945): Stress conditions for the failure of saturated concrete and rock. *Proc. Am. Soc. Test. Mater.* 45, pp. 777-801.
1107. Terzaghi K. (1946): Rock defects and loads on tunnel supports. *Introduction to tunnel geology*. In *Rock tunneling with steel supports*, (eds R. V. Proctor and T. L. White) 1, 17-99. Youngstown, OH: Commercial Shearing and Stamping Company. pp. 5 - 153.
1108. Terzaghi K. and Richart F.E. (1952): Stresses in rock about cavities. *Geotechnique* 3, pp. 57-90.
1109. Terzaghi K. (1953): Fifty years of subsoil exploration. *Proc. 3rd Int. Conf. Soil Mech. and Found. Eng.* Zurich, Volume 3, pp. 227-237.
1110. Terzaghi R. (1965): Sources of error in joint surveys. *Geotechnique*, Vol 15, 1965, pp. 287-304.
1111. Terzaghi R. and Voight B. (1979): Karl Terzaghi on rockslides: the perspective of a halfcentury. In *Rockslides and Avalanches* (ed. B. Voight), Part 2, pp. 111-131. New York: Elsevier
1112. Thorn L.J. and Muller D.S. (1964): Prestressed roof support in underground engine chambers at Free State Geduld Mines Ltd. *Trans. Assn Mine Mngrs S. Afr.*, pp. 411-428.
1113. Thorpe R., Watkins D.J., Ralph W.E., Hsu R. and Flexser S. (1980): Strength and permeability tests on ultra-large Stripa Granite core. Technical information report No. 31. Lawrence Berkeley Laboratory, University of California Berkeley.
1114. Thorgrímsson S., Loftsson M. and Jensson O. (1991): Iceland's Blanda hydroelectrical project: Monitoring of deformations, rock support and testing of rock anchors in the powerhouse cavern. *Tunnelling. and Underground Space Technology*, Vol. 6, No. 2, pp.235-239.

1115. Thorpe R., Watkins D.J., Ralph W.E., Hsu R. and Flexser S. (1980): Strength and permeability tests on ultra-large Stripa granite core. Technical Information Report No.31, Lawrence Berkeley Laboratory, University of California, 200 p.
1116. Thorpe R. and Brown G. (1985): The field description of igneous rocks. Geological Society of London Handbook, Open University Press, Milton Keynes, 154 p.
1117. Tirén S.A. and Beckholmen M. (1992): Rock block map analysis of southern Sweden. Geologiska Föreningens i Stockholm Förhandlingar, Vol. 114, Pt. 3, pp. 253 - 269.
1118. Tokheim O. and Janbu N. (1984): Flow rates of air and water from caverns in soil and rock. Proc. ISRM-Symp. on Rock Mechanics related to caverns and pressure shafts. Aachen 1982, Balkema, Vol. 3, pp. 1335-1343.
1119. Tourtelot H.A. (1974): Geologic origin and distribution of swelling clays. Bull. Ass. of Engn. Geol., Vol XI, No. 4, 1974, pp. 259-275.
1120. Trantina J.A. and Cluff L.S. (1964): "NX" bore-hole camera. Proc. Symp. on Soil Exploration, Philadelphia, American Society Testing and Materials, Spec. Tech. Pub. No. 351, pp. 108-117.
1121. Tsidzi K.E.N. (1986): A quantitative petrofabric characterization of metamorphic rocks. Bull. Int.Assoc. Engng. Geol. no 33, pp. 3 - 12.
1122. Tsidzi K.E.N. (1987): Foliation index determination for fine-grained metamorphic rocks. Bull. Int.Assoc. Engng. Geol. no 36, pp. 27 - 33.
1123. Tsidzi K.E.N. (1987): Compressive strength anisotropy of foliated rocks. Proc. symp. on Mechanics of Jointed and Faulted Rock; Balkema, Rotterdam, pp. 421 - 428.
1124. Tsoutrelis C.E., Exadactylos G.E. and Kapenis A.P. (1990): Study of the rock mass discontinuity system using photoanalysis. Proc. of Symp. on Mechanics of Jointed and Faulted Rock, 1990, pp. 103-112.
1125. Tucker M.E. (1982): The field description of sedimentary rocks. Geological Society of London Handbook, Open University Press, Milton Keynes, 112 p.
1126. Turk N., Dearman W.R. (1985): Investigation of some rock joint properties: Roughness angle determination and joint closure. Proc. of Int. Symp. on Fundamentals of Rock Joints, Björkliden Sweden 1985, pp 197 -204.
1127. Tyler D.B., Trueman. R. and Pine. R.J. (1991): Rockbolt support design using a probabilistic method of key block analysis. Proc. 32nd U.S. Symp. Rock Mechanics, Norman, Oklahoma, pp. 1037-47.
1128. Tzamos S. and Sofianos A. I. (2007): A correlation of four rock mass classification systems through their fabric indices. Intern. Journal of Rock Mechanics and Mining Sciences 44, pp. 477-495
1129. Uff J.F. and Clayton C.R. (1986): Recommendations for the procurement of ground investigation. Construction Industry Research and Information Association Special Publication 45.
1130. Uff J.F. and Clayton C.R. (1991): Role and responsibility in site investigation. Construction Industry Research and Information Association Special Publication 73, 42 p.

1131. Ulriksen C.P.F. (1983): Application of impulse radar to civil engineering. Doctoral Thesis, Lund University of Technology, Sweden, published by Geophysical Survey systems, Inc., U.S.A.
1132. Unal E. (1983): Design guidelines and roof control standards for coal mine roofs. Ph.D. Thesis, The Pennsylvania State University, 1983.
1133. Ursin B. (1983): Review of elastic and electromagnetic wave propagation in horizontally layered media. *Geophysics*, 48, pp. 1063-1081.
1134. USACE (1997): Engineering and design; Tunnels and shafts in rock. U.S. Army Corps of Engineers, Manual no. 1110-2-2901, 236 p.
1135. USNC/TT (1984): Geotechnical site investigations for underground projects. U.S. National Committee on Tunnelling Technology, National Research Council, Washington D.C.
1136. Van Zijl J.S.V. (1978): On the uses and abuses of the electrical resistivity method. *Bullet in of the Association of Engineering Geologists*, 15 (1), pp. 85—111.
1137. Vandewalle, M. (1993): *Dramix: Tunnelling the world*. 3rd edn. Zwevegem, Belgium: N.V. Bekaert S.A.
1138. Vanmarcke, E.H. (1980): Probabilistic analysis of earth slopes. *Engineering Geology* 16: pp. 29-50.
1139. Varnes D.J. (1984): Landslide hazard zonation: a review of principles and practice. *Natural Hazards* 3. UNESCO, Paris, 63 p.
1140. Vasak P. and Kaiser P.K. (1995): Tunnel stability assessment during rockbursts. In *Proc. CAMI'95: 3rd Canadian Conference on Computer Applications in the Mineral Industry*, Montreal (Ed. H. S. Mitri), pp. 238–247. McGill University, Montreal.
1141. Vermeer P.A. and de Borst R. (1984): Non-associated plasticity for soils, concrete and rock. *Heron*, vol. 29, no.3
1142. Vogele M., Fairhurst C. and Cundall P.A. (1978): Analysis of tunnel support loads using a large displacement, distinct block model. In *Storage in excavated rock caverns* (ed. M. Bergman) 2, pp. 247-252. Oxford: Pergamon
1143. von Karman Th. (1911): Festigkeitsversuche unter allseitigem Druck. *Zeit d Ver Deutscher Ing.* 55, pp. 1749-1757.
1144. von Kimmelman M.R., Hyde B. and Madgwick R.J. (1984): The use of computer applications at BCL Limited in planning pillar extraction and the design of mine layouts. In *Design and performance of underground excavations*, (eds E.T. Brown and J.A. Hudson), pp. 53-64. London: Brit. Geotech. Soc. VSL Systems Ltd. 1982. Slab post tensioning. Switzerland.
1145. Vovk A.A., Mikhalyuk A.V. and Belinski I.V. (1974): Development of fracture zones in rocks during camouflet blasting. *Soviet Mining Science*, 1974.
1146. Wagner H. (1987): Design and support of underground excavations in highly stressed rock. In *Proc. 6th ISRM Int. Congress on Rock Mechanics*, Montreal (Ed. G. Herget and S. Vongpaisal), vol. 3, pp. 1443–1457. A.A. Balkema, Netherlands.
1147. Wahlgren C-H., Curtis P., Hermanson J., Forssberg O., Öhman J., Fox A., La Pointe P., Drake H., Triumpf C-A., Mattsson H., Thunehed H. and Juhlin C. (2008): *Geology Laxemar*. Site

- descriptive modelling SDM-Site Laxemar. SKB R-08-54, Svensk Kärnbränslehantering AB, Stockholm, Sweden.
1148. Wahlstrom, E.E. (1973): *Tunnelling in rock*. Amsterdam Elsevier, 250 p.
  1149. Wakeling T.R.M. (1970): A comparison of the results of standard site investigations methods against the results of a detailed geotechnical investigation in Middle Chalk at Mundford, Norfolk. Proc. Conf. on In situ Investigations in Soils and Rocks, British Geotechnical Society, London, pp. 17-22.
  1150. Wallis P.F., King M.S. (1980): Discontinuity spacings in a crystalline rock. Technical note, Int. J. Rock Mech. Min. Sci. & Geomech. Abstr., Vol 17, 1980, pp 63 - 66.
  1151. Wang X.B. (2007): Effect of dilation angle on failure process and mechanical behaviour for a rock specimen with initial random material imperfections. *Rock Mechanics: Meeting Society's Challenges and Demands*. Edited by Eberhardt, Stead and Morrison. Taylor & Francis Group, London, ISBN 978-0-415-44401-9, pp. 371-378
  1152. Warburton P.M. (1981): Vector stability analysis of an arbitrary polyhedral block with any number of free faces. Int. J. Rock Mech. Min. Sci. & Geomech. Abstr. 18, pp. 415-427.
  1153. Ward W.H. (1978): Ground supports for tunnels in weak rocks. The Rankine Lecture. *Geotechnique* 28, No. 2, pp. 133-171.
  1154. Watkins M.D. (1971): Terminology for describing the spacing of discontinuities of rock masses. *Q.J. Engn. Geol.*, Vol 3, 1971, pp. 193 - 195.
  1155. Webster R. (1968): Discussion on the air photograph requirements of geologists. (see Norman 1968), *Photogrammetric Record*, 6 (32), pp. 146-147.
  1156. West G. (1979): A preliminary study of the reproducibility of joint measurements in rock. TRRL Report SR 488, Transport and Road Research Laboratory, Crowthorne, Berks.
  1157. Whitman R.V. (1984): Evaluating calculated risk in geotechnical engineering. *J. Geotech. Enng*, ASCE 110(2), pp. 145-186.
  1158. Whyte I.L. (1976): The development of site investigations. *Ground Engineering*, 9(7), pp. 35-38.
  1159. Wickham G.E., Tiedemann H.R. and Skinner E.H. (1972): Support determination based on geologic predictions. In Proc. North American rapid excav. tunneling conf., Chicago, (eds K.S. Lane and L.A. Garfield), pp. 43-64. New York: Soc. Min. Engrs, Am. Inst. Min. Metall. Petrolm Engrs.
  1160. Wiles T.D. and Kaiser P.K. (1990): A new approach for the statistical treatment of stress tensors. In Proc. Stresses in Underground Structures, Ottawa (Ed. G. Herget, B. Arjang, M. Bétournay, M. Gyenge, S. Vongpaisal and Y. Yu), pp. 62-76. Canadian Government Publishing Centre, Ottawa, Canada.
  1161. Wiles T.D. and Kaiser P.K. (1994): In situ stress determination using the underexcavation technique—I. Theory. Int. J. Rock Mech. Min. Sci. & Geomech. Abstr., **31**(5):439-446.
  1162. Williamson D.A. (1980): Uniform rock classification for geotechnical engineering purposes. *Transportation Research Record* 783, National Academy of Sciences, Washington D.C, pp. 9-14.

1163. Williamson, D.A., 1984. Unified rock classification system. *Bull Assoc. Eng. Geol.* XXI (3), 345–354.
1164. Williamson D.A. and Kuhn C.R (1988): The unified classification system. *Rock Engineering Systems for Engineering Purposes*, ASTM STP 984, American Society for Testing Materials, Philadelphia, pp. 7 - 16.
1165. Winberg A., Andersson P., Hermanson J., Byegård J., Cvetkovic V. and Birgersson L. (2000): Äspö Hard Rock Laboratory, Final report of the first stage of the Tracer Retention Understanding Experiments. SKB TR-00-07, Svensk Kärnbränslehantering AB.
1166. Windsor C.R. (1990): Ferruled strand. Unpublished memorandum. Perth: CSIRO.
1167. Windsor C.R. (1992): Cable bolting for underground and surface excavations. In *Rock support in mining and underground construction*, proc. int. symp. on rock support, Sudbury, (eds P.K. Kaiser and D.R. McCreath), pp. 349-376. Rotterdam: Balkema.
1168. Winther T. et al., (1994): From plate tectonics to the design of the Dul Hasti hydroelectric project in Kashmir (India). *Engineering Geology* 36 (1994). 211 - 241
1169. Wittke W.W. (1965): Method to analyse the stability of rock slopes with and without additional loading. (in German) *Felsmechanik und Ingerieurgeologie* , Supp. 11, 30 , pp. 52-79. English translation in Imperial College Rock Mechanics Research Report, no. 6, July 1971.
1170. Wittke N. and Louis C. (1969): Several quick tests for determining the mechanical character of rocks. *Geotechnical Colloq.*, Toulouse, France
1171. Wood D. (1991): Estimating Hoek-Brown rock mass strength parameters from rock mass classifications. *Transportation Research Record* 1330, pp. 22-29.
1172. Wood, D.F. (1992): Specification and application of fibre reinforced shotcrete. In *Rock support in mining and underground construction*, proc. int. symp. on rock support, Sudbury, (eds. P.K. Kaiser and D.R. McCreath), pp. 149-156. Rotterdam: Balkema.
1173. Wood D.F., Banthia, N. and Trottier, J-F. (1993): A comparative study of different steel fibres in shotcrete. In *Shotcrete for underground support VI*, Niagara Falls, pp. 57-66. New York: Am. Soc. Civ. Engrs.
1174. Worotnicki, G. and Walton, R.J. (1976): Triaxial 'hollow inclusion' gauges for determination of rock stresses in situ. *Proc symp. ISRM on Investigation of Stress in Rock*, Sydney. Supplement 1-8. Sydney: Institution of Engineers, Australia.
1175. Wrafter J., Back P-E., Christiansson R. and Sundberg J. (2010): 3D modelling of thermal conductivity in heterogeneous crystalline rock: a stochastic simulation approach. *Int. Conf. 'Rock Mechanics in the Nordic Countries*, Kongsberg, Norway, 10 p.
1176. Xuecheng D. (1993): Rock mechanics investigations related to the three gorges dam project. *News Journal of International Society for Rock Mechanics*, Vol. 1, No. 4, pp. 6-15.
1177. Yazici S. and Kaiser P.K. (1992): Bond strength of grouted cable bolts. *Int J. Rock Mech. Min. Sci. & Geomech. Abstr.* 29(3), pp. 279-292.
1178. Yonekura R. (1997): The developing process and the new concepts of chemical grout in Japan. *Grouting and Deep Mixing*. Proc. to the 2nd International Conference on Ground Improvement Geosystems, Tokyo, 1996, pp. 889-901.

1179. Yudhbir, Lemanza W. and Prinzl F. (1983): An empirical failure criterion for rock masses. In: Proceedings of the 5th International Congress on Rock Mechanics, Melbourne, Balkema, Rotterdam, 1, pp. B1-B8.
1180. Zhang, L. (2008) A generalized three-dimensional Hoek-Brown strength criterion. Rock Mech Rock Engng. Published online 3 April 2008. DOI 10.1007/s00603-008-0169-8.
1181. Zhang Y, Mitri HS (2008) Elastoplastic stability analysis of mine haulage drift in the vicinity of mined stopes. Int J Rock Mech Min Sci 45: 574-593
1182. Zheng Z., Kemeny J. and Cook N.G.W. (1989): Analysis of borehole breakouts. J. Geophys. Res. 94(B6), pp. 7171-7182.
1183. Zimmermann R W, Bodvarsson G S, (1996): Hydraulic conductivity of rock fractures. Transport in Porous Media. Vol. 23, pp 1-30.
1184. Zoback M. L. (1992): First- and second-order patterns of stress in the lithosphere: the World Stress Map Project. J. Geophys. Res. 97(B8), pp. 11761-11782.